

V-TAC[®] INNOVATIVE LED LIGHTING



CE/EMC

DEKRA



LED LIGHTING
CATALOG 2021



5 YEAR
WARRANTY

About Us

 <p>2009 V-TAC was founded with the vision of providing energy-efficient LED lighting solutions worldwide</p> 	 <p>2011 Began our EU expansion by opening the first V-TAC warehouse and office in Sofia, Bulgaria</p> 	 <p>2012 Manufacturing joint venture with MEKA Lighting</p> 
 <p>2013 Started building our distribution network in the UK from our office in Southall, London.</p> 	 <p>2015 Launched our in-house product testing lab in Sofia, Bulgaria.</p> 	 <p>2016 Achieved \$100M Annual Turnover- Manufacturing Joint Venture with DASHER Lighting for decorative lighting</p> 
 <p>2017 In-brand Partnership with Samsung and launched the V-TAC PRO Series</p> 	 <p>2018</p> <ul style="list-style-type: none"> • Partnership with Tuya and launched new Smart Series • Unveiled the new V-TAC Showroom in Slough, UK 	 <p>2019 Opened new 2500 meter square showroom in Bulgaria.</p> 

We are **V-TAC** – a trusted LED supplier in Europe – the European team of the multinational company **V-TAC**, with offices in Bulgaria (Sofia), Great Britain (London), UAE (Dubai), India (Mumbai), Hungary (Budapest), Romania (Bucharest), and Austria (Vienna), **and more recently Sydney (Australia)**

Our logistical hub in Sofia has reached a square surface area of 42 000+ square meters.

V-TAC is a registered trademark, created and developed based on the idea of LED lighting. Our main goal is the design, development and distribution of all types of LED lighting solutions, with emphasis on mass products and achieving the best price/quality ratio.

The companies which produce **V-TAC** products follow the quality standards and are certified under **CE/EMC, DEKRA, GS, TUV, ROHS, ERAC, RCM** by accredited laboratories, which guarantees the highest quality of LED and the components used to provide the best final product.

All **V-TAC** products shall be produced after thorough feasibility and practicality studies, with the main purpose of energy saving and environmental preservation. With the increasing awareness of LED technology on a global scale, **V-TAC** is striving to be among the **leaders in the development and dissemination of this technology** and offer the most updated in its product list.



LED Plastic Bulbs



PAGE
02

LED Spot Lights



PAGE
07

LED Flood Lights



PAGE
09

Street Lights



PAGE
17

Reflector Highbays



PAGE
20

Reflector Downlight



PAGE
21

LED Solar Lights



PAGE
24

LED Mini Panels



PAGE
25

LED Tubes



PAGE
26

Linear Lights



PAGE
27

LED TrackLights



PAGE
27

Magnetic Track Lights



PAGE
31

V-TAC

ESSENTIALS

V-TAC's wide range of ESSENTIAL LED products, for diverse applications. Our products have been tested and approved by top EU labs ensuring high quality LED's.

CRI > 95



PAGE
38

GU10



PAGE
52

Slimline Floodlights



PAGE
64

LED Panels



PAGE
70

Waterproof Fitting



PAGE
80

UFO-High Lumen



PAGE
87

Street Lights



PAGE
90

LED Strip Lights



PAGE
93

LED Down Lights



PAGE
108

LED Dome Lights



PAGE
114

Solar Wall Light



PAGE
121

Motion Sensors



PAGE
125

LED Exit Lights



PAGE
128

Smart Table Lamps



PAGE
130

Electrical



PAGE
132

Outdoor Fittings



PAGE
135

LED Wall Lights



PAGE
142

Pendants



PAGE
148

Chandeliers



PAGE
162



LED Bulbs

Find the right bulb in V-TAC's newly improved range of LED bulbs. With our recent in-branding program with Samsung, all LED chips used in the PRO Series lamp range.


- Designed with optimal thermal management
- 80% lower power consumption
- Dimmable options available
- 30,000-hr lifespan: remarkable performance than conventional and other LED lamps

V-TAC[®]
INNOVATIVE LED LIGHTING





High Lumens LED Bulbs
4.5w | 470 lm




VT-255

SKU: 259 | 4000K Day White

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V, 50Hz
Commercial Type:	Candle
CRI:	>80
PF:	>0.4
Base:	E14
Beam Angle:	200°
Body Type:	Thermoplastic
Dimension:	Ø37×100mm
Box Qty:	200



High Lumens LED Bulbs
6.5w | 806 lm




VT-265

SKU: 256 | 4000K Day White

EQ. Watts:	60w
Voltage/Frequency:	AC:220-240V, 50Hz
Commercial Type:	A60
CRI:	>80
PF:	>0.5
Base:	E27
Beam Angle:	200°
Body Type:	Thermoplastic
Dimension:	Ø60×104mm
Box Qty:	100



High Lumens LED Bulbs
8.5w | 1055 lm





VT-285

SKU: 253 | 4000K Day White

EQ. Watts:	75w
Voltage/Frequency:	AC:220-240V, 50Hz
Commercial Type:	A60
CRI:	>80
PF:	>0.5
Base:	E27
Beam Angle:	200°
Body Type:	Thermoplastic
Dimension:	Ø60×112mm
Box Qty:	100



LED Bulbs
5.5w | 470 lm





VT-293D

SKU: 20045 | 3000K Warm White

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V, 50Hz
Commercial Type:	Candle
CRI:	>80
PF:	>0.5
Base:	E14
Beam Angle:	200°
Body Type:	Thermoplastic
Dimension:	Ø37×100mm
Box Qty:	200



LED Bulbs
7w | 600 lm





VT-268

SKU: 111 | 3000K Warm White
SKU: 112 | 4000K Day White
SKU: 113 | 6400K White

EQ. Watts:	45w
Voltage/Frequency:	AC:220-240V, 50Hz
Commercial Type:	Candle
CRI:	>80
PF:	>0.5
Base:	E14
Beam Angle:	180°
Body Type:	Thermoplastic
Dimension:	Ø38×102mm
Box Qty:	200



LED Bulbs
5.5w | 470 lm





VT-246

SKU: 174 | 3000K Warm White
SKU: 176 | 6400K White

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V, 50Hz
Commercial Type:	G45
CRI:	>80
PF:	>0.5
Base:	E27
Beam Angle:	180°
Body Type:	Thermoplastic
Dimension:	Ø45×81mm
Box Qty:	200



LED Bulbs
7w | 600 lm





VT-290

SKU: 868 | 6400K White

EQ. Watts:	45w
Voltage/Frequency:	AC:220-240V, 50Hz
Commercial Type:	G45
CRI:	>80
PF:	>0.5
Base:	E27
Beam Angle:	180°
Body Type:	Thermoplastic
Dimension:	Ø45×81mm
Box Qty:	200



LED Bulbs
5.5w | 470 lm





VT-236

SKU: 170 | 6400K White

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V, 50Hz
Commercial Type:	P45
CRI:	>80
PF:	>0.5
Base:	E14
Beam Angle:	180°
Body Type:	Thermoplastic
Dimension:	Ø45×81mm
Box Qty:	200



LED Bulbs
7w | 600 lm




VT-270

SKU: 865 | 6400K White

EQ. Watts:	45w
Voltage/Frequency:	AC:220-240V, 50Hz
Commercial Type:	P45
CRI:	>80
PF:	>0.5
Base:	E14
Beam Angle:	180°
Body Type:	Thermoplastic
Dimension:	Ø45×81mm
Box Qty:	200



LED Bulbs
9w | 806 lm




VT-210

SKU: 228 | 3000K Warm White

EQ. Watts:	60w
Voltage/Frequency:	AC:220-240V, 50Hz
Commercial Type:	A58
CRI:	>80
PF:	>0.5
Base:	E27
Beam Angle:	200°
Body Type:	Thermoplastic
Dimension:	Ø58×106mm
Box Qty:	100



LED Bulbs
11w | 1055 lm




VT-212

SKU: 232 | 4000K Day White
SKU: 233 | 6400K White

EQ. Watts:	75w
Voltage/Frequency:	AC:220-240V, 50Hz
Commercial Type:	A60
CRI:	>80
PF:	>0.5
Base:	E27
Beam Angle:	200°
Body Type:	Thermoplastic
Dimension:	Ø60×120mm
Box Qty:	100



LED Bulbs
12w | 1055 lm





VT-262D

SKU: 20044 | 3000K Warm White

EQ. Watts:	75w
Voltage/Frequency:	AC:220-240V, 50Hz
Commercial Type:	A60
CRI:	>80
PF:	>0.5
Base:	E27
Beam Angle:	200°
Body Type:	Thermoplastic
Dimension:	Ø60×120mm
Box Qty:	100



LED Bulbs
17w | 1521 lm




VT-217

SKU: 163 | 4000K Day White
SKU: 164 | 6400K White

EQ. Watts:	100w
Voltage/Frequency:	AC:220-240V, 50Hz
Commercial Type:	A65
CRI:	>80
PF:	>0.5
Base:	E27
Beam Angle:	200°
Body Type:	Thermoplastic
Dimension:	Ø66.5×134mm
Box Qty:	100



LED Bulbs
11w | 1055 lm




VT-231

SKU: 853 | 6400K White

EQ. Watts:	75w
Voltage/Frequency:	AC:220-240V, 50Hz
Commercial Type:	A60
CRI:	>80
PF:	>0.5
Base:	B22
Beam Angle:	200°
Body Type:	Thermoplastic
Dimension:	Ø60×120mm
Box Qty:	96



LED Bulbs
36w | 3960 lm




VT-240

SKU: 285 | 6400K White

EQ. Watts:	250w
Voltage/Frequency:	AC:220-240V, 50Hz
Commercial Type:	Olive
CRI:	>80
PF:	>0.9
Base:	E27
Beam Angle:	120°
Body Type:	Aluminium
Dimension:	Ø90×212mm
Box Qty:	20



LED Bulbs
60w | 5400 lm



VT-260

SKU: 186 | 3000K Warm White
SKU: 187 | 4000K Day White
SKU: 188 | 6400K White



EQ. Watts:	
Voltage/Frequency:	AC:220-240V, 50Hz
Commercial Type:	Olive
CRI:	>80
PF:	>0.9
Base:	E40
Beam Angle:	120°
Body Type:	Aluminium
Dimension:	Ø102×320mm
Box Qty:	20



LED Spotlights

Our new range of LED spotlights with Samsung LEDs is your leading choice for efficient directional lighting solutions. This new range is perfectly compatible with existing GU10 holders. They deliver the same warm light as halogen spots while exhibiting the energy-saving benefits that LEDs provide. Ideal for retail and residential lighting.

LED Spotlights
2.5w | 200 lm




VT-203

SKU: 243 | 3000K Warm White

EQ. Watts:	20w
Voltage/Frequency:	AC:220-240V, 50Hz
CRI:	>80
PF:	>0.4
Base:	G9
Beam Angle:	300°
Body Type:	Plastic
Dimension:	16.5x46.5mm
Box Qty:	200

LED Spotlights
2w | 180 lm





VT-232

SKU: 869 | 3000K Warm White
SKU: 870 | 4000K Day White
SKU: 871 | 6400K White

EQ. Watts:	15w
Voltage/Frequency:	AC:220-240V, 50Hz
CRI:	>80
PF:	>0.5
Base:	GU10
Beam Angle:	38°
Body Type:	Plastic
Dimension:	Ø35x50mm
Box Qty:	200

LED Spotlights
6.5w | 480 lm




VT-247

SKU: 192 | 3000K Warm White

EQ. Watts:	60w
Voltage/Frequency:	AC:220-240V, 50Hz
CRI:	>80
PF:	>0.5
Base:	GU10
Beam Angle:	110°
Body Type:	Plastic
Dimension:	Ø50×55mm
Box Qty:	200

LED Spotlights
6.5w | 450 lm





VT-247D

SKU: 198 | 3000K Warm White
SKU: 199 | 4000K Day White

EQ. Watts:	55w
Voltage/Frequency:	AC:220-240V, 50Hz
CRI:	>80
PF:	>0.5
Base:	GU10
Beam Angle:	110°
Body Type:	Plastic
Dimension:	Ø50×55mm
Box Qty:	200

LED Spotlights
6.5w | 480 lm





VT-227

SKU: 190 | 4000K Day White

EQ. Watts:	60w
Voltage/Frequency:	AC:220-240V, 50Hz
CRI:	>80
PF:	>0.5
Base:	GU10
Beam Angle:	38°
Body Type:	Plastic
Dimension:	Ø50×55mm
Box Qty:	200

LED Spotlights
8w | 720 lm



VT-292

SKU: 872 | 3000K Warm White
SKU: 873 | 4000K Day White
SKU: 874 | 6400K White

EQ. Watts:	80w
Voltage/Frequency:	AC:220-240V, 50Hz
CRI:	>80
PF:	>0.5
Base:	GU10
Beam Angle:	110°
Body Type:	Plastic
Dimension:	Ø50×55mm
Box Qty:	200





LED Floodlights

V-TAC's LED Floodlights are manufactured with industry-leading components to deliver an exceptional performance, making them the perfect choice for efficient outdoor lighting. Each unit is designed and made of diecast Aluminium for extreme durability. With the IP65 rating, all the floodlights in this series are also waterproof and dustproof. This extensive range of floodlights is ready to impress in terms of efficiency brought by the Samsung LED chip. The auto-cutoff function comes with the PIR series which disables the sensor with a switch.





LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-56-B



SKU: 761 | 6400K White

LED Floodlights
50w | 6000 lm

Voltage/Frequency:	AC:220-240V, 50Hz
CRI:	>80
PF:	>0.9
Beam Angle:	100°
Body Type:	Die-Cast Aluminium
Dimension:	223×28×188mm
Box Qty:	8



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-106-B

SKU: 767 | 6400K White



LED Floodlights
100w | 12000 lm

Voltage/Frequency:	AC:220-240V, 50Hz
CRI:	>80
PF:	>0.9
Beam Angle:	100°
Body Type:	Die-Cast Aluminium
Dimension:	291×30×240mm
Box Qty:	4

① METER WIRE



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-206-B

SKU: 779 | 6400K White

LED Floodlights
200w | 24000 lm



Voltage/Frequency:	AC:220-240V, 50Hz
CRI:	>80
PF:	>0.9
Beam Angle:	100°
Body Type:	Die-Cast Aluminium
Dimension:	439×56×346mm
Box Qty:	2

① METER WIRE





① METER WIRE



VT-405



SKU: 965 | 6400K White

LED Floodlights
400w | 48000 lm

Voltage/Frequency:	AC:220-240V, 50Hz
CRI:	>70
PF:	>0.9
Beam Angle:	100°
Body Type:	Die-Cast Aluminium
Dimension:	580×505×155mm
Box Qty:	1



① METER WIRE



VT-505



SKU: 967 | 6400K White

LED Floodlights
500w | 60000 lm

Voltage/Frequency:	AC:220-240V, 50Hz
CRI:	>70
PF:	>0.9
Beam Angle:	100°
Body Type:	Die-Cast Aluminium
Dimension:	580×505×155mm
Box Qty:	1



① METER WIRE




VT-1055

SKU: 969 | 6400K White

LED Floodlights
1000w | 120000 lm



Voltage/Frequency:	AC:220-240V, 50Hz
CRI:	>70
PF:	>0.9
Beam Angle:	100°
Body Type:	Die-Cast Aluminium
Dimension:	709×155×760mm
Box Qty:	1



LED Floodlights
10w | 800 lm
VT-10-W

SKU: 429 | 6400K White



Voltage/Frequency:	AC:220-240V, 50Hz
CRI:	>80
PF:	>0.9
Beam Angle:	100°
Body Type:	Die Cast Aluminium
Dimension:	115x108x26mm
Box Qty:	20



LED Floodlights
20w | 1600 lm
VT-20-W

SKU: 444 | 6400K White



Voltage/Frequency:	AC:220-240V, 50Hz
CRI:	>80
PF:	>0.9
Beam Angle:	100°
Body Type:	Die-Cast Aluminium
Dimension:	153x132x27mm
Box Qty:	20



LED Floodlights
30w | 2400 lm
VT-30-W

SKU: 405 | 6400K White


Voltage/Frequency:	AC:220-240V, 50Hz
CRI:	>80
PF:	>0.9
Beam Angle:	100°
Body Type:	Die-Cast Aluminium
Dimension:	178x152x28mm
Box Qty:	10



LED Floodlights
50w | 4000 lm
VT-50-W



SKU: 411 | 6400K White

Voltage/Frequency:	AC:220-240V, 50Hz
CRI:	>80
PF:	>0.9
Beam Angle:	100°
Body Type:	Die-Cast Aluminium
Dimension:	223x188x28mm
Box Qty:	8





① METER WIRE



LED Floodlights
100w | 8000 lm



VT-100-W

SKU: 417 | 6400K White

Voltage/Frequency:	AC:220-240V, 50Hz
CRI:	>80
PF:	>0.9
Beam Angle:	100°
Body Type:	Die Cast Aluminium
Dimension:	291x30x240mm
Box Qty:	4



① METER WIRE





LED Floodlights
200w | 16000 lm

VT-200-W

SKU: 421 | 6400K White

Voltage/Frequency:	AC:220-240V, 50Hz
CRI:	>80
PF:	>0.9
Beam Angle:	100°
Body Type:	Die-Cast Aluminium
Dimension:	439x346x56mm
Box Qty:	2





LED Floodlights
10w | 800 lm

VT-10-B

SKU: 424 | 3000K Warm White
SKU: 426 | 6400K White

Voltage/Frequency:	AC:220-240V, 50Hz
CRI:	>80
PF:	>0.9
Beam Angle:	100°
Body Type:	Die Cast Aluminium
Dimension:	115x108x26mm
Box Qty:	20



LED Floodlights
20w | 1600 lm



VT-20-B

SKU: 439 | 3000K Warm White
SKU: 441 | 6400K White

Voltage/Frequency:	AC:220-240V, 50Hz
CRI:	>80
PF:	>0.9
Beam Angle:	100°
Body Type:	Die Cast Aluminium
Dimension:	153x27x132mm
Box Qty:	20



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



LED Floodlights
30w | 2400 lm

VT-30-B

- SKU: 400 | 3000K Warm White
- SKU: 401 | 4000K Day White
- SKU: 402 | 6400K White

Voltage/Frequency:	AC:220-240V, 50Hz
CRI:	>80
PF:	>0.9
Beam Angle:	100°
Body Type:	Die Cast Aluminium
Dimension:	178x28x152mm
Box Qty:	10





**5 YEAR
WARRANTY**

**IP65
RATING**



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



LED Floodlights
50w | 4000 lm

VT-50-B

- SKU: 406 | 3000K Warm White
- SKU: 407 | 4000K Day White
- SKU: 408 | 6400K White

Voltage/Frequency:	AC:220-240V, 50Hz
CRI:	>80
PF:	>0.9
Beam Angle:	100°
Body Type:	Die Cast Aluminium
Dimension:	223x28x188mm
Box Qty:	8





**5 YEAR
WARRANTY**

**IP65
RATING**



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



LED Floodlights
100w | 8000 lm

VT-100-B

- SKU: 412 | 3000K Warm White
- SKU: 413 | 4000K Day White
- SKU: 414 | 6400K White

Voltage/Frequency:	AC:220-240V, 50Hz
CRI:	>80
PF:	>0.9
Beam Angle:	100°
Body Type:	Die Cast Aluminium
Dimension:	291x30x240mm
Box Qty:	4





**5 YEAR
WARRANTY**

**IP65
RATING**

1 METER WIRE



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



LED Floodlights
150w | 12000 lm

VT-150-B

- SKU: 477 | 6400K White



Voltage/Frequency:	AC:220-240V, 50Hz
CRI:	>80
PF:	>0.9
Beam Angle:	100°
Body Type:	Die Cast Aluminium
Dimension:	404x52x322mm
Box Qty:	2



**5 YEAR
WARRANTY**

**IP65
RATING**

1 METER WIRE



LED Floodlights
200w | 16000 lm

VT-200-B

SKU: 418 | 4000K Day White

SKU: 419 | 6400K White

Voltage/Frequency:	AC:220-240V, 50Hz
CRI:	>80
PF:	>0.9
Beam Angle:	100°
Body Type:	Die Cast Aluminium
Dimension:	439×56×346mm
Box Qty:	2





5 YEAR WARRANTY



IP65 RATING

① METER WIRE



LED Floodlights
300w | 24000 lm

VT-300-B

SKU: 423 | 6400K White

Voltage/Frequency:	AC:220-240V, 50Hz
CRI:	>80
PF:	>0.9
Beam Angle:	100°
Body Type:	Die Cast Aluminium
Dimension:	529×55×415mm
Box Qty:	2



5 YEAR WARRANTY




IP65 RATING

① METER WIRE



- Instant start in <1sec
- Auto-cutoff function: disable sensor with a switch
- Detection range:120°
- Detection distance:2-8m
- Time delay: MIN12+3sec MAX6+-2min
- Installation height: 1.8-2.5m

① METER WIRE



LED Floodlights PIR
20w | 1600 lm

VT-20-S-B

SKU: 453 | 6400k White

Voltage/Frequency:	AC:220-240V, 50Hz
CRI:	>80
PF:	>0.7
Beam Angle:	100°
Body Type:	Die Cast Aluminium
Box Qty:	20



5 YEAR WARRANTY




IP44 RATING



- Instant start in <1sec
- Auto-cutoff function: disable sensor with a switch
- Detection range:120°
- Detection distance:2-8m
- Time delay: MIN12+3sec MAX6+-2min
- Installation height: 1.8-2.5m

① METER WIRE



LED Floodlights PIR
30w | 2400 lm

VT-30-S-B

SKU: 462 | 6400k White

Voltage/Frequency:	AC:220-240V, 50Hz
CRI:	>80
PF:	>0.9
Beam Angle:	100°
Body Type:	Die Cast Aluminium
Box Qty:	20



5 YEAR WARRANTY




IP44 RATING





- Instant start in <1sec
- Auto-cutoff function: disable sensor with a switch
- Detection range:120°
- Detection distance:2-8m
- Time delay: MIN12+-3sec MAX6+-2min
- Installation height: 1.8-2.5m

① METER WIRE



LED Floodlights PIR

50w | 4000 lm

VT-50-S-B

SKU: 471 | 6400K White

Voltage/Frequency:	AC:220-240V, 50Hz
CRI:	>80
PF:	>0.9
Beam Angle:	100°
Body Type:	Die Cast Aluminium
Box Qty:	10



**5 YEAR
WARRANTY**




**IP44
RATING**



**MOTION
SENSOR
(PIR)**



③ METER WIRE




LED Work Floodlights

50w | 4000 lm

VT-51

SKU: 946 | 6400K White



Voltage/Frequency:	AC:85-265V, 50Hz
CRI:	>80
PF:	>0.9
Beam Angle:	100°
Body Type:	Die-Cast Aluminium
Dimension:	295×70×355mm
Box Qty:	8



**5 YEAR
WARRANTY**

**DUAL VOLTAGE
85V- 265V**




EU PLUG



LED Streetlights

The LED Streetlight (Class I Type) offers a high-lumen output and highly efficient performance improved through the industry-leading Inventronics driver. Especially designed for road lighting in highways, general parking areas, and other spaces where a wide-area lighting is required. Available in 50w to 150w.



LED Streetlight
120w | 15600 lm

VT-120ST

SKU: 542 | 4000K Day White

Voltage/Frequency:	AC:176-265V, 50/60Hz
CRI:	>70
PF:	>0.9
Beam Angle:	150×80°
Body Type:	Die-Cast Aluminium/ADC12
Dimension:	286×144×705mm
Box Qty:	1



STREET LIGHT



SUSPENDED




GARDEN LIGHT

LED Streetlight
50w | 6750 lm

VT-895 SKU: 8679 | 5700K White



Voltage/Frequency:	AC:100-277V, 50Hz
CRI:	>80
PF:	>0.9
Beam Angle:	Type III
Body Type:	Die Cast Aluminium
Dimension:	463×109×418.5mm
Box Qty:	1





LED Streetlight
50w | 6500 lm

VT-55-1

SKU: 782 | 4000K Day White

Voltage/Frequency:	AC:175-265V, 50Hz
CRI:	>70
PF:	>0.9
Beam Angle:	150×80°
Body Type:	Die-Cast Aluminium/ADC12
Dimension:	380×380×510mm
Box Qty:	1






LED Streetlight
30w | 3000 lm
VT-31ST

SKU: 538 | 6400K White


Voltage/Frequency:	AC:200-240V
CRI:	>80
PF:	>0.9
Beam Angle:	110°
Body Type:	Die-Cast Aluminium
Dimension:	302×130×66mm
Box Qty:	4



LED Streetlight
50w | 6000 lm
VT-54ST

SKU: 959 | 6400K White


Voltage/Frequency:	AC:120-240V, 50/60Hz
CRI:	>70
PF:	>0.9
Beam Angle:	110°
Body Type:	Aluminium
Dimension:	435×170mm
Box Qty:	4



LED Streetlight
100w | 12000 lm
VT-104ST

SKU: 961 | 6400K White

Voltage/Frequency:	AC:120-240V, 50/60Hz
CRI:	>70
PF:	>0.9
Beam Angle:	110°
Body Type:	Aluminium
Dimension:	535×260×64mm
Box Qty:	2



LED Streetlight
150w | 18000 lm
VT-154ST


SKU: 963 | 6400K White

Voltage/Frequency:	AC:120-240V, 50/60Hz
CRI:	>70
PF:	>0.9
Beam Angle:	110°
Body Type:	Aluminium
Dimension:	535×260×64mm
Box Qty:	2





**IP65
RATING**



LED Streetlight

100w | 10000 lm


VT-107ST

SKU: 20157 | 6000K White

Voltage/Frequency:	110-265V,50/60Hz
CRI:	>70
PF:	>0.9
Beam Angle:	120°
Body Type:	Aluminium
Dimension:	200x85x550mm
Box Qty:	5



**IP65
RATING**




LED Streetlight

150w | 15000 lm

VT-157ST

SKU: 20158 | 6000K White

Voltage/Frequency:	AC:200-240V,50/60Hz
CRI:	>80
PF:	>0.9
Beam Angle:	110°
Body Type:	Aluminium
Dimension:	285x78x640mm
Box Qty:	3



LED Highbays

Our world-class highbay range includes models with drivers from Mean Well and Samsung — both key players in the LED driver market that boasts of exceptional energy-saving features.




VT-9-103

SKU: 578 | 6400K White

LED Highbays

100w | 12000 lm



Voltage/Frequency:	AC:120-240V, 50/60Hz
CRI:	>80
PF:	>0.9
Beam Angle:	120°
Body Type:	Aluminium
Dimension:	Ø260×150mm
Box Qty:	1




VT-9-149

SKU: 551 | 6400K White

LED Highbays

150w | 12000 lm



Voltage/Frequency:	AC:220-240V, 50Hz
CRI:	>80
PF:	>0.9
Beam Angle:	120°
Body Type:	Die-Cast Aluminium
Dimension:	Ø340×138mm
Box Qty:	2




VT-9-99

SKU: 555 | 6400K White


LED Highbays

100w | 8000 lm



Voltage/Frequency:	AC:220-240V, 50Hz
CRI:	>80
PF:	>0.9
Beam Angle:	120°
Body Type:	Die-Cast Aluminium
Dimension:	Ø280×131mm
Box Qty:	4






VT-2-04

SKU: 972 | 2700K Warm White
SKU: 971 | 4000K Day White

LED Downlight
4w | 320 lm

Voltage/Frequency:	AC:220-240V, 50Hz
CRI:	>90
PF:	>0.6
Beam Angle:	12°
Body Type:	Aluminium
Dimension:	55×55×47mm
Box Qty:	100




VT-2-16

SKU: 978 | 2700K Warm White
SKU: 977 | 4000K Day White

LED Downlight
16w | 1280 lm

Voltage/Frequency:	AC:220-240V, 50Hz
CRI:	>90
PF:	>0.9
Beam Angle:	12°
Body Type:	Aluminium
Dimension:	93×93×47mm
Box Qty:	50



VT-2-21


SKU: 981 | 2700K Warm White
SKU: 980 | 4000K Day White

LED Downlight
20w | 1600 lm

Voltage/Frequency:	AC:220-240V, 50Hz
CRI:	>90
PF:	>0.9
Beam Angle:	12°
Body Type:	Aluminium
Dimension:	207×54×47mm
Box Qty:	20



NEW




LED Downlight
20w | 1600 lm
VT-2-23

SKU: 20055 | 4000K Day White

Voltage/Frequency:	AC:85-265V, 50/60Hz
CRI:	>80
PF:	>0.9
Beam Angle:	120°
Body Type:	Aluminium
Dimension:	Ø160×70mm
Cutting Size:	ø150mm
Box Qty:	20

5 YEAR
WARRANTY

NEW



LED Downlight
30w | 2400 lm
VT-2-33

SKU: 20058 | 4000K Day White

Voltage/Frequency:	AC:85-265V, 50/60Hz
CRI:	>80
PF:	>0.9
Beam Angle:	120°
Body Type:	Aluminium
Dimension:	Ø220×70mm
Cutting Size:	ø210mm
Box Qty:	10

5 YEAR
WARRANTY

NEW




LED Downlight
18w | 1450 lm
VT-419

SKU: 20049 | 4000K Day White

Voltage/Frequency:	AC:220-240V, 50/60Hz
CRI:	>90
PF:	>0.9
Beam Angle:	24°
Body Type:	Aluminium
Dimension:	114.3×99×112.5mm
Cutting Size:	ø92mm
Box Qty:	20

5 YEAR
WARRANTY

NEW




LED Downlight
2×18w | 2900 lm
VT-436

SKU: 20050 | 4000K Day White

Voltage/Frequency:	AC:220-240V, 50/60Hz
CRI:	>90
PF:	>0.9
Beam Angle:	24°
Body Type:	Aluminium
Dimension:	184×99×112.5mm
Cutting Size:	ø90×173mm
Box Qty:	10

5 YEAR
WARRANTY



LED Downlights
12w | 800 lm


VT-13

SKU: 807 | 3000K Warm White

SKU: 808 | 4000K Day White

SKU: 809 | 6400K White

Voltage/Frequency:	AC:110-240V, 50/60Hz
CRI:	>80
PF:	>0.5
Beam Angle:	120°
Body Type:	Plastic Clad Aluminium
Dimension:	Ø290×60mm
Cutting Size:	NA
Box Qty:	10



LED Downlight
10w | 900 lm

VT-2-10

SKU: 839 | 3000K Warm White

SKU: 841 | 6400K White

Voltage/Frequency:	AC:85-265V, 50/60Hz
CRI:	>80
PF:	>0.5
Beam Angle:	120°
Body Type:	Aluminium
Dimension:	Ø95×30mm
Cutting Size:	ø80mm
Box Qty:	40




LED Downlight
20w | 1600 lm

VT-2-20

SKU: 842 | 3000K Warm White

SKU: 844 | 6400K White

Voltage/Frequency:	AC:85-265V, 50/60Hz
CRI:	>80
PF:	>0.5
Beam Angle:	120°
Body Type:	Aluminium
Dimension:	Ø170×30mm
Cutting Size:	ø145 mm
Box Qty:	20



LED Downlight
30w | 2400 lm

VT-2-30

SKU: 845 | 3000K Warm White

SKU: 846 | 4000K Day White

SKU: 832 | 6400K White

Voltage/Frequency:	AC:85-265V, 50/60Hz
CRI:	>80
PF:	>0.9
Beam Angle:	120°
Body Type:	Aluminium
Dimension:	Ø225×30mm
Cutting Size:	ø195 mm
Box Qty:	10



LED Solar Bollard

2w | 280 lm

VT-66

SKU: 785 | 3000K Warm White

Beam Angle:	120°
Body Type:	PC + AL
Dimension:	140×140×500mm
Box Qty:	10



- 2Watts
- 50pcs of LED
- 5.5V 3 W Solar Panel
- Lithium battery 3.7V 2600mAh
- 3-5 meters Sensing Range
- 4-6 hours sunlight charging Time
- Min 3hrs / Max 12hrs Working Time
- 1P65 Rating
- AL+PC Material



LED Solar Bollard

2w | 220 lm


VT-77

SKU: 784 | 3000K Warm White

Beam Angle:	170°
Body Type:	PC + AL
Dimension:	140×140×290mm
Box Qty:	10



- 2Watts
- 50pcs of LED
- 5.5V 3 W Solar Panel
- Lithium battery 3.7V 2600mAh
- 3-5 meters Sensing Range
- 4-6 hours sunlight charging Time
- Min 3hrs / Max 12hrs Working Time
- 1P65 Rating
- AL+PC Material




LED Mini Panels
12w | 1000 lm

VT-612RD

SKU: 712 | 3000K Warm White

Voltage/Frequency:	AC:85-265V, 50/60Hz
CRI:	>80
PF:	>0.6
Beam Angle:	120°
Body Type:	Aluminium
Dimension:	170x12mm
Cutting Size:	ø160mm
Box Qty:	20




LED Mini Panels
18w | 1500 lm

VT-618RD

SKU: 718 | 3000K Warm White

Voltage/Frequency:	AC:85-265V, 50/60Hz
CRI:	>80
PF:	>0.6
Beam Angle:	120°
Body Type:	Aluminium
Dimension:	225x12mm
Cutting Size:	ø210mm
Box Qty:	20




LED Mini Panels
12w | 1000 lm

VT-612SQ

SKU: 709 | 3000K Warm White

Voltage/Frequency:	AC:85-265V, 50/60Hz
CRI:	>80
PF:	>0.6
Beam Angle:	120°
Body Type:	Aluminium
Dimension:	170x170x12mm
Cutting Size:	160x160mm
Box Qty:	20



LED Mini Panels
18w | 1500 lm


VT-618SQ

SKU: 715 | 3000K Warm White

Voltage/Frequency:	AC:85-265V, 50/60Hz
CRI:	>80
PF:	>0.6
Beam Angle:	120°
Body Type:	Aluminium
Dimension:	225x225x12mm
Cutting Size:	210x210mm
Box Qty:	20



5
FEET



LED Tubes

22w | 3000 lm

VT-152

SKU: 674 | 4000K Day White

Voltage/Frequency:	AC:220-240V, 50Hz
CRI:	>80
PF:	>0.5
Beam Angle:	160°
Body Type:	Plastic
Dimension:	1500x27.9mm
Box Qty:	25




5 YEAR
WARRANTY



120
lm/W



4
FEET



LED Tubes

18w | 1700 lm

VT-121

SKU: 654 | 4000K Day White

SKU: 655 | 6400K White


Voltage/Frequency:	AC:220-240V, 50Hz
CRI:	>80
PF:	>0.5
Beam Angle:	160°
Body Type:	Nano Plastic
Dimension:	1200x27.9mm
Box Qty:	25



5 YEAR
WARRANTY



5
FEET



LED Tubes

22w | 2000 lm

VT-151

SKU: 657 | 4000K Day White

SKU: 658 | 6400K White


Voltage/Frequency:	AC:220-240V, 50Hz
CRI:	>80
PF:	>0.5
Beam Angle:	160°
Body Type:	Nano Plastic
Dimension:	1500x27.9mm
Box Qty:	25



5 YEAR
WARRANTY



4
FEET



Fixtures with LED

40w | 4800 lm

VT-8-40

SKU: 667 | 6400K White


Voltage/Frequency:	AC:220-240V, 50Hz
CRI:	>80
PF:	>0.9
Beam Angle:	120°
Body Type:	Plastic
Dimension:	1200x74.1x24.4mm
Box Qty:	10



5 YEAR
WARRANTY



120
lm/W



Linear Hanging Lights

Discover V-TAC's reliable 40w suspended linear lights with a staggering lifespan of 30,000 hours. Designed with excellent heat dissipation. Perfect replacement for traditional and inefficient linear lighting fixtures with the efficient LED provided by Samsung. Linear lights are offered in three colors variants Black, Silver and White.

- 30,000 hrs Lifespan
- AC:200-240V,50/60Hz
- 1.5 Meter Wire Length
- Aluminum Body



BLACK VT-7-40-B


SKU:882 | 3000K Warm White
 SKU:374 | 4000K Day White

SILVER VT-7-40-S

SKU:375 | 4000K Day White

WHITE VT-7-40-W

SKU:376 | 4000K Day White



40w | 3200 lm

Dimension:	1193x35x67mm
Box Qty:	12


LINKABLE

UP TO 100 WATTS TOGETHER



8w
VT-7-41-L-W

White: SKU:385 | 4000K Day White



LED RECESSED LINEAR


Our new range of linear lights are also available for recessed installation, complete with necessary accessories for a seamless & continuous lighting system. Perfect replacement for traditional and inefficient linear lighting fixtures with the efficient LED provided by Samsung. Linear lights are offered in two colors variants Silver and White.

- 30,000 hrs Lifespan
- AC:200-240V,50/60Hz
- Linkable with connectors
- Aluminum Body




WHITE VT-7-41-W

SKU:381 | 4000K Day White



40w | 3200 lm

Dimension:	1200×70×60mm
Box Qty:	9



4 Line Tracklights
12W | 960 lm

VT-416-B

SKU: 20001 | 4000K Day White

Voltage/Frequency:	AC:220-240V, 50Hz
CRI:	>90
PF:	>0.5
Beam Angle:	30°
Body Type:	Aluminium
Dimension:	35×138mm
Box Qty:	40




5 YEAR
WARRANTY

UGR<19



**FLICKER
FREE**



4 Line Tracklights
25W | 2000 lm

VT-431-B

SKU: 20007 | 4000K Day White

Voltage/Frequency:	AC:220-240V, 50Hz
CRI:	>90
PF:	>0.9
Beam Angle:	30°
Body Type:	Aluminium
Dimension:	35×270mm
Box Qty:	20




5 YEAR
WARRANTY

UGR<19



**FLICKER
FREE**



4 Line Tracklights
12W | 960 lm

VT-416-W

SKU: 20004 | 4000K Day White

Voltage/Frequency:	AC:220-240V, 50Hz
CRI:	>90
PF:	>0.5
Beam Angle:	30°
Body Type:	Aluminium
Dimension:	35×138mm
Box Qty:	40




5 YEAR
WARRANTY

UGR<19



**FLICKER
FREE**



4 Line Tracklights
25W | 2000 lm

VT-431-W

SKU: 20010 | 4000K Day White

Voltage/Frequency:	AC:220-240V, 50Hz
CRI:	>90
PF:	>0.9
Beam Angle:	30°
Body Type:	Aluminium
Dimension:	35×270mm
Box Qty:	20




5 YEAR
WARRANTY

UGR<19



**FLICKER
FREE**




4 Line Tracklights
30w | 2100 lm

VT-430

SKU: 941 | 3000K Warm White

Voltage/Frequency:	AC:220-240V, 50Hz
CRI:	>90
PF:	>0.9
Beam Angle:	24°
Body Type:	Aluminium
Dimension:	80×175×180mm
Box Qty:	20




2 Line Tracklights
18w | 1260 lm

VT-418

SKU:20160 | 3000K Warm White
SKU: 20029 | 4000K Day White

Voltage/Frequency:	AC:220-240V, 50Hz
CRI:	>90
PF:	>0.9
Beam Angle:	24°
Body Type:	Aluminium
Dimension:	60×165×156mm
Box Qty:	20



2 Line Tracklights
30w | 2100 lm

VT-430-1

SKU:20159 | 3000K Warm White
SKU: 20030 | 4000K Day White

Voltage/Frequency:	AC:220-240V, 50Hz
CRI:	>90
PF:	>0.9
Beam Angle:	24°
Body Type:	Aluminium
Dimension:	80×175×180mm
Box Qty:	20





LED Tracklights

Magnetic light is a kind of track light which is designed by using magnets fast adsorption characteristic. It consists of two parts: track magnet and light. The track has four ways: surface mounted, recessed, borderless embedded installation, suspension. The light consists of anti-glare line light, anti-glare high power light, soft light lamp, suspension light and decorative lamp.

The light can be used alone or assembled at will. Lighting effect can achieve point, line, surface combination, not only to meet the needs of various lighting effects, but also convenient installation, fashionable style, can greatly enhance the decorative effect, in line with the modern architectural design concept, is a fashionable, high-end LED lights leading the trend in the future, is the ideal choice of office, exhibition hall, exclusive stores, hotels, villas and clubs.

V-TAC[®]
INNOVATIVE LED LIGHTING

FADIL LIGHT

Magnetic Linear Spotlight

1w | 35lm

VT-4141

SKU: 7958 – 3000K Warm White
SKU: 7959 – 4000K Day White

NEW





3 YEAR WARRANTY

Voltage/Frequency:	DC:24V	Beam Angle:	30°
Luminous Flux:	35lm	Body Type:	Aluminium
LED Type:	SMD	Life span:	30,000 Hours
CRI:	>90	Dimension:	45x35x59mm
Color of Fixture:	Black	Box Qty:	40 PCS



UGR<19



Magnetic Linear Spotlight

3w | 240lm

VT-4143

SKU: 7960 – 3000K Warm White
SKU: 7961 – 4000K Day White

NEW




3 YEAR WARRANTY

Voltage/Frequency:	DC:24V	Beam Angle:	30°
Luminous Flux:	240lm	Body Type:	Aluminium
LED Type:	SMD	Life span:	30,000 Hours
CRI:	>90	Dimension:	106x35x59mm
Color of Fixture:	Black	Box Qty:	36 PCS



UGR<19



Magnetic Linear Track Light
10w | 700lm

NEW

VT-4210

SKU: 7962 – 3000K Warm White
SKU: 7963 – 4000K Day White



Voltage/Frequency:	DC:24V	Beam Angle:	30°
Luminous Flux:	700lm	Body Type:	Aluminium
LED Type:	SMD	Life span:	30,000 Hours
CRI:	>90	Dimension:	137×35×180mm
Color of Fixture:	Black	Box Qty:	16 PCS



3 YEAR WARRANTY



UGR<19



Magnetic Linear Track Light
20w | 1200lm

NEW

VT-4220

SKU: 7964 – 3000K Warm White
SKU: 7965 – 4000K Day White



Voltage/Frequency:	DC:24V	Beam Angle:	30°
Luminous Flux:	1200lm	Body Type:	Aluminium
LED Type:	SMD	Life span:	30,000 Hours
CRI:	>90	Dimension:	270×35×180mm
Color of Fixture:	Black	Box Qty:	8 PCS



3 YEAR WARRANTY



UGR<19



Magnetic Linear Light
20w | 1600lm

NEW


VT-4121

SKU: 7954 – 3000K Warm White
SKU: 7955 – 4000K Day White

Voltage/Frequency:	DC:24V	Beam Angle:	100°
Luminous Flux:	1600lm	Body Type:	Aluminium
LED Type:	SMD	Life span:	30,000 Hours
CRI:	>90	Dimension:	652×35×59mm
Color of Fixture:	Black	Box Qty:	12 PCS



3 YEAR WARRANTY*



Magnetic Linear Light
30w | 2700lm

NEW


VT-4131

SKU: 7956 – 3000K Warm White
SKU: 7957 – 4000K Day White

Voltage/Frequency:	DC:24V	Beam Angle:	100°
Luminous Flux:	2700lm	Body Type:	Aluminium
LED Type:	SMD	Life span:	30,000 Hours
CRI:	>90	Dimension:	970×35×59mm
Color of Fixture:	Black	Box Qty:	12 PCS



3 YEAR WARRANTY*



Magnetic Spotlight
15w | 900lm

VT-4215

SKU: 7966 – 3000K Warm White
SKU: 7967 – 4000K Day White



Voltage/Frequency:	DC:24V	Beam Angle:	36°
Luminous Flux:	900lm	Body Type:	Aluminium
LED Type:	COB	Life span:	30,000 Hours
CRI:	>90	Dimension:	166×100×55mm
Color of Fixture:	Black	Box Qty:	16 PCS

NEW



3 YEAR WARRANTY

UGR<19



Magnetic Pendant Light
15w | 1000lm

VT-4315

SKU: 7968 – 3000K Warm White
SKU: 7969 – 4000K Day White


Voltage/Frequency:	DC:24V	Beam Angle:	36°
Luminous Flux:	1000lm	Body Type:	Aluminium
LED Type:	COB	Life span:	30,000 Hours
CRI:	>90	Dimension:	300×55mm
Color of Fixture:	Black	Box Qty:	12 PCS


NEW



3 YEAR WARRANTY

UGR<19






LED Tracklight

VT-4637-W

30w | 2400lm

- SKU: 96506 - 3000K Warm White
- SKU: 96507 - 4000K Day White
- SKU: 96508 - 6500K White

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V, 50/60Hz
LED Type:	COB
CRI:	>70
PF:	>0.5
Beam Angle:	36°
Color of Fixture:	White
Body Type:	Die Casting Material
Life span:	20,000 Hours
Dimension:	200×140.5×190mm
Box Qty:	20 Pcs




LED Tracklight

VT-4637-B

30w | 2100lm

- SKU: 96509 - 3000K Warm White
- SKU: 96510 - 4000K Day White
- SKU: 96511 - 6500K White

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V, 50/60Hz
LED Type:	COB
CRI:	>70
PF:	>0.5
Beam Angle:	36°
Color of Fixture:	Black
Body Type:	Die Casting Material
Life span:	20,000 Hours
Dimension:	200×140.5×190mm
Box Qty:	20 Pcs




LED COB Tracklight

VT-4636-W

30w | 2100lm

- SKU: 96500 - 3000K Warm White
- SKU: 96504 - 4000K Day White
- SKU: 96501 - 6000K White

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V, 50/60Hz
LED Type:	COB
CRI:	>70
PF:	>0.9
Beam Angle:	21°
Color of Fixture:	White
Body Type:	Aluminium
Life span:	20,000 Hours
Dimension:	133.7X84X92mm
Box Qty:	20 Pcs
















LED COB Tracklight

VT-4636-B

30w | 2000lm

- SKU: 96502 - 3000K Warm White
- SKU: 96505 - 4000K Day White
- SKU: 96503 - 6500K White

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V, 50/60Hz
LED Type:	COB
CRI:	>70
PF:	>0.9
Beam Angle:	21°
Color of Fixture:	Black
Body Type:	Aluminium
Life span:	20,000 Hours
Dimension:	133.7X84X92mm
Box Qty:	20 Pcs

<p>NEW</p>  <p>Track Rail-0.5M Track Rail-0.5M</p> <p>SKU: 7950 Box Qty: 9 PCS</p>	<p>NEW</p>  <p>Track Rail-1M Track Rail-1M</p> <p>SKU: 7951 Box Qty: 9 PCS</p>	<p>NEW</p>  <p>Track Rail-1.5M Track Rail-1.5M</p> <p>SKU: 7953 Box Qty: 6 PCS</p>	<p>NEW</p>  <p>Track Rail-2M Track Rail-2M</p> <p>SKU: 7952 Box Qty: 6 PCS</p>
<p>NEW</p>  <p>Recessed Kit for Magnetic Tracklight Recessed Kit for Magnetic Tracklight</p> <p>SKU: 7970 Box Qty: 75 PCS</p>	<p>NEW</p>  <p>Track Connector Track Connector</p> <p>SKU: 7971 Box Qty: 180 PCS</p>	<p>NEW</p>  <p>90'D Corner Connector 90'D Corner Connector</p> <p>SKU: 7972 Box Qty: 27 PCS</p>	<p>NEW</p>  <p>Outer Corner Connector Outer Corner Connector</p> <p>SKU: 7973 Box Qty: 27 PCS</p>
<p>NEW</p>  <p>Cross Connector Cross Connector</p> <p>SKU: 7974 Box Qty: 36 PCS</p>	<p>NEW</p>  <p>T Type Connector T Type Connector</p> <p>SKU: 7975 Box Qty: 36 PCS</p>	<p>NEW</p>  <p>Pendant Track Rail Accessory Pendant Track Rail Accessory</p> <p>SKU: 7977 Box Qty: 150 PCS</p>	<p>NEW</p>  <p>Track Cover Track Cover</p> <p>SKU: 7978 Box Qty: 200 PCS</p>
<p>NEW</p>  <p>Live End Connector Live End Connector</p> <p>SKU: 7979 Box Qty: 200 PCS</p>			



LED Bulbs

The definition of sustainability: sharing the incandescent bulb's design and built for higher energy, V-TAC's comprehensive thermoplastic bulb series can be proposed for a wide variety of high-end projects.

Perfect choice for Hotels, Bars, Commercial & Residential Lighting and Exhibition Stands.



V-TAC[®]
INNOVATIVE LED LIGHTING

FADIL LIGHT



Bulbs-A60-E27-RF
VT-2229
9w | 806 lm

SKU: 2766 -RGB+3000K
SKU: 2768 -RGB+6400K



DIMMABLE WITH REMOTE



- RF Control 6-8M Range
- Switch on/off the light
- 16 steps dimming
- Auto Color change Mode

EQ. Watts:	60w
Voltage/Frequency:	AC:220-240V,50Hz
Commercial Type:	A60
LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	E27
Beam Angle:	200°
Body Type:	Thermoplastic
Dimension:	Ø60×112mm
Box Qty:	100pcs



Bulbs-A60-E27-Sensor
VT-2016
9w | 806 lm

SKU: 4461 - 6000K White



SENSOR LED BULB



Our smart sensor bulbs are built in with photocells with transmits Signal to light source as per lumen conditions smartly and saves power by going onto Light mode, enabling you to save power and reduce consumption of power when not required.

EQ. Watts:	60w
Voltage/Frequency:	AC:220-240V,50Hz
Commercial Type:	A60
LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	E27
Beam Angle:	200°
Body Type:	ThermoPlastic
Dimension:	60×122mm
Box Qty:	100 Pcs



Bulbs-A60-E27-3 Step Dimming
VT-2011
9w | 806 lm

SKU: 4447 - 2700K Warm White
SKU: 4448 - 4000K Day White
SKU: 4449 - 6400K White




Smart Dimming Technology Without A Dimmer! At the click of button, change the lighting Power from 100% to 50% and if need to Reduce more click again to go to 15%.

EQ. Watts:	60w
Voltage/Frequency:	AC:220-240V,50Hz
Commercial Type:	A60
LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	E27
Beam Angle:	200°
Body Type:	ThermoPlastic
Dimension:	60×112mm
Box Qty:	100 Pcs



Bulbs-A60-E27
VT-2000R
9w | 270 lm

SKU: 7341 - Red




EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V,50Hz
Commercial Type:	A60
LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	E27
Beam Angle:	200°
Body Type:	ThermoPlastic
Dimension:	60×112mm
Box Qty:	100 Pcs



Bulbs-A60-E27
VT-2000G
9w | 310 lm

SKU: 7343 - Green




EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V,50Hz
Commercial Type:	A60
LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	E27
Beam Angle:	200°
Body Type:	ThermoPlastic
Dimension:	60x112mm
Box Qty:	100 Pcs



Bulbs-A60-E27
VT-2000B
9w | 120 lm

SKU: 7344 - Blue




EQ. Watts:	15w
Voltage/Frequency:	AC:220-240V,50Hz
Commercial Type:	A60
LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	E27
Beam Angle:	200°
Body Type:	ThermoPlastic
Dimension:	60x112mm
Box Qty:	100 Pcs



Bulbs-A60-E27
VT-2099
9w | 806 lm

SKU: 7260 - 3000K Warm White
SKU: 7262 - 6400K White




EQ. Watts:	60w
Voltage/Frequency:	AC:220-240V,50Hz
Commercial Type:	A60
LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	E27
Beam Angle:	200°
Body Type:	ThermoPlastic
Dimension:	60x112mm
Box Qty:	100 Pcs



Bulbs-A60-B22
VT-2189
9w | 806 lm

SKU: 7422 - 2700K Warm White
SKU: 7403 - 6400K White




EQ. Watts:	60w
Voltage/Frequency:	AC:220-240V,50Hz
Commercial Type:	A60
LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	B22
Beam Angle:	200°
Body Type:	ThermoPlastic
Dimension:	60x104mm
Box Qty:	100 Pcs



Bulbs-A65-E27
VT-2015-E27
15w | 1350 lm

SKU: 4453 - 3000K Warm White
SKU: 4455 - 6400K White




EQ. Watts:	90w
Voltage/Frequency:	AC:220-240V,50Hz
Commercial Type:	A65
LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	E27
Beam Angle:	200°
Body Type:	ThermoPlastic
Dimension:	66.5x134mm
Box Qty:	100 Pcs



Bulbs-A80-E27
VT-2218
18w | 2000 lm

SKU: 2708 - 4000K Day White




EQ. Watts:	125w
Voltage/Frequency:	AC:220-240V, 50Hz
Commercial Type:	A80
LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	E27
Beam Angle:	200°
Body Type:	Thermoplastic
Dimension:	80x142mm
Box Qty:	50 Pcs



Bulbs-A80-E27
VT-2220
20w | 2452 lm

SKU: 2711 - 4000K Day White




EQ. Watts:	150w
Voltage/Frequency:	AC:220-240V, 50Hz
Commercial Type:	A80
LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	E27
Beam Angle:	200°
Body Type:	Thermoplastic
Dimension:	80x149mm
Box Qty:	50Pcs



Bulbs-G45-E27
VT-1830
4w | 320 lm

SKU: 4160 - 2700K Warm White



EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V,50Hz
Commercial Type:	G45
LED Type:	SMD
CRI:	>80
PF:	>0.4
Base:	E27
Beam Angle:	180°
Body Type:	ThermoPlastic
Dimension:	45x82mm
Box Qty:	200 Pcs




Bulbs-G45-E27

VT-1879N

5.5w | 470 lm

SKU: 7407 - 2700K Warm White

SKU: 7409 - 6400K White



EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Commercial Type:	G45
LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	E27
Beam Angle:	180°
Body Type:	ThermoPlastic
Dimension:	45x82mm
Box Qty:	200 Pcs




Bulbs-P45-E14

VT-1880N

5.5w | 470 lm

SKU: 42501 - 2700K Warm White

SKU: 42521 - 6400K White



EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Commercial Type:	P45
LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	E14
Beam Angle:	180°
Body Type:	ThermoPlastic
Dimension:	45x81mm
Box Qty:	200 Pcs




Bulbs-Candle-E14

VT-1818TP

4w | 320 lm

SKU: 4164 - 2700K Warm White



EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V,50Hz
Commercial Type:	Candle
LED Type:	SMD
CRI:	>80
PF:	>0.4
Base:	E14
Beam Angle:	200°
Body Type:	ThermoPlastic
Dimension:	37x124mm
Box Qty:	200 Pcs




Bulbs-Candle-E14

VT-1855

5.5w | 470 lm

SKU: 42151 - 2700K Warm White

SKU: 42411 - 6400K White




EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Commercial Type:	Candle
LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	E14
Beam Angle:	200°
Body Type:	Thermoplastic
Dimension:	37x100mm
Box Qty:	200 Pcs

Candle-E14 – 3Pc Pack

VT-2076

5.5w | 470 lm

SKU: 7265 – 6400K White




EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Commercial Type:	Candle
LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	E14
Beam Angle:	200°
Body Type:	ThermoPlastic
Dimension:	37×100mm
Box Qty:	60 Pcs

Bulbs-Candle-E14

VT-2097

7w | 750 lm

SKU: 7320 – 6400K White




EQ. Watts:	7w
Voltage/Frequency:	AC:220-240V,50Hz
Commercial Type:	Candle
LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	E14
Beam Angle:	200°
Body Type:	Thermoplastic
Dimension:	37×100mm
Box Qty:	200Pcs

Bulbs-Candle-E27

VT-1821N

5.5w | 470 lm

SKU: 43421 – 2700K Warm White
SKU: 43441 – 6400K White




EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Commercial Type:	Candle
LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	E27
Beam Angle:	200°
Body Type:	ThermoPlastic
Dimension:	37×100mm
Box Qty:	200 Pcs

Smoky-G165-E27

VT-2159-S

8w | 240 lm

SKU: 45651 – 2200K Warm White



EQ. Watts:	NA
Voltage/Frequency:	AC:220-240V,50Hz
Commercial Type:	G165
LED Type:	Filament
CRI:	>80
PF:	>0.45
Base:	E27
Beam Angle:	300°
Body Type:	Glass
Dimension:	Ø165×295mm
Box Qty:	6 Pcs




Amber-S180-E27

VT-2169

8w | 620 lm

SKU: 45661 - 2200K Warm White



SpecialBulbs

EQ. Watts:	NA
Voltage/Frequency:	AC:220-240V,50Hz
Commercial Type:	S180
LED Type:	Filament
CRI:	>80
PF:	>0.45
Base:	E27
Beam Angle:	300°
Body Type:	Glass
Dimension:	Ø195x400mm
Box Qty:	6 Pcs




Smoky-S180-E27

VT-2169-S

8w | 240 lm

SKU: 45671 - 2200K Warm White



SpecialBulbs

EQ. Watts:	NA
Voltage/Frequency:	AC:220-240V,50Hz
Commercial Type:	S180
LED Type:	Filament
CRI:	>80
PF:	>0.45
Base:	E27
Beam Angle:	300°
Body Type:	Glass
Dimension:	Ø195x400mm
Box Qty:	6 Pcs




Clear GLS E27 Dimmable

VT-2175D

6w | 300lm

SKU: 92026 - 2700K Warm White



EQ. Watts:	50w
Voltage/Frequency:	AC:220-240V,50Hz
Commercial Type:	A60
LED Type:	Filament
CRI:	>70
PF:	>0.4
Base:	E27
Beam Angle:	300°
Body Type:	Glass
Dimension:	60x103.5mm
Box Qty:	100Pcs




Amber G45 E27

VT-1957

4w | 300lm

SKU: 92015 - 2700K Warm White



EQ. Watts:	35w
Voltage/Frequency:	AC:220-240V,50Hz
Commercial Type:	G45
LED Type:	Filament
CRI:	>70
PF:	>0.4
Base:	E27
Beam Angle:	300°
Body Type:	Glass
Dimension:	45x77mm
Box Qty:	100Pcs




Amber ST64 E27 Dimmable

VT-1964D

4w | 350lm

SKU: 4368 - 2700K Warm White



EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V,50Hz
Commercial Type:	ST64
LED Type:	Filament
CRI:	>80
PF:	>0.7
Base:	E27
Beam Angle:	300°
Body Type:	Glass
Dimension:	64x138mm
Box Qty:	100Pcs




Amber ST64 E27

VT-1966D

6w | 400lm

SKU: 92024 - 2700K Warm White



EQ. Watts:	50w
Voltage/Frequency:	AC:220-240V,50Hz
Commercial Type:	ST64
LED Type:	Filament
CRI:	>70
PF:	>0.4
Base:	E27
Beam Angle:	300°
Body Type:	Glass
Dimension:	64x147mm
Box Qty:	100Pcs




Amber Candle E14

VT-1955

4w | 350lm

SKU: 92017 - 2200K Warm White



EQ. Watts:	35w
Voltage/Frequency:	AC:220-240V,50Hz
Commercial Type:	Candle
LED Type:	Filament
CRI:	>70
PF:	>0.4
Base:	E14
Beam Angle:	300°
Body Type:	Glass
Dimension:	35x100mm
Box Qty:	100Pcs




Amber Candle E14

VT-1955D

4w | 350lm

SKU: 92023 - 2200K Warm White




EQ. Watts:	35w
Voltage/Frequency:	AC:220-240V,50Hz
Commercial Type:	Candle
LED Type:	Filament
CRI:	>70
PF:	>0.4
Base:	E14
Beam Angle:	300°
Body Type:	Glass
Dimension:	35x100mm
Box Qty:	100Pcs



Amber Candle E14
VT-1995
4w | 300lm

SKU: 92019 - 2700K Warm White




EQ. Watts:	35w
Voltage/Frequency:	AC:220-240V,50Hz
Commercial Type:	Candle
LED Type:	Filament
CRI:	>70
PF:	>0.4
Base:	E14
Beam Angle:	300°
Body Type:	Glass
Dimension:	35x121mm
Box Qty:	100Pcs



Amber Cover -Filament-Globe-E27
VT-2085D
5w | 300 lm

SKU: 7415 - 2200K Warm White




DIMMABLE LIGHT CONTROL	
EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V,50/60Hz
Commercial Type:	G125
LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27
Beam Angle:	300°
Body Type:	Glass
Dimension:	125x175mm
Box Qty:	20 Pcs



Amber Cover -Filaments-T30-E27
VT-2005
5w | 500 lm

SKU: 7142 - 2200K Warm White




EQ. Watts:	45w
Voltage/Frequency:	AC:220-240V,50/60Hz
Commercial Type:	T30
LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27
Beam Angle:	300°
Body Type:	Glass
Dimension:	30x300mm
Box Qty:	100 Pcs



Filament-BF180-E27
VT-2168D
8w | 500 lm

SKU: 7463 - 2000K Warm White



DIMMABLE LIGHT CONTROL	SpecialBulbs
EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Commercial Type:	BF180
LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27
Beam Angle:	340°
Body Type:	Glass
Dimension:	180x360mm
Box Qty:	6 Pcs




Smoky Filament-S200-E27

VT-2188D

8w | 350 lm

SKU: 7465 - 2000K Warm White



SpecialBulbs

EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V,50Hz
Commercial Type:	S200
LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27
Beam Angle:	340°
Body Type:	Glass
Dimension:	180×390mm
Box Qty:	4 Pcs




Clear GLS E27 Dimmable

VT-1887D

6w | 480lm

SKU: 92022 - 2700K Warm White



EQ. Watts:	60w
Voltage/Frequency:	AC:220-240V,50Hz
Commercial Type:	A60
LED Type:	Filament
CRI:	>70
PF:	>0.4
Base:	E27
Beam Angle:	300°
Body Type:	Glass
Dimension:	60×103.5mm
Box Qty:	100 Pcs




Clear Glass-Filament-P45-E14

VT-1996

4w | 400 lm

SKU: 4300 - 2700K Warm White



EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Commercial Type:	P45
LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E14
Beam Angle:	300°
Body Type:	Glass
Dimension:	45×77mm
Box Qty:	100 Pcs




Clear G45 E27

VT-2074

4w | 360lm

SKU: 92016 - 2700K Warm White



EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Commercial Type:	G45
LED Type:	Filament
CRI:	>70
PF:	>0.4
Base:	E27
Beam Angle:	300°
Body Type:	Glass
Dimension:	45×77mm
Box Qty:	100 Pcs




Clear ST64 E27 Dimmable

VT-2105D

4w | 360lm

SKU: 92020 - 2700K Warm White



EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Commercial Type:	ST64
LED Type:	Filament
CRI:	>70
PF:	>0.4
Base:	E27
Beam Angle:	300°
Body Type:	Glass
Dimension:	64x147mm
Box Qty:	100 Pcs




Clear ST64 E27

VT-2167D

6w | 480lm

SKU: 92021 - 2200K Warm White



EQ. Watts:	60w
Voltage/Frequency:	AC:220-240V, 50Hz
Commercial Type:	ST64
LED Type:	Filament
CRI:	>70
PF:	>0.4
Base:	E27
Beam Angle:	300°
Body Type:	Glass
Dimension:	64x147mm
Box Qty:	100Pcs




Clear Candle E14

VT-1949

4w | 360lm

SKU: 92018 - 2700K Warm White



EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V, 50Hz
Commercial Type:	Candle
LED Type:	Filament
CRI:	>70
PF:	>0.4
Base:	E14
Beam Angle:	300°
Body Type:	Glass
Dimension:	35x121mm
Box Qty:	100Pcs




Clear Candle E14

VT-1818

4w | 360lm

SKU: 9507 - 2700K Warm White



EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V, 50/60Hz
Commercial Type:	Candle
LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E14
Beam Angle:	300°
Body Type:	Glass
Dimension:	37x100mm
Box Qty:	100Pcs




Clear Candle E14 Dimmable

VT-1818D

4w | 360lm

SKU: 92025 - 2700K Warm White



EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V, 50/60Hz
Commercial Type:	Candle
LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E14
Beam Angle:	300°
Body Type:	Glass
Dimension:	37x100mm
Box Qty:	100Pcs




T100 E27

VT-2128-E27

28w | 2300lm

SKU: 92000 - 3000K Warm White

SKU: 92001 - 6000K White



EQ. Watts:	28w
Voltage/Frequency:	AC:220-240V, 50/60Hz
Commercial Type:	T100
LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	E27
Beam Angle:	180°
Body Type:	Aluminium+PC
Dimension:	100x185mm
Box Qty:	50Pcs




T100 B22

VT-2128-B22

28w | 2300lm

SKU: 92002 - 3000K Warm White

SKU: 92003 - 6000K White



EQ. Watts:	28w
Voltage/Frequency:	AC:220-240V, 50/60Hz
Commercial Type:	T100
LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	B22
Beam Angle:	180°
Body Type:	Aluminium+PC
Dimension:	100x185mm
Box Qty:	50Pcs




T120 E27

VT-2239

36w | 2900lm

SKU: 92047 - 6400K White




EQ. Watts:	170w
Voltage/Frequency:	AC:220-240V, 50Hz
Commercial Type:	T120
LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	E27
Beam Angle:	200°
Body Type:	Plastic
Dimension:	118x194mm
Box Qty:	20Pcs



T120 B22
VT-2339
40w | 2880lm

SKU: 92048 - 6400K White




EQ. Watts:	170w
Voltage/Frequency:	AC:220-240V, 50Hz
Commercial Type:	T120
LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	B22
Beam Angle:	200°
Body Type:	Plastic
Dimension:	118x194mm
Box Qty:	20Pcs



T120 E27
VT-2142-E27
40w | 3600lm

SKU: 92004 - 3000K Warm White
SKU: 92005 - 6000K White




EQ. Watts:	170w
Voltage/Frequency:	AC:175-265V
Commercial Type:	T120
LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	E27
Beam Angle:	160°
Body Type:	Plastic
Dimension:	118x190mm
Box Qty:	30Pcs



T120 B22
VT-2142-B22
40w | 4000lm

SKU: 92006 - 3000K Warm White
SKU: 92007 - 6000K White




EQ. Watts:	80w
Voltage/Frequency:	AC:100-300V
Commercial Type:	T120
LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	B22
Beam Angle:	200°
Body Type:	Plastic
Dimension:	118x194mm
Box Qty:	30Pcs



T140 E27
VT-2248
60w | 3840lm

SKU: 92049 - 6400K White





EQ. Watts:	250w
Voltage/Frequency:	AC:220-240V, 50Hz
Commercial Type:	T140
LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	E27
Beam Angle:	200°
Body Type:	Plastic
Dimension:	138x224mm
Box Qty:	16Pcs



T140 B22
VT-2348
60w | 3840lm

SKU: 92050 - 6400K White





EQ. Watts:	250w
Voltage/Frequency:	AC:220-240V, 50Hz
Commercial Type:	T140
LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	B22
Beam Angle:	200°
Body Type:	Plastic
Dimension:	138x224mm
Box Qty:	16Pcs



T140 E27
VT-2160-E27
60w | 4800lm

SKU: 92008 - 3000K Warm White
SKU: 92009 - 6000K White





EQ. Watts:	120w
Voltage/Frequency:	AC:220-240V, 50/60Hz
Commercial Type:	T140
LED Type:	SMD
CRI:	>70
PF:	>0.7
Base:	E27
Beam Angle:	180°
Body Type:	Aluminium+PC
Dimension:	130x250mm
Box Qty:	30 Pcs



T140 B22
VT-2160-B22
60w | 4800lm

SKU: 92010 - 3000K Warm White
SKU: 92011 - 6000K White



EQ. Watts:	120w
Voltage/Frequency:	AC:220-240V, 50/60Hz
Commercial Type:	T140
LED Type:	SMD
CRI:	>70
PF:	>0.7
Base:	B22
Beam Angle:	180°
Body Type:	Aluminium+PC
Dimension:	130x250mm
Box Qty:	30 Pcs

VT-7135

String Light-WP Socket-E27

SKU: 3698

- 5 Meter Long String
- 10 Holders with 0.5 Meter Distance
- 4 Pcs In Cartoon
- IP54
- Linkable upto 500W max
- Bulbs are not included



VT-713

String Light-WP Socket-E27

SKU: 3673

- 15 Meter Long String
- 15 Holders with 1 Meter Distance
- 4 Pcs In Cartoon
- IP54
- Linkable upto 500W max
- Bulbs are not included



LED Spotlights

Introducing a sustainable and energy efficient replacement for power consuming 35W and 50W Halogen Spotlights. An extensive range of LED Spotlights (1.2W-8W).

- Uses 80% less energy than Standard Bulbs
- Excellent Heat Radiation Efficiency
- Customized exterior for stronger body
- Choice of beam angle from 38° to 300°
- Premium Quality Power Driver

V-TAC[®]
INNOVATIVE LED LIGHTING



FADIL LIGHT

GU10 Lens 38°

VT-2002

2w | 180lm

SKU: 7169 – 6400K White





EQ. Watts:	15w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	180lm
LED Type:	SMD
CRI:	>80
PF:	>0.4
Base:	GU10
Beam Angle:	38°
Body Type:	Plastic
Dimension:	35×46.5mm
Box Qty:	200 Pcs

GU10-RGB With Remote Control

VT-2244

3.5w | 290lm

SKU: 2778 – RGB+3000K Warm White





EQ. Watts:	25w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	290lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	GU10
Beam Angle:	110°
Body Type:	Plastic
Dimension:	50×56.5mm
Box Qty:	200 Pcs

GU10 Lens 38°

VT-2187

6.5w | 500lm

SKU: 92012 – 3000K Warm White
SKU: 92013 – 4000K Day White
SKU: 92014 – 6400K White




EQ. Watts:	50w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	500lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	GU10
Beam Angle:	38°
Body Type:	Plastic
Dimension:	Ø50×55mm
Box Qty:	200 Pcs

MR16 Lens 38°

VT-1887

7w | 500lm

SKU: 9191 – 3000K Warm White
SKU: 9197 – 4000K Day White
SKU: 9192 – 6400K White





EQ. Watts:	50w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	500lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	GU5.3
Beam Angle:	38°
Body Type:	Plastic
Dimension:	50×53mm
Box Qty:	200 Pcs

GU10 Lens 38°

VT-2087

7w | 150lm

SKU: 92051 - RED
SKU: 92052 - GREEN
SKU: 92053 - BLUE





EQ. Watts:	50w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	150lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	GU10
Beam Angle:	38°
Body Type:	Plastic
Dimension:	Ø50x55mm
Box Qty:	200 Pcs

GU10 Lens 38°

VT-2666

7w | 550lm

SKU: 1657 - 3000K Warm White
SKU: 1658 - 4500K Day White
SKU: 1659 - 6000K White




EQ. Watts:	50w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	550lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	GU10
Beam Angle:	38°
Body Type:	Plastic
Dimension:	Ø50x57mm
Box Qty:	200 Pcs

GU10 Lens 38° Dimmable

VT-2886D

7w | 550lm

SKU: 1666 - 3000K Warm White
SKU: 1667 - 4500K Day White
SKU: 1668 - 6000K White





EQ. Watts:	50w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	550lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	GU10
Beam Angle:	38°
Body Type:	Plastic
Dimension:	Ø50x57mm
Box Qty:	200 Pcs

Spotlights-GU10-Milky Cover-110°

VT-1975

5w | 400lm

SKU: 1685 - 3000K Warm White
SKU: 1686 - 4000K Day White
SKU: 1687 - 6000K White





EQ. Watts:	35w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
LED Type:	SMD
CRI:	>80
PF:	>0.4
Base:	GU10
Beam Angle:	110°
Body Type:	Plastic
Dimension:	Ø50x57mm
Box Qty:	200 Pcs

GU10 Lens 110°

VT-2077

6.5w | 500lm





SKU: 92044 - 3000K Warm White
SKU: 92045 - 4000K Day White
SKU: 92046 - 6400K White

EQ. Watts:	45w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	500lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	GU10
Beam Angle:	110°
Body Type:	Plastic
Dimension:	Ø50x55mm
Box Qty:	200 Pcs

GU10 Lens 110°

VT-2778

7w | 500lm



SKU: 1672 - 3000K Warm White
SKU: 1673 - 4500K Day White
SKU: 1674 - 6400K White

EQ. Watts:	45w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	500lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	GU10
Beam Angle:	110°
Body Type:	Plastic
Dimension:	Ø50x57mm
Box Qty:	200 Pcs

G4 Capsules

VT-2303

3w | 270lm



DIMMABLE

SKU: 92060 - 3000K Warm White
SKU: 92059 - 6000K White

EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	270lm
LED Type:	COB
CRI:	>80
PF:	>0.9
Base:	G4
Beam Angle:	360°
Body Type:	Silicon
Dimension:	37.5x10mm
Box Qty:	1000 Pcs

G4 Capsules

VT-2313

3w | 270lm



DIMMABLE

SKU: 92062 - 3000K Warm White
SKU: 92061 - 6000K White

EQ. Watts:	30w
Voltage/Frequency:	AC:12V
Luminous Flux:	270lm
LED Type:	COB
CRI:	>80
PF:	>0.9
Base:	G4
Beam Angle:	360°
Body Type:	Silicon
Dimension:	37.5x10mm
Box Qty:	1000 Pcs



G9 Capsules

VT-2325

5w | 450lm

SKU: 92071 – 3000K Warm White
SKU: 92063 – 6000K White



EQ. Watts:	50w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	450lm
LED Type:	COB
CRI:	>80
PF:	>0.9
Base:	G9
Beam Angle:	360°
Body Type:	Silicon
Dimension:	60x14.5mm
Box Qty:	500 Pcs



COB Downlight

VT-2173-RD-W

3w | 210lm

SKU: 92056 – 3000K Warm White
SKU: 92070 – 4000K Day White
SKU: 92055 – 6400K White
SKU: 92068 – RED
SKU: 92069 – BLUE
SKU: 92082 – Green

Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	210lm
LED Type:	COB
CRI:	>70
PF:	>0.5
Beam Angle:	120°
Body Type:	Aluminium
Dimension:	48mm
Box Qty:	100 Pcs



COB Downlight

VT-2173-RD-B

3w | 210lm

SKU: 92132 – 3000K Warm White
SKU: 92131 – 6500K White

Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	210lm
LED Type:	COB
CRI:	>70
PF:	>0.5
Beam Angle:	120°
Body Type:	Aluminium
Dimension:	48mm
Box Qty:	100 Pcs



COB Downlight

VT-2173-SQ


3w | 210lm

SKU: 92058 – 3000K Warm White
SKU: 92057 – 6500K White

Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	210lm
LED Type:	COB
CRI:	>70
PF:	>0.5
Beam Angle:	120°
Body Type:	Aluminium
Dimension:	48x48mm
Box Qty:	100 Pcs

AR111 Downlight **VT-1121**
20W | 1800lm

SKU: 2792 | 3000K Warm White
SKU: 2793 | 4000K Day White
SKU: 2794 | 6400K White




Including 2 reflectors
(40° already mounted)

20°

40°




Instructions to change the reflector



EQ. Watts:	130w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1800lm
LED Type:	COB
CRI:	>80
PF:	>0.9
Base:	NA
Beam Angle:	40°/20°
Body Type:	Die Cast Aluminium
Dimension:	Ø111x53mm
Box Qty:	50 Pcs

AR111-G53
VT-1110-20
15w | 950lm


SKU: 4062 - 4000K Day White
SKU: 4061 - 6400K White



EQ. Watts:	75w
Voltage/Frequency:	AC/DC:12V,50Hz
Luminous Flux:	950lm
LED Type:	COB
CRI:	>80
PF:	>0.9
Base:	G53
Beam Angle:	20°
Body Type:	Plastic Clad Aluminium
Dimension:	Ø111x86x63mm
Box Qty:	60 Pcs


Fittings & Accessories

Surface Fittings GU10



Model No	VT-804-W
SKU:	8946
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fixture:	White
Dimension:	Ø59.5x197mm
Cutting Size:	NA
Box Qty:	20 Pcs

Surface Fittings GU10




Model No	VT-804-B
SKU:	8947
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fixture:	Black
Dimension:	Ø59.5x197mm
Cutting Size:	NA
Box Qty:	20 Pcs

Fitting Square-GU10




Model No	VT-886
SKU:	8877
Base:	2xGU10
Material:	Aluminium
Shape:	Square
Color of Fixture:	White+Black
Dimension:	185x100x45mm
Cutting Size:	175x85mm
Box Qty:	20 Pcs

Fitting Round-GU10




Model No	VT-872-WB
SKU:	3153
Base:	GU10
Material:	Aluminium+PC
Shape:	Round
Color of Fixture:	White+Black
Dimension:	79×32mm
Cutting Size:	72mm
Box Qty:	50 Pcs

Fitting Round-GU10




Model No	VT-872-WG
SKU:	3154
Base:	GU10
Material:	Aluminium+PC
Shape:	Round
Color of Fixture:	White+Gold
Dimension:	79×32mm
Cutting Size:	72mm
Box Qty:	50 Pcs

Fitting Round-GU10



Model No	VT-872-WRG
SKU:	3155
Base:	GU10
Material:	Aluminium+PC
Shape:	Round
Color of Fixture:	White+Rose Gold
Dimension:	79×32mm
Cutting Size:	72mm
Box Qty:	50 Pcs

Fitting Round-GU10




Model No	VT-872-WC
SKU:	3156
Base:	GU10
Material:	Aluminium+PC
Shape:	Round
Color of Fixture:	White+Chrome
Dimension:	79×32mm
Cutting Size:	72mm
Box Qty:	50 Pcs

Fitting Square-GU10



Model No	VT-876-RD
SKU:	3169
Base:	GU10
Material:	Aluminium
Shape:	Square
Color of Fixture:	White
Dimension:	85×32mm
Cutting Size:	75mm
Box Qty:	50 Pcs

Fitting-Square-GU10



Model No	VT-763
SKU:	3649
Base:	GU10
Material:	Gypsum
Shape:	Square
Color of Fixture:	White
Dimension:	120×120×50mm
Cutting Size:	123×123mm
Box Qty:	24 Pcs

Fitting-Square-GU10



Model No	VT-714
SKU:	3674
Base:	GU10
Material:	Gypsum
Shape:	Square
Color of Fixture:	White
Dimension:	120×120×45mm
Cutting Size:	123×123mm
Box Qty:	24 Pcs

Fitting-Round-GU10-2Pc Pack




Model No	VT-778-WH
SKU:	3584
Base:	GU10
Material:	Ferrum
Shape:	Round
Color of Fixture:	White
Dimension:	Ø80×30mm
Cutting Size:	Ø65mm
Box Qty:	200 Pcs

Fitting-Round-GU10-2Pc Pack



Model No	VT-778-SN
SKU:	3585
Base:	GU10
Material:	Ferrum
Shape:	Round
Color of Fixture:	Satin Nickel
Dimension:	Ø80×30mm
Cutting Size:	Ø65mm
Box Qty:	200 Pcs

Fitting-Round-GU10




Model No	VT-782RD-WH
SKU:	3599
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fixture:	White
Dimension:	Ø91x25mm
Cutting Size:	Ø75mm
Box Qty:	100 Pcs

Fitting-Round-GU10




Model No	VT-782RD-AB
SKU:	3600
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fixture:	Aluminium Brush
Dimension:	Ø91x25mm
Cutting Size:	Ø75mm
Box Qty:	100 Pcs

Fitting-Square-GU10



Model No	VT-782SQ-WH
SKU:	3605
Base:	1XGU10
Material:	Aluminium
Shape:	Square
Color of Fixture:	White
Dimension:	91x91x25mm
Cutting Size:	75x75mm
Box Qty:	100 Pcs

Fitting-Square-GU10




Model No	VT-782SQ-AB
SKU:	3606
Base:	1XGU10
Material:	Aluminium
Shape:	Square
Color of Fixture:	Aluminium Brush
Dimension:	91x91x25mm
Cutting Size:	75x75mm
Box Qty:	100 Pcs

Recessed Fitting GU10



Model No	VT-783SQ-B
SKU:	92098
Base:	2xGU10
Material:	Aluminium
Shape:	Square
Color of Fixture:	Black
Dimension:	173x91x25mm
Cutting Size:	155x75mm
Box Qty:	50 Pcs

Fitting-Square-GU10




Model No	VT-783SQ-WH
SKU:	3607
Base:	2XGU10
Material:	Aluminium
Shape:	Square
Color of Fixture:	White
Dimension:	173x91x25mm
Cutting Size:	155x75mm
Box Qty:	50 Pcs

Fitting-Square-GU10



Model No	VT-783SQ-AB
SKU:	3608
Base:	GU10
Material:	Aluminium
Shape:	Square
Color of Fixture:	Aluminium Brush
Dimension:	173x91x25mm
Cutting Size:	155x75mm
Box Qty:	50 Pcs

Fitting-Square-GU10



Model No	VT-784SQ-WH
SKU:	3609
Base:	3XGU10
Material:	Aluminium
Shape:	Square
Color of Fixture:	White
Dimension:	255x91x25mm
Cutting Size:	235x75mm
Box Qty:	50 Pcs

Fitting-Round-GU10



Model No	VT-711-W-RD
SKU:	3669
Base:	GU10
Material:	Zinc Alloy+Ferrum
Shape:	Round
Color of Fixture:	White
Dimension:	82x101mm
Cutting Size:	N/A
Box Qty:	50 Pcs

Fitting-Square-GU10




Model No	VT-787RD-WH
SKU:	3613
Base:	GU10
Material:	Zinc Alloy+Ferrum
Shape:	Round
Color of Fixture:	White
Dimension:	84×38mm
Cutting Size:	75mm
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-787RD-SN
SKU:	3614
Base:	GU10
Material:	Zinc Alloy+Ferrum
Shape:	Round
Color of Fixture:	Satin Nickel
Dimension:	84×38mm
Cutting Size:	75mm
Box Qty:	100 Pcs

Fitting-Square-GU10




Model No	VT-787SQ-WH
SKU:	3615
Base:	GU10
Material:	Zinc Alloy+Ferrum
Shape:	Square
Color of Fixture:	White
Dimension:	84×84×38mm
Cutting Size:	75mm
Box Qty:	100 Pcs

Fitting-Square-GU10




Model No	VT-787SQ-SN
SKU:	3616
Base:	GU10
Material:	Zinc Alloy+Ferrum
Shape:	Square
Color of Fixture:	Satin Nickel
Dimension:	84×84×38mm
Cutting Size:	75mm
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-781RD-WH
SKU:	3595
Base:	GU10
Material:	Aluminium+Ferrum
Shape:	Round
Color of Fixture:	White
Dimension:	100×45mm
Cutting Size:	90mm
Box Qty:	100 Pcs

Fitting-Square-GU10




Model No	VT-781SQ-WH
SKU:	3597
Base:	GU10
Material:	Aluminium+Ferrum
Shape:	Square
Color of Fixture:	White
Dimension:	100×100×38mm
Cutting Size:	90×90mm
Box Qty:	100 Pcs

Fitting-Square-GU10-Frost Glass




Model No	VT-801SQ
SKU:	3691
Base:	GU10
Material:	Gypsum
Shape:	Square
Color of Fixture:	White
Dimension:	120×120×60mm
Cutting Size:	123×123mm
Box Qty:	24 Pcs

Fitting Square-GU10




Model No	VT-882-B
SKU:	8584
Base:	GU10
Material:	Aluminium + PC
Shape:	Square
Color of Fixture:	White frame + Black reflector
Dimension:	74×74×140mm
Cutting Size:	NA
Box Qty:	20 Pcs

Fitting Square-GU10




Model No	VT-882-C
SKU:	8585
Base:	GU10
Material:	Aluminium + PC
Shape:	Square
Color of Fixture:	White frame + Chrome reflector
Dimension:	74×74×140mm
Cutting Size:	NA
Box Qty:	20 Pcs

Fitting Square-GU10




Model No	VT-882-G
SKU:	8586
Base:	GU10
Material:	Aluminium + PC
Shape:	Square
Color of Fixture:	White frame + Gold reflector
Dimension:	74x74x140mm
Cutting Size:	NA
Box Qty:	20 Pcs

Fitting Square-GU10




Model No	VT-882-SRG
SKU:	8587
Base:	GU10
Material:	Aluminium + PC
Shape:	Square
Color of Fixture:	White frame + Rose gold reflector
Dimension:	74x74x140mm
Cutting Size:	NA
Box Qty:	20 Pcs

Fitting Round-GU10



Model No	VT-882-RB
SKU:	8589
Base:	GU10
Material:	Aluminium + PC
Shape:	Round
Color of Fixture:	White frame + Black reflector
Dimension:	ø80x140mm
Cutting Size:	NA
Box Qty:	20 Pcs

Fitting Round-GU10




Model No	VT-882-RC
SKU:	8590
Base:	GU10
Material:	Aluminium + PC
Shape:	Round
Color of Fixture:	White frame + Chrome reflector
Dimension:	ø80x140mm
Cutting Size:	NA
Box Qty:	20 Pcs

Fitting Round-GU10




Model No	VT-882-RG
SKU:	8591
Base:	GU10
Material:	Aluminium + PC
Shape:	Round
Color of Fixture:	White frame + Gold reflector
Dimension:	ø80x140mm
Cutting Size:	NA
Box Qty:	20 Pcs

Fitting Round-GU10




Model No	VT-882-RRG
SKU:	8592
Base:	GU10
Material:	Aluminium + PC
Shape:	Round
Color of Fixture:	White frame + Rose gold reflector
Dimension:	ø80x140mm
Cutting Size:	NA
Box Qty:	20 Pcs

Surface Fitting Round-GU10




Model No	VT-882RD-BG
SKU:	92090
Base:	GU10
Material:	Aluminium + PC
Shape:	Round
Color of Fixture:	Black+Gold
Dimension:	ø80x140mm
Cutting Size:	NA
Box Qty:	20 Pcs

Surface Fitting Round-GU10




Model No	VT-882RD-B
SKU:	92091
Base:	GU10
Material:	Aluminium + PC
Shape:	Round
Color of Fixture:	Black+Black
Dimension:	ø80x140mm
Cutting Size:	NA
Box Qty:	20 Pcs

Surface Fitting Round-GU10




Model No	VT-882RD-BC
SKU:	92092
Base:	GU10
Material:	Aluminium + PC
Shape:	Round
Color of Fixture:	Black+Champagne
Dimension:	ø80x140mm
Cutting Size:	NA
Box Qty:	20 Pcs

Surface Fitting Round-GU10




Model No	VT-882SQ-BG
SKU:	92093
Base:	GU10
Material:	Aluminium + PC
Shape:	Square
Color of Fxture:	Black+Gold
Dimension:	ø80×140mm
Cutting Size:	NA
Box Qty:	20 Pcs

Surface Fitting Round-GU10




Model No	VT-882SQ-B
SKU:	92094
Base:	GU10
Material:	Aluminium + PC
Shape:	Square
Color of Fxture:	Black+Black
Dimension:	ø80×140mm
Cutting Size:	NA
Box Qty:	20 Pcs

Surface Fitting Round-GU10



Model No	VT-882SQ-BC
SKU:	92095
Base:	GU10
Material:	Aluminium + PC
Shape:	Square
Color of Fxture:	Black+Champagne
Dimension:	ø80×140mm
Cutting Size:	NA
Box Qty:	20 Pcs

Fitting-Recessed-Black Metal-Square




Model No	VT-866-BSQ
SKU:	3148
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fxture:	White+Black
Dimension:	ø100×100mm
Cutting Size:	103×103mm
Box Qty:	30 pcs

Fitting-Recessed-Chrome Metal-Square



Model No	VT-866-CSQ
SKU:	3149
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fxture:	White+Chrome
Dimension:	ø100×100mm
Cutting Size:	103×103mm
Box Qty:	30 pcs

Fitting-Recessed-Matt Rose Gold-Square




Model No	VT-866-GSQ
SKU:	3150
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fxture:	White+Matt Rose Gold
Dimension:	ø100×100mm
Cutting Size:	103×103mm
Box Qty:	30 pcs

Recessed Fitting GU10



Model No	VT-782RD-B
SKU:	8936
Base:	1XGU10
Material:	Aluminium
Shape:	Round
Color of Fxture:	Black
Dimension:	ø91×25mm
Cutting Size:	ø75mm
Box Qty:	100Pcs

Recessed Fitting GU10




Model No	VT-782SQ-B
SKU:	8937
Base:	1XGU10
Material:	Aluminium
Shape:	Square
Color of Fxture:	Black
Dimension:	91×91×25mm
Cutting Size:	75×75mm
Box Qty:	100Pcs

Recessed Fitting GU10



Model No	VT-910RD-W
SKU:	92083
Base:	GU10
Material:	PC
Shape:	Round
Color of Fxture:	White
Dimension:	ø94×42mm
Cutting Size:	ø80mm
Box Qty:	100 Pcs

Recessed Fitting GU10




Model No	VT-910RD-B
SKU:	92084
Base:	GU10
Material:	PC
Shape:	Round
Color of Fixture:	Black
Dimension:	ø94x42mm
Cutting Size:	Ø80mm
Box Qty:	100 Pcs

Recessed Fitting GU10



Model No	VT-910SQ-W
SKU:	92085
Base:	GU10
Material:	PC
Shape:	Square
Color of Fixture:	White
Dimension:	94x94x42mm
Cutting Size:	Ø80mm
Box Qty:	100 Pcs

Recessed Fitting GU10



Model No	VT-910SQ-B
SKU:	92086
Base:	GU10
Material:	PC
Shape:	Square
Color of Fixture:	Black
Dimension:	94x94x42mm
Cutting Size:	Ø80mm
Box Qty:	100 Pcs

Recessed Fitting GU10




Model No	VT-911RD-W
SKU:	92087
Base:	GU10
Material:	PC
Shape:	Round
Color of Fixture:	White+Champagne
Dimension:	88.5x40mm
Cutting Size:	Ø78mm
Box Qty:	50 Pcs

Recessed Fitting GU10




Model No	VT-911RD-B
SKU:	92088
Base:	GU10
Material:	PC
Shape:	Round
Color of Fixture:	Black+Champagne
Dimension:	88.5x40mm
Cutting Size:	Ø78mm
Box Qty:	50 Pcs

Wall Fitting GU10




Model No	VT-912RD
SKU:	92096
Base:	2xGU10
Material:	PC
Shape:	Round
Color of Fixture:	Black
Dimension:	72x95x150mm
Cutting Size:	NA
Box Qty:	20 Pcs

Recessed Fitting GU10



Model No	VT-875SQ
SKU:	92089
Base:	GU10
Material:	Aluminum+PC
Shape:	Square
Color of Fixture:	White
Dimension:	85x85x62mm
Cutting Size:	80x80mm
Box Qty:	50 Pcs

AR111-Accessories



Model No	VT-7222-W
SKU:	3576
Base:	2XAR111
Material:	Aluminium
Shape:	Square
Color of Fixture:	White
Dimension:	325x174mm
Cutting Size:	167x305mm
Box Qty:	12 Pcs



LED Floodlights

V-TAC's LED floodlights are ideal for lighting driveways, gardens and buildings. These energy efficient lights emit bright, vibrant light and make an eco-friendly alternative for traditional.

Widely used for lighting driveways, gardens & buildings, commercial bill boards & hoardings, sports grounds & parking lots

V-TAC[®]
INNOVATIVE LED LIGHTING

FADIL LIGHT

NEW





evolution

SuperBRIGHT
160
LUMENS/W

IP65
RATING

5 YEAR
WARRANTY



Evolution Series Floodlight

VT-4961

50w | 8000lm Im

SKU: 5919 – 6400K White

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Color of Fixture:	Black
CRI:	>70
PF:	>0.9
IP Rating:	IP65
Beam Angle:	100°
Body Type:	Die Cast Aluminium
Dimension:	241.5×197.5×46mm
Box Qty:	10 Pcs

NEW





evolution

SuperBRIGHT
160
LUMENS/W

IP65
RATING

5 YEAR
WARRANTY



Evolution Series Floodlight

VT-49161

100w | 16000lm Im

SKU: 5921 – 6400K White



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Color of Fixture:	Black
CRI:	>70
PF:	>0.9
IP Rating:	IP65
Beam Angle:	100°
Body Type:	Die Cast Aluminium
Dimension:	299×247.5×49.5mm
Box Qty:	4 Pcs

E Series-White Body


VT-40101W

100w | 8500lm

SKU: 5967 – 3000K Warm
White



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Color of Fixture:	White
CRI:	>70
PF:	>0.9
IP Rating:	IP65
Beam Angle:	110°
Body Type:	Aluminium
Dimension:	330×271×33mm
Box Qty:	5 Pcs




IP65
RATING




Slimline-White Body-White Wire
VT-49101W

100w | 8500lm

SKU: 5972 – 6400K White



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Color of Fixture:	White
CRI:	>70
PF:	>0.9
IP Rating:	IP65
Beam Angle:	100°
Body Type:	Die Cast Aluminium
Dimension:	291×240×30mm
Box Qty:	4 Pcs




**IP65
RATING**




E Series-Black Body
VT-4051B

50w | 4250lm

SKU: 5958 – 3000K Warm
White



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Color of Fixture:	Black
CRI:	>70
PF:	>0.9
IP Rating:	IP65
Beam Angle:	110°
Body Type:	Aluminium
Dimension:	245×192×28mm
Box Qty:	10 Pcs




**IP65
RATING**




E Series-Black Body
VT-40101B

100w | 8500lm

SKU: 5966 – 6500K White



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Color of Fixture:	Black
CRI:	>70
PF:	>0.9
IP Rating:	IP65
Beam Angle:	110°
Body Type:	Aluminium
Dimension:	330×271×33mm
Box Qty:	5 Pcs



**IP65
RATING**

NEW




Floodlight-Remote Control-RGB

VT-4932

30w

SKU: 5995 - RGB



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V
Color of Fixture:	Black
CRI:	
PF:	>0.9
IP Rating:	IP65
Beam Angle:	110°
Body Type:	Aluminium
Dimension:	185×163×26mm
Box Qty:	20Pcs



NEW




Floodlight-Remote Control-RGB

VT-4952

50w

SKU: 5996 - RGB



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V
Color of Fixture:	Black
CRI:	
PF:	>0.9
IP Rating:	IP65
Beam Angle:	110°
Body Type:	Aluminium
Dimension:	245×192×28mm
Box Qty:	10Pcs




Smart Floodlight

VT-5020-W

20w | 1400lm

SKU: 5984 - RGB+W/WW/DW



Voltage/Frequency:	AC:220-240V
Color of Fixture:	White
CRI:	>80
PF:	>0.9
IP Rating:	IP65
Beam Angle:	100°
Body Type:	Aluminium
Dimension:	141.6×42.7×126.3mm
Box Qty:	20 Pcs



**CCT and Dimming
VIA SMART PHONE APP**




Smart Floodlight

VT-5020-B

20w | 1400lm

SKU: 5985 - RGB+W/WW/DW



Voltage/Frequency:	AC:220-240V
Color of Fixture:	Black
CRI:	>80
PF:	>0.9
IP Rating:	IP65
Beam Angle:	100°
Body Type:	Aluminium
Dimension:	141.6×42.7×126.3mm
Box Qty:	20 Pcs



**CCT and Dimming
VIA SMART PHONE APP**

Xtreme Series Black Body
VT-48505

500w | 45000lm

SKU: 94001 - 6500K White



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V, 50/60Hz
Color of Fixture:	Black
CRI:	>70
PF:	>0.9
IP Rating:	IP65
Beam Angle:	120°
Body Type:	Die Cast Aluminium
Dimension:	595x595x185mm
Box Qty:	2 Pcs



**IP65
RATING**



**HIGH
POWER**

High Power Series
VT-48800

800w | 64000lm

SKU: 94030 - 6500K White



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V, 50/60Hz
Color of Fixture:	Black
CRI:	>70
PF:	>0.9
IP Rating:	IP65
Beam Angle:	120°
Body Type:	Aluminium
Dimension:	780x87x340mm
Box Qty:	1 Pc



**IP65
RATING**



**HIGH
POWER**

High Power Series

VT-491001

1000w | 120000lm

SKU: 5939 - 6000K White



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V, 50/60Hz
Color of Fixture:	Black
CRI:	>70
PF:	>0.9
IP Rating:	IP65
Beam Angle:	60°
Body Type:	Die Cast Aluminium
Dimension:	748x762x154mm
Box Qty:	1 Pc



**IP65
RATING**



**HIGH
POWER**



Waterproof Box Terminal Block


VT-881

SKU: 5987

Voltage:	AC:450V
Material:	PP
Size:	Ø65.33x46.31mm
Wire range:	0.5-2.5mm ²
Cable Diameter:	5-9mm
Fire Retardant Level:	V2
Ampere:	24A
Box Qty:	150 Pcs



**IP65
RATING**



Waterproof Box Terminal Block

VT-7224-B

SKU: 3578

Voltage:	AC:250V Max
Material:	Polypropylene (PP)
Size:	123x46x33mm
Wire range:	0.5-2.5mm ²
Box Qty:	160 Pcs



**IP65
RATING**



**UV
PROTECTION**



LED Panels

Experience consistent illumination and zero hot or cold spots, introducing slim and sleek LED Panel Lighting from V-TAC.


- Ultra Slim Design
- Contemporary & Elegant Design
- No infrared, does not attract flies
- Easy to install
- No Lead or mercury content hence environment friendly
- Dimmable options available in selected models

V-TAC[®]
INNOVATIVE LED LIGHTING

FADIL LIGHT



Big Panels-High Lumen-60×60
36w | 4320lm



120
Lumen/W


VT-6136

SKU: 6238 – 4000K Day White

Voltage/Frequency:	AC:200-240V,50/60Hz
Beam Angle:	120°
LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Square
Body Type:	Aluminium+PMMA+PC
Dimension:	595×595×13mm
Box Qty:	6 Pcs



Big Panels-60×60
45w | 3600lm



VT-6060-6


SKU: 60246 – 4000K Day White

SKU: 60256 – 6400K White

Voltage/Frequency:	AC:200-240V,50/60Hz
Beam Angle:	120°
LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Square
Body Type:	Aluminium+PMMA+PP
Dimension:	595×595×14mm
Box Qty:	6 Pcs



60×60 Panels
48w | 3500lm




VT-6060-SQ

SKU: 96005 – 6500K White

Voltage/Frequency:	AC:220-240V,50/60Hz
Beam Angle:	120°
LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Square
Body Type:	Aluminium+PMMA+PS
Dimension:	595×595×9mm
Box Qty:	6 Pcs



60×60 Panels
60w | 4200lm



VT-6161


SKU: 9663 – 3000K Warm White

SKU: 9684 – 4000K Day White

SKU: 9636 – 6500K White

Voltage/Frequency:	AC:220-240V,50/60Hz
Beam Angle:	120°
LED Type:	SMD
CRI:	>70
PF:	>0.9
Shape:	Square
Body Type:	Aluminium
Dimension:	595×595×9mm
Box Qty:	6 Pcs

Big Panels-120×30
45w | 3600lm




VT-12030

SKU: 60266 – 4000K Day White
SKU: 60276 – 6400K White

Voltage/Frequency:	AC:200-240V,50/60Hz
Beam Angle:	120°
LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Rectangle
Body Type:	Aluminium+PMMA+PP
Dimension:	1195×295×14mm
Box Qty:	6 Pcs

2 IN 1 Panels
36w | 2880lm




VT-6139

SKU: 6380 – 4000K Day White
SKU: 6381 – 6500K White

Voltage/Frequency:	AC:200-240V,50/60Hz
Beam Angle:	120°
LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Square
Body Type:	Iron+PS
Dimension:	595×595×19mm
Box Qty:	1 Pc

Surface Panel Backlite
50w | 4000lm



VT-6152

SKU: 96002 – 6500K White

Voltage/Frequency:	AC:220-240V,50/60Hz
Beam Angle:	110°
LED Type:	SMD
CRI:	>70
PF:	>0.5
Shape:	Square
Body Type:	FE+PC
Dimension:	595×595×29mm
Box Qty:	6 Pcs



Surface Mounting-60×60

SKU: **9999**
Box Qty: **5 Pcs**

Convert the recessed panel to surface panel and install it easily on solid surfaces.



Surface Mounting-120×30

SKU: **9969**
Box Qty: **6 Pcs**

Linear Lights
10w | 750lm

VT-10001

SKU: 6403 – 6400K White



Cutting Size:
138×32mm

Voltage/Frequency:	AC:85-265V,50/60Hz
Beam Angle:	120°
LED Type:	SMD
CRI:	>80
PF:	>0.5
Shape:	Rectangle
Body Type:	Aluminium
Dimension:	160×45×65mm
Box Qty:	20 Pcs

Linear Lights
20w | 1600lm

VT-20001

SKU: 6404 – 3000K Warm White




Cutting Size:
270×32mm

Voltage/Frequency:	AC:85-265V,50/60Hz
Beam Angle:	120°
LED Type:	SMD
CRI:	>80
PF:	>0.5
Shape:	Rectangle
Body Type:	Aluminium
Dimension:	290×45×65mm
Box Qty:	20 Pcs

Adjustable 2IN1 Round
12w | 1080lm

VT-6112-RD

SKU: 96071 – 6500K White




Cutting Size:
65-80mm (Adjustable)

Voltage/Frequency:	AC:220-240V,50/60Hz
Beam Angle:	120°
LED Type:	SMD
CRI:	>70
PF:	>0.5
Shape:	Round
Body Type:	Iron+PC
Dimension:	Ø100mm
Box Qty:	50 Pcs

Adjustable 2IN1 Square
12w | 1080lm

VT-6112-SQ


SKU: 96072 – 6500K White



Cutting Size:
70-90mm (Adjustable)

Voltage/Frequency:	AC:220-240V,50/60Hz
Beam Angle:	120°
LED Type:	SMD
CRI:	>70
PF:	>0.5
Shape:	Square
Body Type:	Iron+PC
Dimension:	100×100mm
Box Qty:	50 Pcs

Adjustable 2IN1 Round
18W | 1620lm




Cutting Size:
65-105mm (Adjustable)

VT-6118-RD

SKU: 96073 – 6500K White

Voltage/Frequency:	AC:220-240V,50/60Hz
Beam Angle:	120°
LED Type:	SMD
CRI:	>70
PF:	>0.5
Shape:	Round
Body Type:	Iron+PC
Dimension:	Ø120mm
Box Qty:	50 Pcs

Adjustable 2IN1 Square
18W | 1620lm




Cutting Size:
70-100mm (Adjustable)

VT-6118-SQ

SKU: 96074 – 6500K White

Voltage/Frequency:	AC:220-240V,50/60Hz
Beam Angle:	120°
LED Type:	SMD
CRI:	>70
PF:	>0.5
Shape:	Square
Body Type:	Iron+PC
Dimension:	118.5x118.5mm
Box Qty:	50 Pcs

Adjustable 2IN1 Round
24w | 2160lm




Cutting Size:
65-155mm (Adjustable)

VT-6124-RD

SKU: 96075 – 6500K White

Voltage/Frequency:	AC:220-240V,50/60Hz
Beam Angle:	120°
LED Type:	SMD
CRI:	>70
PF:	>0.5
Shape:	Round
Body Type:	Iron+PC
Dimension:	Ø170mm
Box Qty:	20 Pcs

Adjustable 2IN1 Square
24w | 2160lm



Cutting Size:
70-130mm (Adjustable)


VT-6124-SQ

SKU: 96076 – 6500K White

Voltage/Frequency:	AC:220-240V,50/60Hz
Beam Angle:	120°
LED Type:	SMD
CRI:	>70
PF:	>0.5
Shape:	Square
Body Type:	Iron+PC
Dimension:	169x169mm
Box Qty:	20 Pcs



Surface Series Round
12w | 1000lm




VT-12012SF-RD

SKU: 9691 – 3000K Warm White
SKU: 9298 – 4000K Day White
SKU: 9292 – 6000K White

Voltage/Frequency:	AC:180-265V, 50/60Hz
Beam Angle:	120°
LED Type:	SMD
CRI:	>70
PF:	>0.5
Shape:	Round
Body Type:	Aluminium
Dimension:	155x32mm
Box Qty:	20 Pcs



Surface Series Square
12w | 1000lm




VT-12012SF-SQ

SKU: 9290 – 6000K White

Voltage/Frequency:	AC:180-265V, 50/60Hz
Beam Angle:	120°
LED Type:	SMD
CRI:	>70
PF:	>0.5
Shape:	Square
Body Type:	Aluminium
Dimension:	155x155x32mm
Box Qty:	20 Pcs



Surface Series Round
18w | 1500lm




VT-18019SF-RD

SKU: 96013 – 6000K White

Voltage/Frequency:	AC:180-265V, 50/60Hz
Beam Angle:	120°
LED Type:	SMD
CRI:	>70
PF:	>0.5
Shape:	Round
Body Type:	Aluminium
Dimension:	180x32mm
Box Qty:	30 Pcs



Surface Series Square
18w | 1500lm




VT-18019SF-SQ

SKU: 96012 – 6000K White

Voltage/Frequency:	AC:180-265V, 50/60Hz
Beam Angle:	120°
LED Type:	SMD
CRI:	>70
PF:	>0.5
Shape:	Square
Body Type:	Aluminium
Dimension:	180x180x32mm
Box Qty:	30 Pcs



Surface Series Round
18w | 1500lm




VT-18018SF-RD

SKU: 9688 – 3000K Warm White
SKU: 9294 – 4000K Day White
SKU: 9295 – 6000K White

Voltage/Frequency:	AC:180-265V, 50/60Hz
Beam Angle:	120°
LED Type:	SMD
CRI:	>70
PF:	>0.5
Shape:	Round
Body Type:	Aluminium
Dimension:	180x32mm
Box Qty:	20 Pcs



Surface Series Square
18w | 1500lm




VT-18018SF-SQ

SKU: 9293 – 6000K White

Voltage/Frequency:	AC:180-265V, 50/60Hz
Beam Angle:	120°
LED Type:	SMD
CRI:	>70
PF:	>0.5
Shape:	Square
Body Type:	Aluminium
Dimension:	180x180x32mm
Box Qty:	20 Pcs



Slim Surface Round
24w | 2000lm




VT-24024SF-RD

SKU: 9499 – 3000K Warm White
SKU: 9299 – 4000K Day White
SKU: 9296 – 6000K White

Voltage/Frequency:	AC:180-265V, 50/60Hz
Beam Angle:	120°
LED Type:	SMD
CRI:	>70
PF:	>0.5
Shape:	Round
Body Type:	Aluminium
Dimension:	230x32mm
Box Qty:	20 Pcs



Slim Surface Square
24w | 2000lm




VT-24024SF-SQ

SKU: 9697 – 6000K White

Voltage/Frequency:	AC:180-265V, 50/60Hz
Beam Angle:	120°
LED Type:	SMD
CRI:	>70
PF:	>0.5
Shape:	Square
Body Type:	Aluminium
Dimension:	230x230x32mm
Box Qty:	20 Pcs

Basic Series Round
3w | 150lm




Cutting Size:
75mm

VT-3004-RD

SKU: 9607 – 3000K Warm White
SKU: 9606 – 6000K White

Voltage/Frequency:	AC:220-240V,50/60Hz
Beam Angle:	120°
LED Type:	SMD
CRI:	>70
PF:	>0.5
Shape:	Round
Body Type:	Aluminium
Dimension:	Ø85mm
Box Qty:	50 Pcs

Basic Series Square
3w | 150lm




Cutting Size:
73mm

VT-3004-SQ

SKU: 9609 – 3000K Warm White
SKU: 9608 – 6000K White

Voltage/Frequency:	AC:220-240V,50/60Hz
Beam Angle:	120°
LED Type:	SMD
CRI:	>70
PF:	>0.5
Shape:	Square
Body Type:	Aluminium
Dimension:	84x12mm
Box Qty:	50 Pcs

Basic Series Round
6w | 360lm




Cutting Size:
105mm

VT-6007-RD

SKU: 9611 – 3000K Warm White
SKU: 9610 – 6000K White

Voltage/Frequency:	AC:200-240V,50/60Hz
Beam Angle:	120°
LED Type:	SMD
CRI:	>70
PF:	>0.5
Shape:	Round
Body Type:	Aluminium
Dimension:	Ø120mm
Box Qty:	50 Pcs

Basic Series Square
6w | 360lm




Cutting Size:
105x105mm

VT-6007-SQ

SKU: 9613 – 3000K Warm White
SKU: 9612 – 6000K White

Voltage/Frequency:	AC:200-240V,50/60Hz
Beam Angle:	120°
LED Type:	SMD
CRI:	>70
PF:	>0.5
Shape:	Square
Body Type:	Aluminium
Dimension:	120x120mm
Box Qty:	50 Pcs

Basic Series Round
9w | 630lm




Cutting Size:
 135mm

VT-9010

SKU: 96039 – 6000K White

Voltage/Frequency:	AC:200-240V,50/60Hz
Beam Angle:	120°
LED Type:	SMD
CRI:	>70
PF:	>0.5
Shape:	Round
Body Type:	Aluminium
Dimension:	Ø150mm
Box Qty:	40 Pcs

Basic Series Round
12w | 840lm




Cutting Size:
 155mm

VT-12013-RD

SKU: 9615 – 3000K Warm White
 SKU: 9614 – 6000K White

Voltage/Frequency:	AC:200-240V,50/60Hz
Beam Angle:	120°
LED Type:	SMD
CRI:	>80
PF:	>0.5
Shape:	Round
Body Type:	Aluminium+PS/Glass
Dimension:	Ø170mm
Box Qty:	50 Pcs

Basic Series Square
12w | 840lm




Cutting Size:
 155x155mm

VT-12013-SQ

SKU: 9617 – 3000K Warm White
 SKU: 9616 – 6000K White

Voltage/Frequency:	AC:200-240V,50/60Hz
Beam Angle:	120°
LED Type:	SMD
CRI:	>80
PF:	>0.5
Shape:	Square
Body Type:	Aluminium+PS/Glass
Dimension:	170x170mm
Box Qty:	50 Pcs

Basic Series Round
18w | 1440lm



Cutting Size:
 205mm


VT-18019-RD

SKU: 9619 – 3000K Warm White
 SKU: 9648 – 4000K Day White
 SKU: 9618 – 6000K White

Voltage/Frequency:	AC:200-240V,50/60Hz
Beam Angle:	120°
LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Round
Body Type:	Aluminium+PS/Glass
Dimension:	Ø225mm
Box Qty:	50 Pcs



Basic Series Square
18w | 1440lm



Cutting Size:
205×205mm


VT-18019-SQ

SKU: 9621 – 3000K Warm White
SKU: 9649 – 4000K Day White
SKU: 9620 – 6000K White

Voltage/Frequency:	AC:200-240V,50/60Hz
Beam Angle:	120°
LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Square
Body Type:	Aluminium+PS/Glass
Dimension:	225×225mm
Box Qty:	50 Pcs



Basic Series Round
24w | 1950lm



Cutting Size:
280mm


VT-24025-RD

SKU: 9623 – 3000K Warm White
SKU: 9622 – 6000K White

Voltage/Frequency:	AC:220-240V,50/60Hz
Beam Angle:	120°
LED Type:	SMD
CRI:	>80
PF:	>0.5
Shape:	Round
Body Type:	Aluminium+PS/Glass
Dimension:	Ø300mm
Box Qty:	50 Pcs



Basic Series Square
24w | 1950lm



Cutting Size:
280×280mm


VT-24025-SQ

SKU: 9625 – 3000K Warm White
SKU: 9624 – 6000K White

Voltage/Frequency:	AC:220-240V,50/60Hz
Beam Angle:	120°
LED Type:	SMD
CRI:	>80
PF:	>0.5
Shape:	Square
Body Type:	Aluminium+PS/Glass
Dimension:	300×300mm
Box Qty:	50 Pcs



Premium Series-Square
24w | 2000lm



Cutting Size:
280×280mm

VT-2407SQ

SKU: 4888 – 4000K Day White
SKU: 4889 – 6400K White

Voltage/Frequency:	AC:85-265V,50/60Hz
Beam Angle:	120°
LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Square
Body Type:	Aluminium
Dimension:	300×300×12mm
Box Qty:	10 Pcs



LED Tubes and Fixtures with LED

V-TAC's LED Tube Series fits perfectly into existing linear fixtures, providing better light quality and energy efficiency compared to linear fluorescent systems.

Introducing our complete Essentials range of IP65-rated waterproof tubes. Built with a tough, air-tight enclosure allowing it to resist jets of water and dust — an essential feature for outdoor lighting.



Waterproof Fitting-Tubes

VT-6029

20W | 1700lm


SKU: 6466 – 6400K White

2 LED TUBES INCLUDED

IP65 RATING



Voltage/Frequency:	AC:200-240V,50/60Hz	PF:	>0.5	Life span:	20,000 Hours
Luminous Flux:	1700lm	Beam Angle:	120°	Gross weight:	1 kg
LED Type:	SMD	Body Type:	Plastic+ABS	Dimension:	666×96×58mm
CRI:	>80	On/Off:	>15,000	Box Qty:	12pcs



Waterproof Fitting-Tubes

VT-12028

18w | 1700lm


SKU: 6460 – 6400K White

1 LED TUBE INCLUDED

IP65 RATING



Voltage/Frequency:	AC:200-240V,50/60Hz	PF:	>0.5	Life span:	20,000 Hours
Luminous Flux:	1700lm	Beam Angle:	120°	Gross weight:	1 kg
LED Type:	SMD	Body Type:	Plastic+ABS	Dimension:	1276×68×58mm
CRI:	>80	On/Off:	>15,000	Box Qty:	16pcs



Waterproof Fitting-Tubes

VT-12023

36w | 3400lm


SKU: 6399 – 6400K White

2 LED TUBES INCLUDED

IP65 RATING



Voltage/Frequency:	AC:200-240V,50/60Hz	PF:	>0.9	Life span:	30,000 Hours
Luminous Flux:	3400lm	Beam Angle:	120°	Gross weight:	1.33 kg
LED Type:	SMD	Body Type:	Plastic+ABS	Dimension:	1290×116×66mm
CRI:	>80	On/Off:	>10,000	Box Qty:	10 Pcs



Waterproof Fitting-Tubes

VT-15022

44w | 4000lm


SKU: 6400 – 6400K White

2 LED TUBES INCLUDED

IP65 RATING



Voltage/Frequency:	AC:200-240V,50/60Hz	PF:	>0.9	Life span:	30,000 Hours
Luminous Flux:	4000lm	Beam Angle:	120°	Gross weight:	1.65 kg
LED Type:	SMD	Body Type:	Plastic+ABS	Dimension:	1590×116×66mm
CRI:	>80	On/Off:	>10,000	Box Qty:	10 Pcs



Waterproof Fitting-S Series


VT-1239

36w | 3000lm

SKU: 6470 – 6500K White



Voltage/Frequency:	AC:200-240V,50/60Hz	PF:	>0.9	Life span:	20,000 Hours
Luminous Flux:	3000lm	Beam Angle:	120°	Gross weight:	0.448 kg
LED Type:	SMD2835	Body Type:	PC	Dimension:	1200×60×35mm
CRI:	>80	On/Off:	>15,000	Box Qty:	20 Pcs



Waterproof Fitting-G Series


VT-1249

36w | 2880lm

SKU: 6285 – 4000K Day White
SKU: 6284 – 6400K White



Voltage/Frequency:	AC:200-240V,50/60Hz	PF:	>0.9	Life span:	20,000 Hours
Luminous Flux:	2880lm	Beam Angle:	120°	Gross weight:	0.60 kg
LED Type:	SMD	Body Type:	PC	Dimension:	1200×65×58mm
CRI:	>70	On/Off:	>10,000	Box Qty:	12 Pcs



Waterproof Fitting-G Series


VT-1574

48w | 3840lm

SKU: 6287 – 4000K Day White
SKU: 6286 – 6400K White



Voltage/Frequency:	AC:200-240V,50/60Hz	PF:	>0.9	Life span:	20,000 Hours
Luminous Flux:	3840lm	Beam Angle:	120°	Gross weight:	1.1 kg
LED Type:	SMD	Body Type:	PC	Dimension:	1500×65×58mm
CRI:	>70	On/Off:	>10,000	Box Qty:	12 Pcs



Waterproof Fitting


VT-6048

18w | 1440lm

SKU: 6198 – 4500K Day White
SKU: 6199 – 6000K White



Voltage/Frequency:	AC:200-240V,50Hz	PF:	>0.9	Life span:	20,000 Hours
Luminous Flux:	1440lm	Beam Angle:	120°	Gross weight:	0.80 kg
LED Type:	SMD	Body Type:	Plastic+ABS	Dimension:	600×76×66mm
CRI:	>70	On/Off:	>10,000	Box Qty:	12 Pcs



Waterproof Fitting

VT-1248


36w | 2880lm

SKU: 6200 – 4500K Day White

SKU: 6201 – 6000K White



Voltage/Frequency:	AC:200-240V,50Hz	PF:	>0.9	Life span:	20,000 Hours
Luminous Flux:	2880lm	Beam Angle:	120°	Gross weight:	1.42 kg
LED Type:	SMD	Body Type:	Plastic+ABS	Dimension:	1200×76×66mm
CRI:	>70	On/Off:	>10,000	Box Qty:	12 Pcs



T5-Glass Plastic-120cm


VT-1225

16w | 1600lm

SKU: 6320 – 4000K Day White

SKU: 6321 – 6500K White

EQ. Watts:	28w	Holder:	G5
Voltage/Frequency:	AC:220-240V,50Hz	Instant start :	0-100% in < 1s
Luminous Flux:	1600lm	On/Off:	>15000
LED Type:	SMD	Life span:	20,000 Hours
CRI:	>80	Gross weight:	0.208 kg
PF:	>0.5	Dimension:	18,4×1149mm
Beam Angle:	160°	Box Qty:	25 Pcs
Body Type:	Glass with PET		




T8-Nano Plastic-60cm

VT-6072-NR

10w | 850lm

SKU: 6393 – 4000K Day White

EQ. Watts:	18w	Holder:	G13
Voltage/Frequency:	AC:220-240V,50Hz	Instant start :	0-100% in < 1s
Luminous Flux:	850lm	On/Off:	>15000
LED Type:	SMD	Life span:	20,000 Hours
CRI:	>80	Gross weight:	0.1264 kg
PF:	>0.5	Dimension:	27,9×600mm
Beam Angle:	160°	Box Qty:	25 Pcs
Body Type:	Nano Plastic		



T8 Nano Plastic-120cm

VT-1220

20w | 1800

SKU: 9469 – 6000K White

EQ. Watts:	100w	Holder:	G13
Voltage/Frequency:	AC:220-240V,50/60Hz	Instant start :	0-100% in < 1s
Luminous Flux:	1800	On/Off:	>15000
LED Type:	SMD	Life span:	20,000 Hours
CRI:	>70	Gross weight:	0.22kg
PF:	>0.6	Dimension:	1200mm
Beam Angle:	300°	Box Qty:	30 pcs
Body Type:	Nano Plastic		



T8-Nano Plastic Tubes

VT-15025

24w | 2100lm

SKU: 98007 – 6500K White

EQ. Watts:	24w
Voltage/Frequency:	AC:220-240V, 50/60Hz
Luminous Flux:	2100lm
LED Type:	SMD
CRI:	>70
PF:	>0.5
Beam Angle:	180°
Body Type:	Nano Plastic

Holder:	G13
Instant start :	0-100% in < 1s
On/Off:	>10000
Life span:	20,000 Hours
Gross weight:	0.316666 kg
Dimension:	1500mm
Box Qty:	30 Pcs



T8 Glass Tubes

VT-600

9w | 900lm

SKU: 9422 – 3000K Warm White
SKU: 9421 – 6000K White

EQ. Watts:	27w
Voltage/Frequency:	AC:220-240V, 50/60Hz
Luminous Flux:	900lm
LED Type:	SMD
CRI:	>70
PF:	>0.5
Beam Angle:	120°
Body Type:	Glass

Holder:	G13
Instant start :	0-100% in < 1s
On/Off:	>10000
Life span:	20,000 Hours
Gross weight:	0.10688 kg
Dimension:	600mm
Box Qty:	30 Pcs



T8 Glass Tubes

VT-1218

18w | 1600lm

SKU: 9463 – 3000K Warm White
SKU: 98013 – 4000K Day White
SKU: 9418 – 6400K White

EQ. Watts:	54w
Voltage/Frequency:	AC:100-240V, 50Hz
Luminous Flux:	1600lm
LED Type:	SMD
CRI:	>80
PF:	>0.8
Beam Angle:	120°
Body Type:	Glass

Holder:	G13
Instant start :	0-100% in < 1s
On/Off:	>10000
Life span:	20,000 Hours
Gross weight:	0.216666 kg
Dimension:	1200x28mm
Box Qty:	30 Pcs



T8 Glass Tubes

VT-12029

25w | 2800lm

SKU: 98000 – 6500K White

EQ. Watts:	NA
Voltage/Frequency:	AC:220-240V, 50/60Hz
Luminous Flux:	2800lm
LED Type:	SMD
CRI:	>70
PF:	>0.6
Beam Angle:	120°
Body Type:	Glass

Holder:	G13
Instant start :	0-100% in < 1s
On/Off:	>10000
Life span:	20,000 Hours
Gross weight:	0.216666 kg
Dimension:	1200mm
Box Qty:	30 Pcs



T8 Essential Tubes

VT-12123

23w | 2100lm

SKU: 98001 – 6500K White

EQ. Watts:	NA	Holder:	G13
Voltage/Frequency:	AC:220-240V, 50/60Hz	Instant start :	0-100% in < 1s
Luminous Flux:	2100lm	On/Off:	>10000
LED Type:	SMD	Life span:	20,000 Hours
CRI:	>70	Gross weight:	0.253333 kg
PF:	>0.6	Dimension:	1500mm
Beam Angle:	270°	Box Qty:	30 Pcs
Body Type:	Glass		



Jumbo Series

VT-12041

40w | 3000lm

9478 – 6500K White

Voltage/Frequency:	AC:170-265V, 50/60Hz	Body Type:	Aluminium+PC
Luminous Flux:	3000lm	Life span:	20,000 Hours
LED Type:	SMD	Gross weight:	0.39kg
CRI:	>80	Dimension:	1210 X 32 X 33mm
PF:	>0.9	Box Qty:	25 Pcs
Beam Angle:	120°		



Prismatic Fittings-60CM

VT-8128

28w | 2400lm

SKU: 99038 – 6400K White

Voltage/Frequency:	AC:100-240V, 50/60Hz	Body Type:	Aluminium+PC
Luminous Flux:	2400lm	On/Off:	>15000
LED Type:	SMD	Life span:	20,000 Hours
CRI:	>80	Gross weight:	0.2375 kg
PF:	>0.6	Dimension:	600×25×75mm
Beam Angle:	110°	Box Qty:	20 Pcs



Prismatic Fittings-120CM

VT-8155

55w | 4700lm

SKU: 99021 – 6400K White

Voltage/Frequency:	AC:100-240V, 50/60Hz	Body Type:	Aluminium+PC
Luminous Flux:	4700lm	On/Off:	>15000
LED Type:	SMD	Life span:	20,000 Hours
CRI:	>80	Gross weight:	0.67kg
PF:	>0.6	Dimension:	1200×25×75mm
Beam Angle:	110°	Box Qty:	20 Pcs



Prismatic Fittings-120CM

VT-8160

60w | 5200lm

SKU: 99035 – 6000K White

Voltage/Frequency:	AC:100-240V, 50/60Hz	Body Type:	Aluminium+PC
Luminous Flux:	5200lm	On/Off:	>15000
LED Type:	SMD	Life span:	20,000 Hours
CRI:	>80	Gross weight:	1.1 kg
PF:	>0.6	Dimension:	1200x28x75mm
Beam Angle:	110°	Box Qty:	20 Pcs



Prismatic Fittings-120CM

VT-8040

40w | 3600lm

SKU: 4995 – 6000K White

Voltage/Frequency:	AC:200-240V,50Hz	Body Type:	Aluminium+PC
Luminous Flux:	3600lm	On/Off:	>10,000
LED Type:	SMD	Life span:	20,000 Hours
CRI:	>80	Gross weight:	0.84kg
PF:	>0.9	Dimension:	1200x28x75mm
Beam Angle:	110°	Box Qty:	10 Pcs



Single Batten Fitting



VT-12024

9472

Body Type:	Iron
Dimension:	1200mmx1

Double Batten



VT-12025

9474

Body Type:	Iron
Dimension:	1200mmx2

Single Batten Fitting



VT-6082

99036

Body Type:	Iron
Dimension:	600mm

Double Batten Fitting



VT-12048

99037

Body Type:	Iron
Dimension:	1200mm



LED Highbays

V-TAC's new UFO and Linear High bays are designed for widespread illumination, efficiency, and resistance to harsh conditions. The UFO high-bays are supported by Meanwell drivers to boost their performance, are IP65 rated and have a sturdy body to ensure endurance, and have two options of beam angle to choose from, for even light distribution.







UFO-High Lumen-Meanwell Driver
VT-9500

500w | 65000lm

SKU: 5608 – 6400K White

Sensor Compatible:	Yes
Voltage/Frequency:	AC:90-295V,50Hz
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
Body Type:	Die Cast Aluminium
IP Rating:	IP65
Dimension:	Ø360
Box Qty:	1 Pcs



UFO Series 90°



VT-9105

100w | 8000lm

SKU: 5576 – 6400K White



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V, 50Hz
LED Type:	SMD
CRI:	>70
PF:	>0.9
Beam Angle:	90°
Body Type:	Die Cast Aluminium
IP Rating:	IP44
Dimension:	280x131mm
Box Qty:	4 Pcs





Eco Series 120LM/W

VT-91004

100w | 12000lm

SKU: 93003 – 6400K White

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
LED Type:	SMD
CRI:	>70
PF:	>0.9
Beam Angle:	120°
Body Type:	Die Cast Aluminium
IP Rating:	IP65
Dimension:	Ø230×88mm
Box Qty:	2 Pcs

120° BEAM ANGLE

120 lm/W

IP65 RATING



Eco Series 120LM/W

VT-91504

150w | 18000lm

SKU: 93004 – 6400K White

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
LED Type:	SMD
CRI:	>70
PF:	>0.9
Beam Angle:	120°
Body Type:	Die Cast Aluminium
IP Rating:	IP65
Dimension:	Ø260×88mm
Box Qty:	2 Pcs

120° BEAM ANGLE

120 lm/W

IP65 RATING



Eco Series 120LM/W

VT-92004

200w | 24000lm

SKU: 93005 – 6400K White

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
LED Type:	SMD
CRI:	>70
PF:	>0.9
Beam Angle:	120°
Body Type:	Die Cast Aluminium
IP Rating:	IP65
Dimension:	Ø310×88mm
Box Qty:	2 Pcs

120° BEAM ANGLE

120 lm/W

IP65 RATING



LED Streetlights

Light the path to the future with LED Street Lights. This state of the art LED Technology provides uniform Brightness and Illumination. Featuring V-TAC's eco-friendly street lights.

V-TAC[®]
INNOVATIVE LED LIGHTING

FADIL LIGHT

Streetlights SMD

VT-15109ST

100w | 11000lm

SKU: 95518 – 6500K White



Voltage/Frequency:	AC:220-240V, 50/60Hz
LED Type:	COB
CRI:	>70
PF:	>0.9
Beam Angle:	120°
Body Type:	Die Cast Aluminium
IP Rating:	IP65
Dimension:	270×80×720mm
Box Qty:	1Pc



Streetlights SMD

VT-15159ST

150w | 16500lm

SKU: 9120 – 6500K White



Voltage/Frequency:	AC:220-240V, 50/60Hz
LED Type:	COB
CRI:	>70
PF:	>0.9
Beam Angle:	120°
Body Type:	Die Cast Aluminium
IP Rating:	IP65
Dimension:	860×320×80mm
Box Qty:	1Pc



Slim Streetlights

VT-15106ST

100w | 10000lm

SKU: 95504 – 6000K White



Voltage/Frequency:	AC:200-240V, 50/60Hz
LED Type:	SMD
CRI:	>70
PF:	>0.9
Beam Angle:	120°
Body Type:	Die Cast Aluminium
IP Rating:	IP65
Dimension:	200×85×550mm
Box Qty:	5Pcs





Streetlight With Adaptor
VT-15108ST
100w | 10000lm

SKU: 95505 – 6000K White

Voltage/Frequency:	AC:200-240V, 50/60Hz
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	110°
Body Type:	Die Cast Aluminium
IP Rating:	IP65
Dimension:	285×78×540mm
Box Qty:	4Pcs



Streetlight With Adaptor
VT-15158ST
150w | 15000lm

SKU: 95502 – 6000K White

Voltage/Frequency:	AC:200-240V, 50/60Hz
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	110°
Body Type:	Die Cast Aluminium
IP Rating:	IP65
Dimension:	285×78×640mm
Box Qty:	3Pcs



Streetlight With Adaptor
VT-15208ST
200w | 20000lm

SKU: 95503 – 6000K White

Voltage/Frequency:	AC:200-240V, 50/60Hz
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	110°
Body Type:	Die Cast Aluminium
IP Rating:	IP65
Dimension:	285×78×735mm
Box Qty:	3Pcs





LED Strip Lights

Add an extensive array of lights and colors to any setting or interior, rejuvenate and transform the ambience of any environment at the flick of a switch with V-TAC's LED Strip Light Series. Easy installation with minimal space requirement makes this the right choice for Restaurants, Auditoriums, Meeting Rooms etc.

V-TAC[®]
INNOVATIVE LED LIGHTING

FADIL LIGHT

Striplights 2835 180
15w VT-2835 180

SKU: 92577 – 6000K White
SKU: 92576 – 3000K Warm White
SKU: 92578 – 4000K Day White



LED Type:	SMD	lm/LED:	20-22lm
Watt/M:	15w	Beam Angle:	180°
Current/M:	1.65A	IP Rating:	IP20
Voltage:	DC:12V	Width:	10mm
LED Qty/M:	180	Box Qty:	500 Meters
lm/M:	1500lm		



LED strips-2835 204 LEDs
18w VT-2835 204

SKU: 2461 – 3000K Warm White
SKU: 2462 – 4500K Day White
SKU: 2463 – 6000K White



LED Type:	SMD	lm/LED:	9-11lm
Watt/M:	18w	Beam Angle:	120°
Current/M:	1.5A	IP Rating:	IP20
Voltage:	DC:12V	Width:	10mm
LED Qty/M:	204	Box Qty:	400 Meters
lm/M:	1700lm		



Striplights 2835 240
20w VT-2835 240

SKU: 92579 – 3000K Warm White
SKU: 92580 – 4000K Day White



LED Type:	SMD	lm/LED:	20-22lm
Watt/M:	20w	Beam Angle:	120°
Current/M:	1.65A	IP Rating:	IP20
Voltage:	DC:12V	Width:	10mm
LED Qty/M:	240	Box Qty:	500 Meters
lm/M:	2000lm		



LED strips-2835 240 LEDs-High Lumen
18w VT-2835 240-H

SKU: 2164 – 3000K Warm White
SKU: 2165 – 4500K Day White
SKU: 2166 – 6000K White



LED Type:	SMD	lm/LED:	20-22lm
Watt/M:	18w	Beam Angle:	120°
Current/M:	1.5A	IP Rating:	IP20
Voltage:	DC:12V	Width:	10mm
LED Qty/M:	240	Box Qty:	400 Meters
lm/M:	3000lm		



LED strips-3014 204 LEDs

18w VT-3014 204

SKU: 2404 – 3000K Warm White
SKU: 2405 – 4500K Day White
SKU: 2403 – 6000K White



LED Type:	SMD
Watt/M:	18w
Current/M:	1.5A
Voltage:	DC:12V
LED Qty/M:	204
lm/M:	1700lm

lm/LED:	9-11lm
Beam Angle:	120°
IP Rating:	IP20
Width:	10mm
Box Qty:	400 Meters



LED strips-3528 120 LEDs

7.2w VT-3528 120-IP20

SKU: 92614 – 2200K Warm White
SKU: 2025 – 3000K Warm White
SKU: 2042 – 4500K Day White
SKU: 2002 – 6000K White
SKU: 2029 – Blue



LED Type:	SMD
Watt/M:	7.2w
Current/M:	0.6A
Voltage:	DC:12V
LED Qty/M:	120
lm/M:	600lm

lm/LED:	5-6lm
Beam Angle:	120°
IP Rating:	IP20
Width:	8mm
Box Qty:	400 Meters



LED strips-3528 120 LEDs

7.2w VT-3528 120-IP65

SKU: 2038 – 3000K Warm White
SKU: 2044 – 4500K Day White
SKU: 2037 – 6000K White



LED Type:	SMD
Watt/M:	7.2w
Current/M:	0.6A
Voltage:	DC:12V
LED Qty/M:	120
lm/M:	600lm

lm/LED:	5-6lm
Beam Angle:	120°
IP Rating:	IP65
Width:	8mm
Box Qty:	400 Meters



LED strips-5050 30 LEDs

4.8w VT-5050 30-IP20

SKU: 2135 – 3000K Warm White



LED Type:	SMD
Watt/M:	4.8w
Current/M:	0.4A
Voltage:	DC:12V
LED Qty/M:	30
lm/M:	500lm

lm/LED:	14-16lm
Beam Angle:	120°
IP Rating:	IP20
Width:	10mm
Box Qty:	400 Meters



LED strips-5050 60 LEDs
10.8W VT-5050 60-IP20

SKU: 2122 – 3000K Warm White
SKU: 2143 – 4500K Day White
SKU: 2126 – 6000K White
SKU: 2137 – Blue
SKU: 2156 – Yellow



LED Type:	SMD	lm/LED:	14 -16lm
Watt/M:	10.8w	Beam Angle:	120°
Current/M:	0.9A	IP Rating:	IP20
Voltage:	DC:12V	Width:	10mm
LED Qty/M:	60	Box Qty:	400 Meters
lm/M:	1000lm		

Striplights 5050 30 IP65
4.8W VT-5050 30-IP65

SKU: 92612 – 3000K Warm White



LED Type:	SMD	lm/LED:	14 -16lm
Watt/M:	4.8w	Beam Angle:	120°
Current/M:	0.4A	IP Rating:	IP65
Voltage:	DC:12V	Width:	10mm
LED Qty/M:	30	Box Qty:	400 Meters
lm/M:	500lm		

LED strips-5050 60 LEDs
10.8W VT-5050 60-IP65

SKU: 2149 – 3000K Warm White
SKU: 2148 – 6000K White
SKU: 2155 – RGB



LED Type:	SMD	lm/LED:	14 -16lm
Watt/M:	10.8w	Beam Angle:	120°
Current/M:	0.9A	IP Rating:	IP65
Voltage:	DC:12V	Width:	10mm
LED Qty/M:	60	Box Qty:	400 Meters
lm/M:	1000lm		

Striplights 2835 144 220V
6W VT-2835 144

SKU: 92591 – 6000K White
SKU: 92590 – 3000K Warm White
SKU: 92611 – 4000K Day White
SKU: 92626 – Red
SKU: 92624 – Blue
SKU: 92627 – Green
SKU: 92625 – Amber
SKU: 92628 – Pink



LED Type:	SMD	lm/LED:	20-22lm
Watt/M:	6w	Beam Angle:	120°
Voltage:	AC:220-240V, 50/60Hz	IP Rating:	IP65
LED Qty/M:	144	Width:	10mm
		Box Qty:	50

Striplights 2835 216 220V
8W Striplights 2835 216 220V

SKU: 92630 – 6000K White
SKU: 92629 – 3000K Warm White
SKU: 92631 – 4000K Day White

50M
ROLL

IP65
RATING

LED Type:	SMD	lm/LED:	5–6lm
Watt/M:	8W	Beam Angle:	120°
Voltage:	AC:220–240V, 50/60Hz	IP Rating:	IP65
LED Qty/M:	216	Width:	15mm
		Box Qty:	50



Striplights 2835 276 220V
8W VT-2835 276

SKU: 9816 – 6000K White
SKU: 9817 – 3000K Warm White
SKU: 9027 – Red
SKU: 9835 – Blue

50M
ROLL

IP65
RATING

LED Type:	SMD	lm/LED:	5–6lm
Watt/M:	8W	Beam Angle:	120°
Voltage:	AC:220–240V, 50/60Hz	IP Rating:	IP65
LED Qty/M:	276	Width:	15mm
		Box Qty:	50



Striplights 2835 368 220V
10W VT-2835 368

SKU: 9819 – 6000K White
SKU: 9820 – 3000K Warm White
SKU: 9029 – Red
SKU: 9028 – Blue

50M
ROLL

IP65
RATING

LED Type:	SMD	lm/LED:	5–6lm
Watt/M:	10w	Beam Angle:	120°
Voltage:	AC:220–240V, 50/60Hz	IP Rating:	IP65
LED Qty/M:	368	Width:	18mm
		Box Qty:	50



Striplights 5730 120 220V
4.5W VT-5730 120

SKU: 92569 – Red

50M
ROLL

IP65
RATING

LED Type:	SMD	lm/LED:	25–30lm
Watt/M:	4.5w	Beam Angle:	120°
Voltage:	AC:220–240V, 50/60Hz	IP Rating:	IP65
LED Qty/M:	120	Width:	10mm
		Box Qty:	50



Striplights 5730 60 220V

5.5W VT-5730 60

SKU: 92567 - Red
SKU: 92566 - Blue
SKU: 92568 - Pink



LED Type:	SMD	lm/LED:	25-30lm
Watt/M:	5.5w	Beam Angle:	120°
Voltage:	AC:220-240V, 50/60Hz	IP Rating:	IP65
LED Qty/M:	60	Width:	6.5mm
		Box Qty:	50



Striplights 5730 220V

5W VT-5730 180 220V

SKU: 9812 - 6000K White
SKU: 9813 - 3000K Warm White



LED Type:	SMD	lm/LED:	20-22lm
Watt/M:	5w	Beam Angle:	120°
Voltage:	AC:220-240V, 50/60Hz	IP Rating:	IP65
LED Qty/M:	180	Width:	15mm
		Box Qty:	50 Meters



Striplights 5730 220V

5W VT-5730 180 220V-N

SKU: 92589 - 6000K White
SKU: 92588 - 3000K Warm White
SKU: 92582 - 4000K Day White



LED Type:	SMD	lm/LED:	20-22lm
Watt/M:	5w	Beam Angle:	120°
Voltage:	AC:220-240V, 50/60Hz	IP Rating:	IP65
LED Qty/M:	180	Width:	12mm
		Box Qty:	50 Meters



Striplights 5730 60 220V

5.5W VT-5730 60 220V

SKU: 92572 - 6000K White
SKU: 92565 - 3000K Warm White
SKU: 92581 - 4000K Day White
SKU: 92571 - Red
SKU: 92570 - Blue



LED Type:	SMD	lm/LED:	25-30lm
Watt/M:	5.5w	Beam Angle:	120°
Voltage:	AC:220-240V, 50/60Hz	IP Rating:	IP65
LED Qty/M:	60	Width:	10mm
		Box Qty:	50 Meters



Striplights 5730 220V

15w VT-5730-120 220V

SKU: 92554 – 6500K White
SKU: 92555 – 3000K Warm White
SKU: 92556 – Blue

**50M
ROLL**

**IP65
RATING**

LED Type:	SMD	lm/LED:	18–20lm
Watt/M:	15w	Beam Angle:	120°
Voltage:	AC:220–240V, 50/60Hz	IP Rating:	IP65
LED Qty/M:	120	Width:	12mm
		Box Qty:	50 Meters



Striplights 5050 96 220V

8w VT-5050 96

SKU: 9825 – RGB

**50M
ROLL**

**IP65
RATING**

LED Type:	SMD	lm/LED:	14–16lm
Watt/M:	8w	Beam Angle:	120°
Voltage:	AC:220–240V, 50/60Hz	IP Rating:	IP65
LED Qty/M:	96	Width:	15mm
		Box Qty:	50 Meters



Striplights 5050 60 220V

14.4w VT-5050 60

SKU: 92551 – RGB

**50M
ROLL**

**IP65
RATING**

LED Type:	SMD	lm/LED:	18–20lm
Watt/M:	14.4w	Beam Angle:	120°
Voltage:	AC:220–240V, 50/60Hz	IP Rating:	IP65
LED Qty/M:	60	Width:	12mm
		Box Qty:	50 Meters



Striplights 5050 120 220V

18w VT-5050 120

SKU: 92550 – RGB

**50M
ROLL**

**IP65
RATING**

LED Type:	SMD	lm/LED:	18–20lm
Watt/M:	18w	Beam Angle:	120°
Voltage:	AC:220–240V, 50/60Hz	IP Rating:	IP65
LED Qty/M:	120	Width:	12mm
		Box Qty:	50 Meters



Neon Flex IP68

6.5W VT-554

- SKU: 2614 – 6400K White
- SKU: 2612 – 3000K Warm White
- SKU: 2618 – Red
- SKU: 2615 – Blue
- SKU: 2616 – Green
- SKU: 2617 – Yellow

10M ROLL



IP68 RATING

Cuttable after every 5CM . No End cap required.



Voltage:	DC:24V	Current/M:	0.27A
Lumen lm/M:	260lm	LED/M:	126
Power W/M:	6.5W	CRI:	>80
Beam Angle:	120°	Size:	8mm
		Box Qty:	50 Meters

Neon Flex

9W VT-552

- SKU: 99024 – 6000K White
- SKU: 99025 – 3000K Warm White
- SKU: 99027 – Red
- SKU: 99026 – Blue
- SKU: 99028 – Pink

50M ROLL



IP65 RATING



Voltage:	DC:12V	CRI:	>70
Lumen lm/M:	700lm	Size:	8mm
Power W/M:	9w	Box Qty:	50 Meters
Beam Angle:	120°		

Neon Flex 220V

10w VT-553

- SKU: 99029 – 6000K White
- SKU: 99030 – 3000K Warm White
- SKU: 99032 – Red
- SKU: 99031 – Blue
- SKU: 99033 – Pink

50M ROLL



IP65 RATING



Voltage:	AC:220-240V,50/60Hz	CRI:	>70
Lumen lm/M:	600lm	Size:	5mm
Power W/M:	10w	Box Qty:	50 Meters
Beam Angle:	120°		


Neon Flex 220V

10w VT-557

- SKU: 9801 – 6000K White
- SKU: 9800 – 3000K Warm White
- SKU: 92587 – 4000K Day White
- SKU: 9809 – Red
- SKU: 9803 – Blue
- SKU: 9802 – Green



IP65 RATING



Voltage:	AC:220-240V,50/60Hz	CRI:	>70
Lumen lm/M:	320lm	Size:	7.5mm
Power W/M:	10w	Box Qty:	100 Meters
Beam Angle:	120°		



LED STRIP LIGHT set is a complete kit where we provide you with 5 meters of LED STRIP LIGHT, along with the POWER SUPPLY and CONNECTOR and REMOTE CONTROL (optional), to make it a complete kit. Available and made in different colour options as per requirement.

- LED Strip
- Remote control (included)
- Driver (included)
- Packing: Blister Pack, 5 meters roll

LED Strip Set -PLUG AND PLAY


SKU:	2354
Description:	LED Strip Set SMD5050 60 LEDs RGB IP65
BOX Qty:	48 Pcs

Modules-3 SMD-IP67


1w **VT-28353**



- SKU: 5120 – 6000K White
- SKU: 93514 – 3000K Warm White
- SKU: 93513 – 4000K Day White
- SKU: 5121 -Red
- SKU: 5123 – Green





Voltage/Frequency:	DC:12V
Luminous Flux:	100lm
LED Type:	SMD
CRI:	>75
Beam Angle:	120°
Dimension:	53×12×4.6mm
IP Rating:	IP67
Box Qty.	200 Pcs




Aluminium Profiles-Milky

Model No:	VT-8113-3M
SKU:	92619
Dimension:	3000×17.4×7mm
Color of Fixture:	Milky
Box Qty.	60 Pcs



Aluminium Profiles-Milky

Model No:	VT-8110-3M
SKU:	92621
Dimension:	3000×17.2mm×15.5mm
Color of Fixture:	Milky
Box Qty.	50 Pcs




Aluminium Profiles-Milky

Model No:	VT-8107-3M
SKU:	92620
Dimension:	3000×23×15.5mm
Color of Fixture:	Milky
Box Qty.	50 Pcs




Aluminium Profiles-Milky

Model No:	VT-8124-3M
SKU:	92623
Dimension:	3000×23.5×20.5mm
Color of Fixture:	Milky
Box Qty.	30 Pcs




Aluminium Profiles-Milky

Model No:	VT-8106-3M
SKU:	92618
Dimension:	3000×24.7×7mm
Color of Fixture:	Milky
Box Qty.	60 Pcs




Aluminium Profiles-Milky

Model No:	VT-8119-3M
SKU:	92622
Dimension:	3000×30×20mm
Color of Fixture:	Milky
Box Qty.	30 Pcs





Aluminium Profiles-Milky

Model No:	VT-8118
SKU:	3371
Dimension:	2000×30×20mm
Color of Fixture:	Milky
Box Qty.	50 Pcs



Aluminium Profiles-Milky

Model No:	VT-8119
SKU:	3372
Dimension:	2000×30×20mm
Color of Fixture:	Milky
Box Qty.	60 Pcs





Box Qty. 180 Pcs

Aluminium Profiles-Milky

Model No:	VT-8106
SKU:	3350
Dimension:	2000×24.7×7mm
Color of Fixture:	Milky

Aluminium Profiles-White



Model No:	VT-8106-W
SKU:	3368
Dimension:	2000×24.7×7mm
Color of Fixture:	White3800157640183



Box Qty. 120 Pcs

Aluminium Profiles-Milky

Model No:	VT-8107
SKU:	3351
Dimension:	2000×23×15.5mm
Color of Fixture:	Milky
Box Qty.	120 Pcs




Box Qty. 120 Pcs

Aluminium Profiles-Milky

Model No:	VT-8110
SKU:	3354
Dimension:	2000×17.2×15.5mm
Color of Fixture:	Milky

Aluminium Profiles-White

Model No:	VT-8110-W
SKU:	3366
Dimension:	2000×17.2×15.5mm
Color of Fixture:	White3800157640169




Box Qty. 180 Pcs

Aluminium Profiles-Milky

Model No:	VT-8113
SKU:	3355
Dimension:	2000×17.4×7mm
Color of Fixture:	Milky

Aluminium Profiles-White

Model No:	VT-8113-W
SKU:	3365
Dimension:	2000×17.4×7mm
Color of Fixture:	White3800157640152



Aluminium Profiles Neon Flex

Model No:	99039
SKU:	99039
Dimension:	2000×10×14mm
Color of Fixture:	Silver
Box Qty.	75 Pcs



LED Power Supply-TRIAC Dimmable
VT-20154D

SKU :	3257	Output:	DC:12V
Watts:	150w	Unit Size:	199×62×31mm
Current Capacity:	12.5A	Box Qty.	50 Pcs
Input Power:	AC:200-240V,50/60 Hz		



LED Power Supply-TRIAC Dimmable
VT-20155D

SKU :	3258	Output:	DC:24V
Watts:	150w	Unit Size:	199×62×31mm
Current Capacity:	6.25A	Box Qty.	50 Pcs
Input Power:	AC:200-240V,50/60 Hz		



Power Supply-Waterproof-IP65
VT-22101

SKU :	3236	Output:	DC:12V
Watts:	100w	Unit Size:	201×30.5×20mm
Current Capacity:	8.0A	Box Qty.	20 Pcs
Input Power:	AC: 100-264V,50/60Hz		



Power Supply-Waterproof-IP67
VT-22061

SKU :	3234	Output:	DC:12V
Watts:	60w	Unit Size:	166×43×33mm
Current Capacity:	5A	Box Qty.	40 Pcs
Input Power:	AC: 100-264V,50/60Hz		




Power Supply-Waterproof-IP67
VT-22153

SKU :	3248	Output:	DC:12V
Watts:	150w	Unit Size:	192×62×38mm
Current Capacity:	12.5A	Box Qty.	15 Pcs
Input Power:	AC: 100-264V,50/60Hz		



Power Supply-Plastic-IP44
VT-23019

SKU :	3237	Output:	DC:12V
Watts:	18w	Unit Size:	73×27×43mm
Current Capacity:	1.5A	Box Qty.	120 Pcs
Input Power:	AC: 100-264V,50/60Hz		



Slim Power Supply
VT-20062

SKU :	3246	Output:	DC:12V
Watts:	60w	Unit Size:	130×50×31mm
Current Capacity:	5A	Box Qty.	36 Pcs
Input Power:	AC:85-265V,50/60Hz		



Slim Power Supply
VT-20122

SKU :	3243	Output:	DC:12V
Watts:	120w	Unit Size:	190×50×31mm
Current Capacity:	10A	Box Qty.	80 Pcs
Input Power:	AC:85-265V,50/60Hz		

Built in EMI Filter



Metal Power Supply
VT-20025

SKU :	3050	Output:	DC:12V
Watts:	25w	Unit Size:	85×58×34mm
Current Capacity:	2.1A	Box Qty.	118 Pcs
Input Power:	AC:85-265V,50/60Hz		



Metal Power Supply
VT-20060

SKU :	3052	Output:	DC:12V
Watts:	60w	Unit Size:	110×78×36mm
Current Capacity:	5A	Box Qty.	80 Pcs
Input Power:	AC:85-265V,50/60Hz		



Metal Power Supply
VT-20010

SKU :	3060	Output:	DC:12V
Watts:	100w	Unit Size:	199×98×42mm
Current Capacity:	8.3A	Box Qty.	36 Pcs
Input Power:	AC:85-265V,50/60Hz		



Metal Power Supply
VT-20150

SKU :	3055	Output:	DC:12V
Watts:	150w	Unit Size:	199×98×42mm
Current Capacity:	12.5A	Box Qty.	32 Pcs
Input Power:	AC:85-265V,50/60Hz		



Metal Power Supply
VT-20200

SKU :	3061	Output:	DC:12V
Watts:	200w	Unit Size:	200×110×50mm
Current Capacity:	16.5A	Box Qty.	24 Pcs
Input Power:	AC:85-265V,50/60Hz		



Metal Power Supply
VT-20250

SKU :	3056	Output:	DC:12V
Watts:	250w	Unit Size:	200×110×50mm
Current Capacity:	20A	Box Qty.	24 Pcs
Input Power:	AC:85-265V,50/60Hz		



Metal Power Supply
VT-20350

SKU :	3057	Output:	DC:12V
Watts:	350w	Unit Size:	215×115×50mm
Current Capacity:	30A	Box Qty.	20 Pcs
Input Power:	AC:85-265V,50/60Hz		



Metal Power Supply
VT-20500

SKU :	3062	Output:	DC:12V
Watts:	500w	Unit Size:	215×115×50mm
Current Capacity:	42A	Box Qty.	24 Pcs
Input Power:	AC:85-265V,50/60Hz		



Metal Power Supply
VT-24025

SKU :	92501	Output:	DC:24V
Watts:	25w	Unit Size:	130×50×31mm
Current Capacity:	1.04A	Box Qty.	120 Pcs
Input Power:	AC:85-265V,50/60Hz		



Metal Power Supply
VT-24060

SKU :	92502	Output:	DC:24V
Watts:	60W	Unit Size:	130×50×31mm
Current Capacity:	2.5A	Box Qty.	80 Pcs
Input Power:	AC:85-265V,50/60Hz		



Metal Power Supply
VT-24100

SKU :	92503	Output:	DC:24V
Watts:	100w	Unit Size:	160×98×42mm
Current Capacity:	4.16A	Box Qty.	36 Pcs
Input Power:	AC:85-265V,50/60Hz		



Metal Power Supply
VT-24150

SKU :	92507	Output:	DC:24V
Watts:	150w	Unit Size:	199×98×42mm
Current Capacity:	6.25A	Box Qty.	32 Pcs
Input Power:	AC:85-265V,50/60Hz		



Metal Power Supply
VT-24360

SKU :	92504	Output:	DC:24V
Watts:	360w	Unit Size:	208×82×32mm
Current Capacity:	15A	Box Qty.	24 Pcs
Input Power:	AC:85-265V,50/60Hz		



Metal Power Supply
VT-24500

SKU :	92505	Output:	DC:24V
Watts:	500w	Unit Size:	208×82×32mm
Current Capacity:	20.83A	Box Qty.	24 Pcs
Input Power:	AC:85-265V,50/60Hz		



Metal Power Supply
VT-S-20150

SKU :	92500	Output:	DC:12V
Watts:	150w	Unit Size:	200×58×40mm
Current Capacity:	12.5A	Box Qty.	60 Pcs
Input Power:	AC:85-265V,50/60Hz		



Metal Power Supply
VT-S-20350

SKU :	9808	Output:	DC:12V
Watts:	350w	Unit Size:	223×68×40mm
Current Capacity:	30A	Box Qty.	36 Pcs
Input Power:	AC:85-265V,50/60Hz		



RGB Controller

SKU:	92610
Max Current /Watt:	Max 1500W
Input Voltage:	AC:220-240V
Box Qty.	



Strip-Controller-Radio

Model:	VT-2405
SKU:	3312
Max Current /Watt:	4A x3 144/288W
Input Voltage:	DC:12/24V
Box Qty.	20 Pcs



Strip-Amplifier

Model:	VT-2408
SKU:	3327
Input Voltage:	DC:12/24V
Box Qty.	100 Pcs



Bed Light-Sensor

Model:	VT-8069
SKU:	2554
Input Voltage:	DC:12V
Box Qty.	400Pcs

Strip Connectors



SKU	Description:	BOX Qty:
3500	Flexible Connector - LED Strip 3528	100 Pcs
3504	Connector - LED Strip 5050	1000 Pcs
3505	Connector - LED Strip 5050 RGB	1000 Pcs



LED Downlights

Swap outdated CFL Lights with high quality LED Down Lights for long lasting and energy efficient lighting. Choose from a wide range of watts variations.

- Innumerable styles & elegant appearance
- Non - Flickering
- Premium quality power driver with lowest power factor saver & high RA
- Varied finishes with strong die cast aluminium body
- Low maintenance

V-TAC[®]
INNOVATIVE LED LIGHTING

FADIL LIGHT

COB Downlight

VT-2531

30w | 2100lm

SKU: 9216 – 3000K Warm White
SKU: 95029 – 4000K Day White
SKU: 9217 – 6000K White



Sensor Compatible:	
Voltage/Frequency:	AC:220-240V, 50/60Hz
LED Type:	COB
CRI:	>70
PF:	>0.6
Beam Angle:	60°


Body Type:	Aluminium
Color of Fixture:	White
Shape:	Round
Dimension:	Ø220×55mm
Cutting Size:	Ø200mm
Box Qty:	20 Pcs

Hotel Downlight-COB

VT-2936

35w | 2300lm

SKU: 1477 – 3000K Warm White



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
LED Type:	COB-CREE
CRI:	>95
PF:	>0.6
Beam Angle:	0-27°

Body Type:	Aluminium
Color of Fixture:	Grey
Dimension:	Ø160×176mm
Cutting Size:	Ø150mm
Box Qty:	8 Pcs

Side Light

VT-2903

3w | 180lm

SKU: 1485 – 3000K Warm White



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
LED Type:	COB-CREE
CRI:	>80
PF:	>0.6
Beam Angle:	30°

Body Type:	Die Cast Aluminium
Color of Fixture:	Black
Dimension:	80×80×25mm
Cutting Size:	N/A
Box Qty:	40 Pcs

Side Light

VT-2913

3w | 180lm

SKU: 1486 – 3000K Warm White



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
LED Type:	COB-CREE
CRI:	>80
PF:	>0.6
Beam Angle:	30°

Body Type:	Die Cast Aluminium
Color of Fixture:	White
Dimension:	90×60×30mm
Cutting Size:	N/A
Box Qty:	40 Pcs



Side Light
VT-2943
3w | 180lm

SKU: 1487 – 3000K Warm White

Sensor Compatible:	Yes
Voltage/Frequency:	AC:100–240V,50/60Hz
LED Type:	COB-CREE
CRI:	>80
PF:	>0.6
Beam Angle:	30°

Body Type:	Die Cast Aluminium
Color of Fixture:	Black
Dimension:	120×120×45mm
Cutting Size:	N/A
Box Qty:	20 Pcs



Adjustable Downlight
VT-7006RD
7w | 560lm

SKU: 92038 – 6000K White

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220–240V, 50/60Hz
LED Type:	COB
CRI:	>70
PF:	>0.5
Beam Angle:	60°

Body Type:	PC+ABS
Color of Fixture:	White
Shape:	Round
Dimension:	90×45mm
Cutting Size:	75mm
Box Qty:	100 Pcs



Adjustable Downlight
VT-7006SQ
7w | 560lm

SKU: 92040 – 6000K White

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220–240V, 50/60Hz
LED Type:	COB
CRI:	>70
PF:	>0.5
Beam Angle:	60°

Body Type:	PC+ABS
Color of Fixture:	White
Shape:	Square
Dimension:	90×90×45mm
Cutting Size:	75×75mm
Box Qty:	100 Pcs




Reflector Series – High Lumen
VT-26301
30w | 3600lm

SKU: 1276 – 3000K Warm White
SKU: 1277 – 4000K Day White

Sensor Compatible:	Yes
Voltage/Frequency:	AC:200–240V, 50/60Hz
LED Type:	COB
CRI:	>80
PF:	>0.9
Beam Angle:	120°

120
Lumen/W



Body Type:	PKW
Color of Fixture:	White
Shape:	Round
Dimension:	Ø220×103mm
Cutting Size:	Ø207mm
Box Qty:	12 Pcs

Reflector Series – High Lumen


VT-26451

40w | 4800lm

SKU: 1453 – 3000K Warm White



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100–270V,50/60Hz
LED Type:	COB
CRI:	>80
PF:	>0.9
Beam Angle:	120°



Body Type:	PKW
Color of Fixture:	PKW
Shape:	Round
Dimension:	Ø220×103mm
Cutting Size:	Ø207mm
Box Qty:	12 Pcs

Robust Series

VT-2750

50w | 3750lm

SKU: 9246 – 4000K Day White

SKU: 9247 – 6500K White



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220–240V, 50/60Hz
LED Type:	COB
CRI:	>70
PF:	>0.9
Beam Angle:	60°


Body Type:	Die Cast Aluminium
Color of Fixture:	White
Shape:	Round
Dimension:	225×100mm
Cutting Size:	200mm
Box Qty:	8 Pcs

Steplight-Round

VT-1109RD

3w | 120lm

SKU: 1208 – 4200K Day White



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100–240V,50/60Hz
LED Type:	COB
CRI:	>80
PF:	>0.5
Beam Angle:	15°

Body Type:	Aluminium
Color of Fixture:	White
Shape:	Round
Dimension:	Ø80×51mm
Cutting Size:	Ø62mm
Box Qty:	100 Pcs


Steplight-Square

VT-1109

3w | 120lm

SKU: 1209 – 3000K Warm White

SKU: 1210 – 4200K Day White




Sensor Compatible:	Yes
Voltage/Frequency:	AC:100–240V,50/60Hz
LED Type:	COB
CRI:	>80
PF:	>0.5
Beam Angle:	15°

Body Type:	Aluminium
Color of Fixture:	White
Shape:	Square
Dimension:	80×80×51mm
Cutting Size:	Ø62mm
Box Qty:	100 Pcs



Step Light-Square-IP65
VT-1143
3w | 100lm

SKU: 1284 – 4000K Day White




Sensor Compatible:	Yes
Voltage/Frequency:	AC:85-265V,50/60Hz
LED Type:	SMD
CRI:	>80
PF:	>0.5
Beam Angle:	83°

Body Type:	Die Cast Aluminium
Color of Fixture:	White
Shape:	Square
Dimension:	84x84x43mm
Cutting Size:	72x72mm
Box Qty:	100 Pcs



Step Light-Round-IP65
VT-1142-W
2w | 60lm

SKU: 1314 – 4000K Day White




Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
LED Type:	SMD
CRI:	>80
PF:	>0.5
Beam Angle:	55°

Body Type:	PC
Color of Fixture:	White
Shape:	Round
Dimension:	150x27mm
Cutting Size:	N/A
Box Qty:	50 Pcs



Step Light-Round-IP65
VT-1142-B
2w | 60lm

SKU: 1316 – 4000K Day White




Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
LED Type:	SMD
CRI:	>80
PF:	>0.5
Beam Angle:	55°

Body Type:	PC
Color of Fixture:	Black
Shape:	Round
Dimension:	150x27mm
Cutting Size:	N/A
Box Qty:	50 Pcs



Step Light-Square-IP65
VT-1152-W
2w | 60lm

SKU: 1320 – 4000K Day White



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
LED Type:	SMD
CRI:	>80
PF:	>0.5
Beam Angle:	55°

Body Type:	PC
Color of Fixture:	White
Shape:	Square
Dimension:	124x124x27mm
Cutting Size:	N/A
Box Qty:	50 Pcs




Step Light-Square-IP65

VT-1152-B

2w | 60lm

SKU: 1322 – 4000K Day White



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100–240V,50/60Hz
LED Type:	SMD
CRI:	>80
PF:	>0.5
Beam Angle:	55°

Body Type:	PC
Color of Fixture:	Black
Shape:	Square
Dimension:	124×124×27mm
Cutting Size:	N/A
Box Qty:	50 Pcs



Step Light-Round-IP65

VT-1182-W

3w | 210lm

SKU: 1408 – 3000K Warm White



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100–240V,50/60Hz
LED Type:	SMD
CRI:	>80
PF:	>0.5
Beam Angle:	90°

Body Type:	PC
Color of Fixture:	White
Shape:	Round
Dimension:	Ø166×94mm
Cutting Size:	N/A
Box Qty:	20 Pcs




Step Light With Sensor

VT-8035


3w | 100lm

SKU: 5570 – 4000K Day White



Sensor Compatible:	Sensor Included
Voltage/Frequency:	AC:100–240V, 50/60Hz
LED Type:	SMD
CRI:	>80
PF:	>0.5
Beam Angle:	45°

Body Type:	Die cast Aluminum
Color of Fixture:	White
Shape:	Square
Dimension:	85×85×42mm
Cutting Size:	85×85mm
Box Qty:	100 Pcs






LED Dome Lights

Create a better ambience in any environment with V-TAC's LED Dome Lights. These compact and easy to install lights make a perfect replacement for traditional dome lights.

V-TAC[®]
INNOVATIVE LED LIGHTING

FADIL LIGHT




DIMMABLE
with remote



CCT CHANGING
With Remote Control

Φ 430



Domelight-Remote Control-CCT Changeable

VT-8401 40w | 2450lm

SKU:1474- 3IN1

Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:175-265V,50/60Hz	Color of Fixture:	White
IP Rating:	IP20	Body Type:	PC+Metal
CRI:	>80	Shape:	Round
PF:	>0.9	Dimension:	430×60mm
		Box Qty:	10 Pcs




DIMMABLE
with remote



CCT CHANGING
With Remote Control

Φ 572.5




Domelight-Remote Control-CCT Changeable

VT-8555 60w | 4200lm

SKU:1455- 3IN1


Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:175-265V,50/60Hz	Color of Fixture:	White
IP Rating:	IP20	Body Type:	PC+Metal
CRI:	>80	Shape:	Round
PF:	>0.9	Dimension:	572.5×70mm
		Box Qty:	5 Pcs



DIMMABLE
with remote



CCT CHANGING
With Remote Control



Domelight-Remote Control-CCT Changeable

VT-8501 65w | 4900lm

SKU:1473- 3IN1


Sensor Compatible:	Yes	Beam Angle:	180°
Voltage/Frequency:	AC:200-240V,50/60Hz	Color of Fixture:	White
IP Rating:	IP20	Body Type:	PC+Metal
CRI:	>80	Shape:	Round
PF:	>0.6	Dimension:	500x70mm
		Box Qty:	8 Pcs

Ceiling Lights – Square

VT-8033SQ

15w | 1250lm

SKU: 1390 – 3000K Warm White
SKU: 1391 – 6400K White



TRIMLESS
Luxurious Finish
SURFACE MOUNTED


Sensor Compatible:	Yes	Beam Angle:	110°
Voltage/Frequency:	AC:100-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	1250lm	Body Type:	PC
IP Rating:	IP44	Shape:	Square
CRI:	>80	Dimension:	200x200x47.5
PF:	>0.6	Box Qty:	20 Pcs

Ceiling Lights – Round

VT-8033RD

15w | 1250lm

SKU: 1389 – 6400K White



TRIMLESS
Luxurious Finish
SURFACE MOUNTED


Sensor Compatible:	Yes	Beam Angle:	110°
Voltage/Frequency:	AC:100-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	1250lm	Body Type:	PC
IP Rating:	IP44	Shape:	Round
CRI:	>80	Dimension:	Ø200x47.5mm
PF:	>0.6	Box Qty:	20 Pcs

Ceiling Lights – Square

VT-8066SQ

25w | 2000lm

SKU: 1395 – 3000K Warm White



TRIMLESS
Luxurious Finish
SURFACE MOUNTED

Sensor Compatible:	Yes	Beam Angle:	110°
Voltage/Frequency:	AC:100-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	2000lm	Body Type:	PC
IP Rating:	IP44	Shape:	Square
CRI:	>80	Dimension:	300×300×50mm
PF:	>0.9	Box Qty:	10 Pcs


Ceiling Lights – Round

VT-8066RD

25w | 2000lm

SKU: 1392 – 3000K Warm White

SKU: 1394 – 6500K White



TRIMLESS
Luxurious Finish
SURFACE MOUNTED


Sensor Compatible:	Yes	Beam Angle:	110°
Voltage/Frequency:	AC:100-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	2000lm	Body Type:	PC
IP Rating:	IP44	Shape:	Round
CRI:	>80	Dimension:	Ø300×50mm
PF:	>0.9	Box Qty:	10 Pcs

Dome Series – Rectangle Oval

VT-8038-B

8w | 560lm

SKU: 1310 – 6000K White



Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:200-240V,50/60Hz	Color of Fixture:	Black
Luminous Flux:	560lm	Body Type:	PC
IP Rating:	IP54	Shape:	Rectangle
CRI:	>70	Dimension:	190×100×55mm
PF:	>0.5	Box Qty:	20 Pcs


Dome Series – Rectangle Oval

VT-8038-W

8w | 560lm

SKU: 1311 – 3000K Warm White

SKU: 1313 – 6000K White



Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:200-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	560lm	Body Type:	PC
IP Rating:	IP54	Shape:	Rectangle
CRI:	>70	Dimension:	190×100×55mm
PF:	>0.5	Box Qty:	20 Pcs



Rectangle Oval Dome Lights

VT-809-B

8w | 800lm

SKU: 95041 – 6000K White

Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:200-240V,50/60Hz	Color of Fixture:	Black
Luminous Flux:	800lm	Body Type:	PC
IP Rating:	IP65	Shape:	Rectangle
CRI:	>70	Dimension:	170×70mm
PF:	>0.6	Box Qty:	40 Pcs



Rectangle Oval Dome Lights

VT-809-W

8w | 800lm

SKU: 95030 – 6000K White

Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:200-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	800lm	Body Type:	PC
IP Rating:	IP65	Shape:	Rectangle
CRI:	>70	Dimension:	170×70mm
PF:	>0.6	Box Qty:	40 Pcs



Bulkhead

VT-2610

10w | 1000lm

SKU: 95042 – 6000K White

Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:200-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	1000lm	Body Type:	PC
IP Rating:	IP65	Shape:	Round
CRI:	>70	Dimension:	Ø141mm
PF:	>0.6	Box Qty:	40 Pcs




Dome Series – Oval

VT-8010-W

12w | 840lm

SKU: 1353 – 6400K White




Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:200-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	840lm	Body Type:	Plastic Clad Aluminium
IP Rating:	IP54	Shape:	Oval
CRI:	>70	Dimension:	242×165×96mm
PF:	>0.5	Box Qty:	10 Pcs

Dome Sensor Series

VT-8002C

SKU: 4966



Sensor Type:	Microwave	Detection Distance:	1-8m(radius) adjustable
Color:	White	Body Type:	PC
Detection Range:	360°	IP Rating:	IP44
Voltage:	AC:220-240V,50/60Hz	Dimension:	Ø296×96mm
Rated Load:	Max. 60W(E27)	Time Delay:	Min. 10sec±3sec,Max. 12min±1min
		Box Qty:	5 Pcs

Bling Star

VT-8061

8w | 560lm

SKU: 1370 – 3000K Warm White
SKU: 1372 – 6400K White



Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:220-240V, 50Hz	Color of Fixture:	White
Luminous Flux:	560lm	Body Type:	Iron+PMMA
IP Rating:	IP20	Shape:	Round
CRI:	>80	Dimension:	Ø215×78mm
PF:	>0.5	Box Qty:	20 Pcs

Bling Star

VT-8062

12w | 840lm

SKU: 1373 – 3000K Warm White
SKU: 1375 – 6400K White



Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:220-240V, 50Hz	Color of Fixture:	White
Luminous Flux:	840lm	Body Type:	Iron+PMMA
IP Rating:	IP20	Shape:	Round
CRI:	>80	Dimension:	Ø260×92mm
PF:	>0.5	Box Qty:	10 Pcs

Bling Star

VT-8063

24w | 1680lm

SKU: 1379 – 3000K Warm White
SKU: 1381 – 6400K White



Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:220-240V, 50Hz	Color of Fixture:	White
Luminous Flux:	1680lm	Body Type:	Iron+PMMA
IP Rating:	IP20	Shape:	Round
CRI:	>80	Dimension:	Ø330×102mm
PF:	>0.5	Box Qty:	10 Pcs

Bulkhead

VT-2622

22w | 2000lm

SKU: 95034 – 6400K White



Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:220-240V, 50/60Hz	Color of Fixture:	White
Luminous Flux:	2000lm	Body Type:	PC
IP Rating:	IP65	Shape:	Oval
CRI:	>70	Dimension:	270×75mm
PF:	>0.6	Box Qty:	40 Pcs

Bulkhead

VT-2522

22w | 2000lm

SKU: 95032 – 6400K White



Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:220-240V, 50/60Hz	Color of Fixture:	White
Luminous Flux:	2000lm	Body Type:	PC
IP Rating:	IP65	Shape:	Round
CRI:	>70	Dimension:	Ø220×65mm
PF:	>0.6	Box Qty:	40 Pcs

Bulkhead Sensor

VT-2522S

22w | 2000lm

SKU: 95033 – 6400K White



Sensor Type:	Microwave	Detection Distance:	Max. 6-7 Meter
Color:	White	Body Type:	PC
Detection Range:	D:6Mx6M	IP Rating:	IP65
Voltage:	AC:220-240V, 50/60Hz	Dimension:	Ø220×65mm
Watts:	22w	Time Delay:	20±5Sec
		Box Qty:	40 Pcs



LED Solar Lights

An Innovative and sustainable way of lighting up your outdoors.V-TAC's LED Solar Outdoor lights can function for up to 24 hours, with just 6-7 hours charging during the day.Inbuilt sensors allow these outdoor lamps to light up upon detection of movement.

- ZERO Electricity Cost
- PIR Detective
- Light on/off automatically
- Solar Powered
- Outdoor
- Cordless

V-TAC[®]
INNOVATIVE LED LIGHTING

FADIL LIGHT

Solar Floodlight
VT-25W

SKU:94006 6000K White



- ✔ REMOTE CONTROL
- ✔ AUTO FUNCTION
- ✔ TIMER FUNCTION



Solar Panel Watts:	12w
Light Watts:	25w
Battery:	5000mAh
Lumens:	550lm
Charging Time:	4hrs
Working Time:	8hrs
IP Rating:	IP65
Material:	ABS+PC+Glass
Dimension:	205×170×50mm

Solar Floodlight
VT-40W

SKU: 94008 6000K White



- ✔ REMOTE CONTROL
- ✔ AUTO FUNCTION
- ✔ TIMER FUNCTION



Solar Panel Watts:	16w
Light Watts:	40w
Battery:	10000mAh
Lumens:	1050lm
Charging Time:	4hrs
Working Time:	8hrs
IP Rating:	IP65
Material:	ABS+PC+Glass
Dimension:	247×210×65mm

Solar Floodlight
VT-60W

SKU: 94010 6000K White



- ✔ REMOTE CONTROL
- ✔ AUTO FUNCTION
- ✔ TIMER FUNCTION



Solar Panel Watts:	20w
Light Watts:	60w
Battery:	10000mAh
Lumens:	1650lm
Charging Time:	4hrs
Working Time:	8hrs
IP Rating:	IP65
Material:	ABS+PC+Glass
Dimension:	278×238×70mm

Solar Floodlight
VT-100W

SKU: 94012 6000K White



- ✔ REMOTE CONTROL
- ✔ AUTO FUNCTION
- ✔ TIMER FUNCTION



Solar Panel Watts:	35w
Light Watts:	100w
Battery:	15000mAh
Lumens:	2450lm
Charging Time:	4hrs
Working Time:	8hrs
IP Rating:	IP65
Material:	ABS+PC+Glass
Dimension:	325×208×85mm

Solar Floodlight
VT-200W

SKU: 94026 6000K White



- ✓ REMOTE CONTROL
- ✓ AUTO FUNCTION
- ✓ TIMER FUNCTION



Solar Panel Watts:	40w
Light Watts:	200w
Battery:	20000mAh
Lumens:	3100lm
Charging Time:	4hrs
Working Time:	8hrs
IP Rating:	IP65
Material:	ABS+PC+Glass
Dimension:	353×90×304mm

Solar Floodlight
VT-300W

SKU: 94027 6000K White



- ✓ REMOTE CONTROL
- ✓ AUTO FUNCTION
- ✓ TIMER FUNCTION



Solar Panel Watts:	50w
Light Watts:	300w
Battery:	25000mAh
Lumens:	4200lm
Charging Time:	4hrs
Working Time:	8hrs
IP Rating:	IP65
Material:	ABS+PC+Glass
Dimension:	437×90×356mm

Solar Streetlights
VT-ST21

SKU: 95515 – 6000K White



- ✓ REMOTE CONTROL
- ✓ AUTO FUNCTION
- ✓ TIMER FUNCTION



Solar Panel Watts:	7w
Light Watts:	20w
Battery:	Li-ion 3.2V/6AH Battery
Lumens:	1000lm
Charging Time:	4-6 Hours
Working Time:	Min:12Hrs – Max: 15Hrs
IP Rating:	IP65
Material:	PC
Dimension:	195×40×393mm

Solar Streetlights
VT-ST41

SKU: 95516 – 6000K White



- ✓ REMOTE CONTROL
- ✓ AUTO FUNCTION
- ✓ TIMER FUNCTION



Solar Panel Watts:	9w
Light Watts:	40w
Battery:	Li-ion 9.0V/12AH Battery
Lumens:	1400lm
Charging Time:	4-6 Hours
Working Time:	Min:12Hrs – Max: 15Hrs
IP Rating:	IP65
Material:	PC
Dimension:	220×40×487mm



Solar Streetlights

VT-ST61

SKU: 95517 – 6000K White

- ✔ REMOTE CONTROL
- ✔ AUTO FUNCTION
- ✔ TIMER FUNCTION



Solar Panel Watts:	13w
Light Watts:	60w
Battery:	Li-ion 3.2V/18AH Battery
Lumens:	1600lm
Charging Time:	4-6 Hours
Working Time:	Min:12Hrs – Max: 15Hrs
IP Rating:	IP65
Material:	PC
Dimension:	240×40×625mm



Solar Streetlights

VT-ST80

SKU: 95530 – 6000K White

- ✔ REMOTE CONTROL
- ✔ AUTO FUNCTION
- ✔ TIMER FUNCTION



Solar Panel Watts:	20w
Light Watts:	80w
Battery:	Li-ion 3.2V/10AH Battery
Lumens:	1375lm
Charging Time:	4-6 Hours
Working Time:	Min:12Hrs – Max: 15Hrs
IP Rating:	IP65
Material:	Die Cast Aluminium
Dimension:	139×775mm



Solar Streetlight

VT-ST100

SKU:95507 – 6000K White

- ✔ REMOTE CONTROL
- ✔ AUTO FUNCTION
- ✔ TIMER FUNCTION



Solar Panel Watts:	35w
Light Watts:	100w
Battery:	Li-ion 6.4V/11AH Battery
Lumens:	2150lm
Charging Time:	4-6 hrs Sunlight Charging
Working Time:	12-15hrs
IP Rating:	IP65
Material:	Aluminium
Dimension:	175×910mm



Solar Streetlight

VT-ST150

SKU:95508 – 6000K White

- ✔ REMOTE CONTROL
- ✔ AUTO FUNCTION
- ✔ TIMER FUNCTION




Solar Panel Watts:	40w
Light Watts:	150w
Battery:	Li-ion 6.4V/22AH Battery
Lumens:	2750lm
Charging Time:	4-6 hrs Sunlight Charging
Working Time:	12-15hrs
IP Rating:	IP65
Material:	Aluminium
Dimension:	214×970mm



Motion Sensors

Many areas like lobbies, parking garages, staircases remain unused for long hours, but do need lighting to be lit automatically in case of movement. A motion sensor is a device, which detects movements, and in some cases light conditions and then transmits a signal for illumination.

NEW




Infrared Sensor

VT-8091-W

SKU: 6606

Sensor Type:	Infrared
Colour:	White
Detection Range:	360°
Voltage:	AC:110-240V,50/60Hz
Detection Distance:	Max.8m (<24°C)
Rated Load:	Max.200W(AC:220-240V)/100W(AC:110-130V) LED
Ambient Light:	<3-2000LUX (adjustable)
Body Type:	PC
IP Rating:	IP20
Dimension:	Ø76x20.2mm
Time Delay:	10sec±3sec to 7min±2min(adjustable)
Box Qty:	100 Pcs




Infrared Sensor

VT-8029

SKU: 5090

Sensor Type:	Infrared
Colour:	White
Detection Range:	360°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	Max. 6m(<24°C)
Rated Load:	Max 300W(LED)
Ambient Light:	<3-2000LUX(adjustable)
Body Type:	PC
IP Rating:	IP20
Dimension:	76x75.6mm
Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Box Qty:	50 Pcs




Infrared Sensor

VT-8004

SKU: 4968

Sensor Type:	Infrared
Colour:	White
Detection Range:	360°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	Max. 12m(<24°C)
Rated Load:	Max 300W(LED)
Ambient Light:	<3-2000LUX(adjustable)
Body Type:	PC
IP Rating:	IP20
Dimension:	Ø88x55mm
Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Box Qty:	50 Pcs





Infrared Sensor

VT-8092

SKU: 6608

Sensor Type:	Infrared
Colour:	White
Detection Range:	360°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	Max.8m (<24°C)
Rated Load:	Max. 400W (LED)
Ambient Light:	<3-2000LUX (adjustable)
Body Type:	PC
IP Rating:	IP20
Dimension:	Ø50×62mm
Time Delay:	10sec±3sec to 15min±2min(adjustable)
Box Qty:	100 Pcs



Infrared Sensor

VT-8022

SKU: 5082

Sensor Type:	Infrared
Colour:	White
Detection Range:	120°/360°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	3/6m(<24°C)
Rated Load:	Max 200W(LED)
Ambient Light:	10LUX/2000LUX(choice)
Body Type:	Plastic
IP Rating:	IP65
Dimension:	36.8×25.5×55.4mm
Time Delay:	5s,30s,1min,3min,5min,8min(choice)
Box Qty:	100 Pcs



Infrared Sensor-IP44

VT-8003-W

SKU: 4967

Sensor Type:	Infrared
Colour:	White
Detection Range:	180°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	Max. 12m(<24°C)
Rated Load:	Max 300W(LED)
Ambient Light:	<3-2000LUX(adjustable)
Body Type:	PC
IP Rating:	IP44
Dimension:	86.4×60.4×98mm
Time Delay:	Min. 10sec±3sec, Max. 7min±2min
Box Qty:	50 Pcs




Emergency Lights

V-TAC features a line of premium quality LED emergency lights for clear and bright emergency illumination. Inclusive of evident exit signs, these signs are powered by high performance batteries, rendering a longer lifespan and lower maintenance. V-TAC's emergency lights and signs are a practical and valuable asset to many applications inclusive of offices, hotels, hospitals and residential areas.

V-TAC[®]
INNOVATIVE LED LIGHTING

FADIL LIGHT



Exit Light – Bulkhead

3W VT-543

SKU: 83111 – 6400K White

12Hrs
CHARGING TIME



IP65
RATING

Lamp Type:	16 SMD LEDs
Lumens:	140lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP65
Material :	PC Cover
Exit Lamp Type:	Wall – Bulkhead
Viewing Distance:	22 Meters From One side
Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 3.6v,1200mAh
Recharging Time:	12 Hours
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	4 Ways Legend Available
Mode Of Operation:	Maintained
Size:	346x107x60mm
Box Qty:	12 Pcs



Table Lamps

Most cozy & favorite corners always deserve comfortable lighting conditions. To cater to this need, we bring to you an exclusive range of LED table lamps. Designed with a touch of class, these lamps deliver sufficient and smooth lighting, with unique and suitable functions for both task and ambient lighting.



Table Lamps

5W VT-7705-B

Black **SKU: 8604 - 3IN1**

- Rating input 5V/3A
- 3 Levels of Brightness Dimming
- Lamp Power 5V, 0.8A(4W)
- Wireless Charging 5V, 1A(5W)
- 2s to reach full brightness
- Touch Dimming
- Fast charger included 3.0A 18W

Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	800 Lux
CRI:	>80
Body Type:	ABS+Aluminium
Dimension:	142×124×476mm
Box Qty:	10 Pcs



WIRELESS CHARGING



ANDROID & IPHONE



BRIGHTNESS ADJUSTABLE



ENERGY CONSERVATION



EYE PROTECTION



TIMER POWER OFF



USB OUTPUT



LIGHTING ADJUSTMENT



Table Lamps

5W VT-7405-B

White **SKU: 8601 - 3IN1**

- Rating input 5V/3A
- 4 Levels of Brightness Dimming
- Lamp Power 5V, 1A(5W)
- Wireless Charging 5V, 1A(5W)
- 2s to reach full brightness
- Fast charger included 3.0A 18W

Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	800 Lux
CRI:	>80
Body Type:	ABS+Aluminium
Dimension:	440×120×40mm
Box Qty:	10 Pcs



WIRELESS CHARGING



ANDROID & IPHONE



BRIGHTNESS ADJUSTABLE



ENERGY CONSERVATION



EYE PROTECTION



TIMER POWER OFF



USB OUTPUT



LIGHTING ADJUSTMENT



Floor Lamp-E27

VT-7451


SKU: 8564 Black

Voltage/Frequency:	AC: 220-240V,50/60Hz
Rated Load:	60W
Body Type:	Marble+Metal
Dimension:	1920×1960mm
Box Qty:	1 Pc



Electrical

At V-TAC, we believe in utilising existing technology and resources to continuously improve our way of living. This new category comprises of our latest tech innovations for a safe, modern, and comfortable space.



Tower Fan

VT-5546

SKU: 7901




3 Wind Mode
Normal | Natural | Sleep



3 Fan Speed
Low | Medium | High

- Power(Watts): 55
- Voltage/Freq: AC:220~240V,50Hz
- Size(inches): 46
- Material: ABS
- Unit Color: Black Finish
- Speed: 3(Low-Med-High)
- Wind Mode: 3 (Normal-Natural-Sleep)
- Timer: 1-15hrs(Max)
- Power Cord Length: 1.75m
- Plug Type: EU
- IP Rating: IP20
- Box Qty: 1pc



Tower Fan

VT-5547

SKU: 7902



3 Wind Mode
Normal | Natural | Sleep



3 Fan Speed
Low | Medium | High


- Power(Watts): 55
- Voltage/Freq: AC:220~240V,50Hz
- Size(inches): 46
- Material: ABS
- Unit Color: White & Black Finish
- Speed: 3(Low-Med-High)
- Wind Mode: 3 (Normal-Natural-Sleep)
- Timer: 1-15hrs(Max)
- Power Cord Length: 1.8m
- Plug Type: EU
- IP Rating: IP20
- Box Qty: 1pc



Smart Online Switch

VT-5008

SKU: 8422



- Max Watts: 2200W
- Input Power: AC: 90-250V,50/60Hz
- Wireless frequency: 2.4Ghz
- On/Off Cycles: 10,000 Times
- IP Rating: IP20

Nylon Cable Tie Black

- High quality
- Suitable for a multitude of uses
- Easy to thread



Nylon Cable Tie White

- High quality
- Suitable for a multitude of uses
- Easy to thread



SKU: 11222	40 Kgs	6.8x200mm	Black	80
SKU: 11178	23 Kgs	7.6x300mm	Black	60
SKU: 11223	55 Kgs	7.6x380mm	Black	40

SKU: 11163	8 Kgs	2.5x200mm	White	300
SKU: 11221	18 Kgs	3.5x300mm	White	150











Outdoor Lamps



Transform the exteriors of a Building or a Garden into a Beautiful piece of Architecture. Simultaneously help navigate obstacles at night, prevent accidents and provide security.




Used for gardens, outdoor residential areas, walkways & passages, driveways, fountains, lawns, entrance, patio or terrace and similar environments

V-TAC[®]
INNOVATIVE LED LIGHTING

FADIL LIGHT

 <p>Wall Fitting</p> <p>VT-7621PIR SKU: 7502</p> <p>MOTION (PIR) SENSOR</p> <table border="1"> <tr><td>Type:</td><td>Wall Fixtures</td></tr> <tr><td>Holder:</td><td>GU10</td></tr> <tr><td>Material:</td><td>Stainless Steel</td></tr> <tr><td>Color of Fixture:</td><td>Stainless Steel Brush</td></tr> <tr><td>IP Rating:</td><td>IP44</td></tr> <tr><td>Dimension:</td><td>110×67×163mm</td></tr> <tr><td>Box Qty:</td><td>24 Pcs</td></tr> </table>	Type:	Wall Fixtures	Holder:	GU10	Material:	Stainless Steel	Color of Fixture:	Stainless Steel Brush	IP Rating:	IP44	Dimension:	110×67×163mm	Box Qty:	24 Pcs	 <p>Wall Fitting</p> <p>VT-7622 SKU: 7500</p> <p>UP & DOWN LIGHTS</p> <table border="1"> <tr><td>Type:</td><td>Wall Fixtures</td></tr> <tr><td>Holder:</td><td>2XGU10</td></tr> <tr><td>Material:</td><td>Stainless Steel</td></tr> <tr><td>Color of Fixture:</td><td>Stainless Steel Brush</td></tr> <tr><td>IP Rating:</td><td>IP44</td></tr> <tr><td>Dimension:</td><td>93×85×163mm</td></tr> <tr><td>Box Qty:</td><td>16 Pcs</td></tr> </table>	Type:	Wall Fixtures	Holder:	2XGU10	Material:	Stainless Steel	Color of Fixture:	Stainless Steel Brush	IP Rating:	IP44	Dimension:	93×85×163mm	Box Qty:	16 Pcs
Type:	Wall Fixtures																												
Holder:	GU10																												
Material:	Stainless Steel																												
Color of Fixture:	Stainless Steel Brush																												
IP Rating:	IP44																												
Dimension:	110×67×163mm																												
Box Qty:	24 Pcs																												
Type:	Wall Fixtures																												
Holder:	2XGU10																												
Material:	Stainless Steel																												
Color of Fixture:	Stainless Steel Brush																												
IP Rating:	IP44																												
Dimension:	93×85×163mm																												
Box Qty:	16 Pcs																												
 <p>Wall Fitting</p> <p>VT-7642 SKU: 7507</p> <p>UP & DOWN LIGHTS</p> <table border="1"> <tr><td>Type:</td><td>Wall Fixtures</td></tr> <tr><td>Holder:</td><td>2XGU10</td></tr> <tr><td>Material:</td><td>Stainless Steel</td></tr> <tr><td>Color of Fixture:</td><td>Stainless Steel Brush</td></tr> <tr><td>IP Rating:</td><td>IP44</td></tr> <tr><td>Dimension:</td><td>105×76×207mm</td></tr> <tr><td>Box Qty:</td><td>16 Pcs</td></tr> </table>	Type:	Wall Fixtures	Holder:	2XGU10	Material:	Stainless Steel	Color of Fixture:	Stainless Steel Brush	IP Rating:	IP44	Dimension:	105×76×207mm	Box Qty:	16 Pcs	 <p>Wall Fitting</p> <p>VT-7652RD SKU: 7509</p> <p>UP & DOWN LIGHTS</p> <table border="1"> <tr><td>Type:</td><td>Wall Fixtures</td></tr> <tr><td>Holder:</td><td>2XGU10</td></tr> <tr><td>Material:</td><td>Aluminium</td></tr> <tr><td>Color of Fixture:</td><td>Black</td></tr> <tr><td>IP Rating:</td><td>IP44</td></tr> <tr><td>Dimension:</td><td>92×68×150mm</td></tr> <tr><td>Box Qty:</td><td>16 Pcs</td></tr> </table>	Type:	Wall Fixtures	Holder:	2XGU10	Material:	Aluminium	Color of Fixture:	Black	IP Rating:	IP44	Dimension:	92×68×150mm	Box Qty:	16 Pcs
Type:	Wall Fixtures																												
Holder:	2XGU10																												
Material:	Stainless Steel																												
Color of Fixture:	Stainless Steel Brush																												
IP Rating:	IP44																												
Dimension:	105×76×207mm																												
Box Qty:	16 Pcs																												
Type:	Wall Fixtures																												
Holder:	2XGU10																												
Material:	Aluminium																												
Color of Fixture:	Black																												
IP Rating:	IP44																												
Dimension:	92×68×150mm																												
Box Qty:	16 Pcs																												
 <p>Wall Fitting</p> <p>VT-7652SQ SKU: 7511</p> <p>UP & DOWN LIGHTS</p> <table border="1"> <tr><td>Type:</td><td>Wall Fixtures</td></tr> <tr><td>Holder:</td><td>2XGU10</td></tr> <tr><td>Material:</td><td>Aluminium</td></tr> <tr><td>Color of Fixture:</td><td>Black</td></tr> <tr><td>IP Rating:</td><td>IP44</td></tr> <tr><td>Dimension:</td><td>92×68×150mm</td></tr> <tr><td>Box Qty:</td><td>16 Pcs</td></tr> </table>	Type:	Wall Fixtures	Holder:	2XGU10	Material:	Aluminium	Color of Fixture:	Black	IP Rating:	IP44	Dimension:	92×68×150mm	Box Qty:	16 Pcs	 <p>Wall Fitting</p> <p>VT-7622-B SKU: 7569</p> <p>UP & DOWN LIGHTS</p> <table border="1"> <tr><td>Type:</td><td>Wall Fixtures</td></tr> <tr><td>Holder:</td><td>2XGU10</td></tr> <tr><td>Material:</td><td>Stainless Steel</td></tr> <tr><td>Color of Fixture:</td><td>Matt Black</td></tr> <tr><td>IP Rating:</td><td>IP44</td></tr> <tr><td>Dimension:</td><td>93×85×163mm</td></tr> <tr><td>Box Qty:</td><td>16 Pcs</td></tr> </table>	Type:	Wall Fixtures	Holder:	2XGU10	Material:	Stainless Steel	Color of Fixture:	Matt Black	IP Rating:	IP44	Dimension:	93×85×163mm	Box Qty:	16 Pcs
Type:	Wall Fixtures																												
Holder:	2XGU10																												
Material:	Aluminium																												
Color of Fixture:	Black																												
IP Rating:	IP44																												
Dimension:	92×68×150mm																												
Box Qty:	16 Pcs																												
Type:	Wall Fixtures																												
Holder:	2XGU10																												
Material:	Stainless Steel																												
Color of Fixture:	Matt Black																												
IP Rating:	IP44																												
Dimension:	93×85×163mm																												
Box Qty:	16 Pcs																												
 <p>Wall Fitting</p> <p>VT-7652RD-W SKU: 7542</p> <p>UP & DOWN LIGHTS</p> <table border="1"> <tr><td>Type:</td><td>Wall Fixtures</td></tr> <tr><td>Holder:</td><td>2xGU10</td></tr> <tr><td>Material:</td><td>Aluminium</td></tr> <tr><td>Color of Fixture:</td><td>White</td></tr> <tr><td>IP Rating:</td><td>IP44</td></tr> <tr><td>Dimension:</td><td>92×68×80mm</td></tr> <tr><td>Box Qty:</td><td>16 Pcs</td></tr> </table>	Type:	Wall Fixtures	Holder:	2xGU10	Material:	Aluminium	Color of Fixture:	White	IP Rating:	IP44	Dimension:	92×68×80mm	Box Qty:	16 Pcs	 <p>Wall Fitting</p> <p>VT-7622-W SKU: 7570</p> <p>UP & DOWN LIGHTS</p> <table border="1"> <tr><td>Type:</td><td>Wall Fixtures</td></tr> <tr><td>Holder:</td><td>2XGU10</td></tr> <tr><td>Material:</td><td>Stainless Steel</td></tr> <tr><td>Color of Fixture:</td><td>Matt White</td></tr> <tr><td>IP Rating:</td><td>IP44</td></tr> <tr><td>Dimension:</td><td>93×85×163mm</td></tr> <tr><td>Box Qty:</td><td>16 Pcs</td></tr> </table>	Type:	Wall Fixtures	Holder:	2XGU10	Material:	Stainless Steel	Color of Fixture:	Matt White	IP Rating:	IP44	Dimension:	93×85×163mm	Box Qty:	16 Pcs
Type:	Wall Fixtures																												
Holder:	2xGU10																												
Material:	Aluminium																												
Color of Fixture:	White																												
IP Rating:	IP44																												
Dimension:	92×68×80mm																												
Box Qty:	16 Pcs																												
Type:	Wall Fixtures																												
Holder:	2XGU10																												
Material:	Stainless Steel																												
Color of Fixture:	Matt White																												
IP Rating:	IP44																												
Dimension:	93×85×163mm																												
Box Qty:	16 Pcs																												

	<p>Garden Spike</p> <p>VT-769 SKU: 7517</p> <table border="1"> <tr><td>Type:</td><td>Garden Lamps</td></tr> <tr><td>Holder:</td><td>GU10</td></tr> <tr><td>Material:</td><td>Aluminium</td></tr> <tr><td>Color of Fixture:</td><td>Black</td></tr> <tr><td>IP Rating:</td><td>IP44</td></tr> <tr><td>Dimension:</td><td>95×95×335mm</td></tr> <tr><td>Box Qty:</td><td>12 Pcs</td></tr> </table>	Type:	Garden Lamps	Holder:	GU10	Material:	Aluminium	Color of Fixture:	Black	IP Rating:	IP44	Dimension:	95×95×335mm	Box Qty:	12 Pcs		<p>Garden Spikes Fittings</p> <p>VT-913 SKU: 92097</p> <table border="1"> <tr><td>Type:</td><td>Garden Spikes</td></tr> <tr><td>Holder:</td><td>GU10</td></tr> <tr><td>Material:</td><td>PC</td></tr> <tr><td>Color of Fixture:</td><td>Black</td></tr> <tr><td>IP Rating:</td><td>IP65</td></tr> <tr><td>Dimension:</td><td>60×100×220mm</td></tr> <tr><td>Box Qty:</td><td>50 Pcs</td></tr> </table>	Type:	Garden Spikes	Holder:	GU10	Material:	PC	Color of Fixture:	Black	IP Rating:	IP65	Dimension:	60×100×220mm	Box Qty:	50 Pcs
	Type:	Garden Lamps																													
Holder:	GU10																														
Material:	Aluminium																														
Color of Fixture:	Black																														
IP Rating:	IP44																														
Dimension:	95×95×335mm																														
Box Qty:	12 Pcs																														
Type:	Garden Spikes																														
Holder:	GU10																														
Material:	PC																														
Color of Fixture:	Black																														
IP Rating:	IP65																														
Dimension:	60×100×220mm																														
Box Qty:	50 Pcs																														

	<p>Underground Fitting</p> <p>VT-7677RD SKU: 7515</p> <p> IP65 RATING</p> <table border="1"> <tr><td>Type:</td><td>Underground Fittings</td></tr> <tr><td>Holder:</td><td>GU10</td></tr> <tr><td>Material:</td><td>Stainless Steel</td></tr> <tr><td>Color of Fixture:</td><td>Black</td></tr> <tr><td>IP Rating:</td><td>IP65</td></tr> <tr><td>Dimension:</td><td>110×110×120mm</td></tr> <tr><td>Box Qty:</td><td>24 Pcs</td></tr> </table>	Type:	Underground Fittings	Holder:	GU10	Material:	Stainless Steel	Color of Fixture:	Black	IP Rating:	IP65	Dimension:	110×110×120mm	Box Qty:	24 Pcs		<p>Underground Lights</p> <p>VT-7683 SKU: 93508</p> <table border="1"> <tr><td>Type:</td><td>Underground Lighting</td></tr> <tr><td>Holder:</td><td>GU10</td></tr> <tr><td>Material:</td><td>Stainless Steel+PC+Glass</td></tr> <tr><td>Color of Fixture:</td><td>Black</td></tr> <tr><td>IP Rating:</td><td>IP65</td></tr> <tr><td>Dimension:</td><td>120×110mm</td></tr> <tr><td>Box Qty:</td><td>40 Pcs</td></tr> </table>	Type:	Underground Lighting	Holder:	GU10	Material:	Stainless Steel+PC+Glass	Color of Fixture:	Black	IP Rating:	IP65	Dimension:	120×110mm	Box Qty:	40 Pcs
	Type:	Underground Fittings																													
Holder:	GU10																														
Material:	Stainless Steel																														
Color of Fixture:	Black																														
IP Rating:	IP65																														
Dimension:	110×110×120mm																														
Box Qty:	24 Pcs																														
Type:	Underground Lighting																														
Holder:	GU10																														
Material:	Stainless Steel+PC+Glass																														
Color of Fixture:	Black																														
IP Rating:	IP65																														
Dimension:	120×110mm																														
Box Qty:	40 Pcs																														

	<p>Underground Light</p> <p>0.5w</p> <p>VT-1141</p> <p>SKU: 1463 – 3000K Warm White</p> <table border="1"> <tr><td>Commercial Type:</td><td>Underground Light</td></tr> <tr><td>Voltage/Frequency:</td><td>DC:12V</td></tr> <tr><td>Luminous Flux:</td><td>5lm</td></tr> <tr><td>Beam Angle:</td><td>90°</td></tr> <tr><td>PF</td><td>>0.4</td></tr> </table>	Commercial Type:	Underground Light	Voltage/Frequency:	DC:12V	Luminous Flux:	5lm	Beam Angle:	90°	PF	>0.4	 <p>IP67 RATING</p> <table border="1"> <tr><td>CRI:</td><td>>80</td></tr> <tr><td>IP Rating:</td><td>IP67</td></tr> <tr><td>Body Type:</td><td>PC</td></tr> <tr><td>Dimension:</td><td>Ø26X82mm</td></tr> <tr><td>Box Qty:</td><td>50 Pcs</td></tr> </table>	CRI:	>80	IP Rating:	IP67	Body Type:	PC	Dimension:	Ø26X82mm	Box Qty:	50 Pcs
	Commercial Type:	Underground Light																				
Voltage/Frequency:	DC:12V																					
Luminous Flux:	5lm																					
Beam Angle:	90°																					
PF	>0.4																					
CRI:	>80																					
IP Rating:	IP67																					
Body Type:	PC																					
Dimension:	Ø26X82mm																					
Box Qty:	50 Pcs																					


	<p>Underground Lights</p> <p>1W</p> <p>VT-879RD</p> <p>SKU: 93505 – 3000K Warm White</p> <table border="1"> <tr><td>Commercial Type:</td><td>Round</td></tr> <tr><td>Voltage/Frequency:</td><td>AC:220-240V, 50Hz</td></tr> <tr><td>Luminous Flux:</td><td>45lm</td></tr> <tr><td>Beam Angle:</td><td>90°</td></tr> <tr><td>PF</td><td>>0.5</td></tr> </table>	Commercial Type:	Round	Voltage/Frequency:	AC:220-240V, 50Hz	Luminous Flux:	45lm	Beam Angle:	90°	PF	>0.5	 <table border="1"> <tr><td>CRI:</td><td>>70</td></tr> <tr><td>IP Rating:</td><td>IP67</td></tr> <tr><td>Body Type:</td><td>Stainless Steel+PC</td></tr> <tr><td>Dimension:</td><td>50×87mm</td></tr> <tr><td>Box Qty:</td><td>50 Pcs</td></tr> </table>	CRI:	>70	IP Rating:	IP67	Body Type:	Stainless Steel+PC	Dimension:	50×87mm	Box Qty:	50 Pcs
	Commercial Type:	Round																				
Voltage/Frequency:	AC:220-240V, 50Hz																					
Luminous Flux:	45lm																					
Beam Angle:	90°																					
PF	>0.5																					
CRI:	>70																					
IP Rating:	IP67																					
Body Type:	Stainless Steel+PC																					
Dimension:	50×87mm																					
Box Qty:	50 Pcs																					

Underground Lights



1w
VT-879SQ

SKU: 93511 - 3000K Warm White




Commercial Type:	Square	CRI:	>70
Voltage/Frequency:	AC:220-240V, 50Hz	IP Rating:	IP67
Luminous Flux:	45lm	Body Type:	Stainless Steel+PC
Beam Angle:	90°	Dimension:	50x50x87mm
PF	>0.5	Box Qty:	50 Pcs

Underground Light- Oblique Angle



8w
VT-7679

SKU: 8621 - 4000K Day White



Commercial Type:	Underground Light	CRI:	>80
Voltage/Frequency:	AC:220-240V,50Hz	IP Rating:	IP67
Luminous Flux:	350lm	Body Type:	Stainless Steel+Aluminium+Glass Cover
Beam Angle:	20°	Dimension:	Ø150X153mm
PF	>0.5	Box Qty:	12 Pcs

Underground Lights



18W
VT-7682

SKU: 93509 - 3000K Warm White
SKU: 93512 - 6000K White
SKU: 93510 - RGB



Commercial Type:	Underground Light	IP Rating:	IP67
Voltage/Frequency:	AC:220-240V,50Hz	Body Type:	Stainless Steel
Luminous Flux:	1000lm	Dimension:	Ø180X93mm
Beam Angle:	30°	Box Qty:	16 Pcs

Pool Lights




18W
VT-1299

SKU: 95213 - RGB



Commercial Type:	Round	IP Rating:	IP68
Voltage/Frequency:	AC:12V	Body Type:	Plastic
Luminous Flux:	1000lm	Dimension:	Ø295x79mm
Beam Angle:	30°	Box Qty:	10 Pcs




Wall Fittings GU10

VT-7613

SKU: 7563



Voltage:	AC:220-240V/50-60HZ
Max.Watts:	35W
IP Rating:	IP54
Holder:	GU10
Color of Fixture:	Black
Body Type:	Aluminium body+clear PC diffuser
Size:	121x80x220mm
Box Qty:	6 Pcs




Wall Fittings GU10

VT-7616

SKU: 7566



Voltage:	AC:220-240V,50-60Hz
Max.Watts:	35W
IP Rating:	IP54
Holder:	GU10
Color of Fixture:	Black
Body Type:	Aluminium body+opal PC diffuser
Size:	121x80x220mm
Box Qty:	6 Pcs



Wall Lamp

VT-837

SKU: 8518

Voltage:	AC:220-240V, 50Hz
Max.Watts:	60W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt White
Body Type:	Aluminium+Clear Glass
Size:	113x236x113mm
Box Qty:	10 Pcs




Wall Lamp

VT-730

SKU: 7046

Voltage:	AC:220-240V,50Hz
Max.Watts:	40W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Black
Body Type:	Aluminium+Glass
Size:	200x238mm
Box Qty:	6 Pcs




Wall Lamp

VT-731

SKU: 7047

Voltage:	AC:220-240V,50Hz
Max.Watts:	40W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Black
Body Type:	Aluminium+Plastic
Size:	200x238mm
Box Qty:	6 Pcs




Wall Lamp

VT-852

SKU: 7531

Voltage:	AC:220-240V,50Hz
Max.Watts:	60W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt Black
Body Type:	Aluminium, Glass
Size:	290x250x525mm
Box Qty:	6 Pcs




Wall Lamp

VT-853

SKU: 7532

Voltage:	AC:220-240V,50Hz
Max.Watts:	60W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt Black
Body Type:	Aluminium, Glass
Size:	290x250x525mm
Box Qty:	6 Pcs




Ceiling Lamp

VT-735

SKU: 7058

Voltage:	AC:220-240V,50Hz
Max.Watts:	60W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Black
Body Type:	Aluminium+Plastic
Size:	170x740mm
Box Qty:	10 Pcs




Stand Lamp

VT-736

SKU: 7059

Voltage:	AC:220-240V,50Hz
Max.Watts:	60W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Black
Body Type:	Aluminium+Glass
Size:	170x600mm
Box Qty:	10 Pcs




Stand Lamp

VT-734

SKU: 7057

Voltage:	AC:220-240V,50Hz
Max.Watts:	60W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Black
Body Type:	Aluminium+PC
Size:	170x290mm
Box Qty:	10 Pcs



Stand Lamp

VT-739

SKU: 7062

Voltage:	AC:220-240V,50Hz
Max.Watts:	60Wx2
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Black
Body Type:	Aluminium+Glass
Size:	500x1990mm
Box Qty:	1 Pcs



Lawn Lamp GU10

VT-849

SKU: 95212

Voltage:	AC:220-240V,50Hz
Max.Watts:	35W
IP Rating:	IP65
Holder:	GU10
Color of Fixture:	Black
Body Type:	Stainless steel+Aluminium with Glass cover
Size:	125x265mm
Box Qty:	40 Pcs





LED Wall Lights

Presenting our modern LED wall lights, the perfect replacement for traditional wall lamps. A classy combination of energy efficiency and design. Applied indoors or outdoors, style up your bedroom, hall or pathways with the soft light illuminated from these wall lamps.

V-TAC[®]
INNOVATIVE LED LIGHTING

FADIL LIGHT




Black

SKU: 8615 - 3000K Warm White

White

SKU: 8613 - 3000K Warm White




Up-Down Lights

VT-846-B

6w | 540lm

Sensor Compatible:	Yes	PF:	>0.6
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	Up150° / Down150°
Luminous Flux:	540lm	Body Type:	Aluminium
IP Rating:	IP54	Dimension:	170x40x80mm
CRI:	>80	Box Qty:	20 Pcs




Black

SKU: 8609 - 3000K Warm White

White

SKU: 8610 - 3000K Warm White




LED Wall Lights

VT-831-CRD

7w | 400lm


Sensor Compatible:	Yes	PF:	>0.6
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	128°
Luminous Flux:	400lm	Body Type:	PC
IP Rating:	IP65	Dimension:	133x133mx67m
CRI:	>80	Box Qty:	20 Pcs





Black

SKU: 8340 – 3000K Warm White



Wall Lights

VT-822


12w | 750lm

Sensor Compatible:	Yes	PF:	>0.5
Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	140°
Luminous Flux:	750lm	Body Type:	PC
IP Rating:	IP65	Dimension:	130x160mm
CRI:	>80	Box Qty:	20 Pcs



White

SKU: 8217 – 3000K Warm White




Ceiling-Blade Lights

VT-707

7w | 770lm


Sensor Compatible:	Yes	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	360°
Luminous Flux:	770lm	Body Type:	Aluminium
IP Rating:	IP65	Dimension:	110x120x170mm
CRI:	>80	Box Qty:	20 Pcs





Black

SKU: 8205 – 4000K Day White




Modern Wall Lights

VT-712

12w | 1100lm

Sensor Compatible:	Yes	PF:	>0.5
Voltage/Frequency:	AC:100–240V,50/60Hz	Beam Angle:	360°
Luminous Flux:	1100lm	Body Type:	Aluminium+Acrylic
IP Rating:	IP20	Dimension:	260×125×55mm
CRI:	>80	Box Qty:	20 Pcs




White

SKU: 7079 – 3000K Warm White

Black

SKU: 7078 – 3000K Warm White



Square-Bridgelux

VT-759

6w | 660lm

Sensor Compatible:	Yes	PF:	>0.45
Voltage/Frequency:	AC:220–240V,50/60Hz	Beam Angle:	Adjustable 5°-120°
Luminous Flux:	660lm	Body Type:	Aluminium
IP Rating:	IP65	Dimension:	100×100×100mm
CRI:	>80	Box Qty:	20 Pcs






White

SKU: 8527 – 3000K Warm White

Black

SKU: 8529 – 3000K Warm White




Square-Bridgelux
VT-759-12
12w | 1100lm

Sensor Compatible:	Yes	PF:	>0.45
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	Adjustable 5°-120°
Luminous Flux:	1100lm	Body Type:	Aluminium
IP Rating:	IP65	Dimension:	100×100×100mm
CRI:	>80	Box Qty:	20 Pcs



Wall Lights
VT-705
5w | 550lm

SKU: 8208 – 3000K Warm White



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	550lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5
Beam Angle:	150°
Body Type:	Aluminium
Dimension:	175×80×96mm
Box Qty:	20 Pcs




Rotatable-360-White

VT-757

5w | 560lm

SKU: 7086 - 3000K Warm White



Sensor Compatible:	Yes
Voltage/Frequency:	AC:110-240V,50/60Hz
Luminous Flux:	560lm
IP Rating:	IP20
CRI:	>80
PF:	>0.45
Beam Angle:	10-360°
Body Type:	Aluminium
Dimension:	140x105x140mm
Box Qty:	20 Pcs



With Switch


NEW

Single Head

VT-805-N-B

4.5w | 360lm

SKU: 8678 - 4000K Day White



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	360lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5
Beam Angle:	100°
Body Type:	Plastic+Metal
Dimension:	100x94x45mm
Box Qty:	24 Pcs



Pendants

Includes all mounting hardware for quick and easy installation and filament vintage style bulb recommended (sold separately).

- Stylish pendant lamps available in various shapes, material, and sizes.
- Most suitable with A60, Candle, ST-64 & Globe Bulb Series.
- Easy to Install.
- Vibrant & elegant colors available.


V-TAC[®]
INNOVATIVE LED LIGHTING

FADIL LIGHT




Rattan Floor Lamp

Model:	VT-4150
SKU:	40561
Size:	Ø400xH1500mm
Box Qty:	1Pcs
Material:	Rattan Finish



Rattan Floor Lamp

Model:	VT-3100
SKU:	40571
Size:	Ø300xH940mm
Box Qty:	1Pcs
Material:	Rattan Finish



Designer Pendants

SKU:	97016
Size:	240x1050mm
Box Qty:	1Pcs
Material:	Metal+Glass





Table Lamp Fittings


SKU:	97017
Size:	230x360mm
Box Qty:	1Pcs
Material:	Metal+Glass





Floor Lamp Fittings

SKU:	97018
Size:	360x530mm
Box Qty:	1Pcs
Material:	Metal+Glass




Floor Lamp Fittings

SKU:	97019
Size:	250x1650mm
Box Qty:	1Pcs
Material:	Metal+Glass




Wooden Pendant

Model:	VT-3450
SKU:	40501
Size:	Ø350xH450mm
Box Qty:	1Pcs
Material:	Wooden



Wooden Pendant


Model:	VT-3350
SKU:	40511
Size:	Ø350xH310mm
Box Qty:	4Pcs
Material:	Wooden






Wooden Pendant

Model:	VT-2450
SKU:	40521
Size:	Ø250xH450mm
Box Qty:	4Pcs
Material:	Wooden




Wooden Pendant

Model:	VT-4453
SKU:	40551
Size:	Ø450xH450mm
Box Qty:	1Pcs
Material:	Wooden




Modern-Amber Glass Pendant

Model:	VT-7281-AG
SKU:	3886
Size:	285x440x1000mm
Box Qty:	4Pcs
Material:	Glass+Metal



Transparent Glass-Metal Series


Model:	VT-7185
SKU:	3738
Size:	180x230x1110mm
Box Qty:	12Pcs
Material:	Glass+Metal






Transparent Glass-Metal Seri

Model:	VT-7250
SKU:	3739
Size:	250×330×1220mm
Box Qty:	8Pcs
Material:	Glass+Metal




Transparent Glass-Metal Ser

Model:	VT-7300
SKU:	3737
Size:	300×250×1150mm
Box Qty:	8Pcs
Material:	Glass+Metal




Amber Glass-Metal Series

Model:	VT-7320
SKU:	3740
Size:	250×280×1180mm
Box Qty:	8Pcs
Material:	Glass+Metal



Amber Glass Pendant


Model:	VT-7220-A
SKU:	3726
Size:	220×280×1150mm
Box Qty:	8Pcs
Material:	Glass+Metal






Transparent Glass-Globe

Model:	VT-7226
SKU:	3864
Size:	Ø250×230mm
Box Qty:	8Pcs
Material:	Glass+Metal



Can Shape-Gold Pendant

Model:	VT-7132-CG
SKU:	3827
Size:	130×220×1300mm
Box Qty:	10Pcs
Material:	Metal



Copper Series-Rose Gold

Model:	VT-8150-CO
SKU:	3713
Size:	Ø150
Box Qty:	10Pcs
Material:	Metal



Copper Series-Rose Gold

Model:	VT-8300
SKU:	3710
Size:	Ø300
Box Qty:	4Pcs
Material:	Iron with electric copper paint





Copper Series-Rose Gold

Model:	VT-8220
SKU:	3711
Size:	Ø220
Box Qty:	4Pcs
Material:	Iron with electric copper paint



Copper Series-Rose Gold

Model:	VT-8255
SKU:	3709
Size:	Ø250mm
Box Qty:	4Pcs
Material:	Iron with electric copper paint



Copper Series-Chrome

Model:	VT-8180-CH
SKU:	3707
Size:	Ø180mm
Box Qty:	4Pcs
Material:	Iron with electric copper paint



Copper Series-Rose Gold

Model:	VT-8170
SKU:	3714
Size:	Ø170mm
Box Qty:	8Pcs
Material:	Iron with electric copper paint





Copper Series-Rose Gold

Model:	VT-8230
SKU:	3715
Size:	Ø230mm
Box Qty:	4Pcs
Material:	Iron with electric copper paint



Copper Series-Chrome

Model:	VT-8175-CH
SKU:	3705
Size:	Ø170
Box Qty:	4Pcs
Material:	Iron with electric copper paint



Copper Series-Rose Gold

Model:	VT-8175-CO
SKU:	3706
Size:	Ø170mm
Box Qty:	8Pcs
Material:	Iron with electric copper paint



Copper Series-Rose Gold


Model:	VT-8250
SKU:	3717
Size:	Ø250mm
Box Qty:	4Pcs
Material:	Iron with electric copper paint






Concrete-Mesh

Model:	VT-7253
SKU:	3848
Size:	250x310x1200mm
Box Qty:	4Pcs
Material:	Concrete+Iron




Concrete-Table Lamp

Model:	VT-7160
SKU:	3851
Size:	160x150x2000mm
Box Qty:	4Pcs
Material:	Concrete




Geometric Series-Gold Canopy

Model:	VT-7141-CG
SKU:	3831
Size:	250x190x1250mm
Box Qty:	8Pcs
Material:	Metal



Geometric Series-Gold Canopy


Model:	VT-7161-CG
SKU:	3833
Size:	225x225x1250mm
Box Qty:	10Pcs
Material:	Metal






Danish Wood-Bronze Canopy

Model:	VT-7225
SKU:	3816
Size:	260×330×1111mm
Box Qty:	8Pcs
Material:	Aluminium+Sand Finish




Wooden Top Iron-Black

Model:	VT-7525-B
SKU:	3762
Size:	250×400×1200mm
Box Qty:	8Pcs
Material:	Iron+Wooden Top




Wooden Top Iron-Black

Model:	VT-7535-B
SKU:	3764
Size:	350×300×1100mm
Box Qty:	8Pcs
Material:	Iron+Wooden Top



Wooden Top Iron-Black


Model:	VT-7545-B
SKU:	3766
Size:	350×300×1100mm
Box Qty:	8Pcs
Material:	Iron+Wooden Top





Metal Plate-Rose Gold

Model:	VT-7777-RG
SKU:	3751
Size:	300×90×1000mm
Box Qty:	20Pcs
Material:	Metal




Pendant-Hemp Rope

Model:	VT-7118
SKU:	3754
Size:	45×57×1500mm
Box Qty:	12Pcs
Material:	Rope




Designer Pendants

SKU:	97029
Size:	600×950mm
Box Qty:	6Pcs
Material:	Metal



Designer Pendants


SKU:	97031
Size:	150×1200mm
Box Qty:	1Pcs
Material:	Rattan






Designer Pendants

SKU:	97032
Size:	200×1250mm
Box Qty:	1Pcs
Material:	Rattan




Designer Pendants

SKU:	97033
Size:	60×1200mm
Box Qty:	10Pcs
Material:	Marble




Chandelier With Heads

SKU:	97020
Size:	1000×1104mm
Box Qty:	1Pcs
Material:	Metal+glass



Chandelier With Heads


SKU:	97021
Size:	800×1005mm
Box Qty:	1Pcs
Material:	Metal+glass






Chandelier With Heads

SKU:	97028
Size:	1396×685mm
Box Qty:	1Pcs
Material:	Metal+glass




Designer Chandeliers

SKU:	97026
Size:	600×660mm
Box Qty:	1Pcs
Material:	Stainless Steel




Pendant Holder-Bottle-E14

Model:	VT-7558-GN
SKU:	3767
Size:	72×280×1150mm
Box Qty:	25Pcs
Material:	Glass



Pendant Holder-Bottle-E14


Model:	VT-7558-BL
SKU:	3768
Size:	72×280×1150mm
Box Qty:	25Pcs
Material:	Glass







Pendant Holder-Bottle-E14

Model:	VT-7558-R
SKU:	3769
Size:	72×280×1150mm
Box Qty:	25Pcs
Material:	Glass




Pendant Holder-Bottle-E14

Model:	VT-7558-BR
SKU:	3776
Size:	72×280×1150mm
Box Qty:	25Pcs
Material:	Glass



Metal Holder-Canopy

Model:	VT-7555-BBR
SKU:	3841
Size:	Ø50×90×900mm
Box Qty:	30Pcs
Material:	Metal



Metal Holder-Canopy

Model:	VT-7555-MG
SKU:	3844
Size:	Ø50×90×900mm
Box Qty:	30Pcs
Material:	Metal



Gold Holder-Gold Canopy

Model:	VT-7448
SKU:	3777
Size:	Ø39×1000mm
Box Qty:	40Pcs




LED Chandeliers & Pendants

Elegance in any space — ceiling lights such as chandeliers instantly bring flair and beauty in modern interiors, from residential areas to commercial spaces. Easily upgrade any interior just by levelling up your lighting with style & sophistication – perfect for living rooms, hotel lobbies, event spaces, and more. Our ceiling lights are available in varying colours, drop heights, lumens, dimming features, and more.

V-TAC[®]
INNOVATIVE LED LIGHTING

FADIL LIGHT




Designer Chandeliers

31W

SKU:97038 - 3IN1

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1678lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Beam Angle:	120°
No. of LED:	560 pcs
Material :	Metal+Silicone
Unit GW :	1.67 Kg
Life Span:	20,000 Hours
Size :	750×340×1200mm
Box Qty:	1Pcs




Designer Chandeliers

72W

SKU:97040 - 3IN1

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	2264lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Beam Angle:	120°
No. of LED:	1136 pcs
Material :	Metal+Acrylic
Unit GW :	5.21 Kg
Life Span:	20,000 Hours
Size :	1320×1400mm
Box Qty:	1Pcs




3 Step Chandeliers

73W

SKU:97043 - 3IN1

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	3327lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Beam Angle:	120°
No. of LED:	1056 pcs
Material :	Metal+Silicone
Unit GW :	3.18 Kg
Life Span:	20,000 Hours
Size :	630×1400mm
Box Qty:	1Pcs




Chandelier With Beads

40W

SKU:97023 – 3000K Warm White

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1725lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Beam Angle:	120°
No. of LED:	92 pcs
Material :	Stainless Steel
Unit GW :	1.5 Kg
Life Span:	20,000 Hours
Size :	400×1800mm
Box Qty:	1Pcs




Chandelier With Beads

60W

SKU:97024 – 3000K Warm White

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	2825lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Beam Angle:	120°
No. of LED:	162 pcs
Material :	Stainless Steel
Unit GW :	7 Kg
Life Span:	20,000 Hours
Size :	800×2100mm
Box Qty:	1Pcs




Chandelier With Beads

87W

SKU:97025 – 3000K Warm White

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	3600lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Beam Angle:	120°
No. of LED:	252 pcs
Material :	Stainless Steel
Unit GW :	16 Kg
Life Span:	20,000 Hours
Size :	1200×2300mm
Box Qty:	1Pcs




Built In **LED**

White Chandelier-3 Step-Dimma-

92W **VT-82-3-W**

SKU: 3989 – 3000K Warm White

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	6500lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	470 pcs
Material :	Aluminium+Acrylic
Unit GW :	4.7 Kg
Life Span:	25,000 Hours
Size :	600/500/400mm
Box Qty:	1Pcs




Built In **LED**

Black Chandelier-3 Step-Dimma-

92W **VT-82-3-B**

SKU: 3990 – 3000K Warm White

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	6500lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	470 pcs
Material :	Aluminium+Acrylic
Unit GW :	4.7 Kg
Life Span:	25,000 Hours
Size :	600/500/400mm
Box Qty:	1Pcs




Built In **LED**

Coffee Chandelier-3 Step-Dim-

92W **VT-82-3-C**

SKU: 3991 – 3000K Warm White

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	6500lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	470 pcs
Material :	Aluminium+Acrylic
Unit GW :	4.7 Kg
Life Span:	25,000 Hours
Size :	600/500/400mm
Box Qty:	1Pcs




Built In **LED**

Chandelier-3 Step

70w VT-70-3D

SKU: 3904 - 3000K Warm White

Voltage/Frequency:	AC:100-240V,50Hz
Luminous Flux:	4900lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	360 pcs
Material :	Acrylic+Aluminium
Unit GW :	3.50 Kg
Life Span:	20,000 Hours
Size :	600×600×1200mm
Box Qty:	1Pcs




4 Step Chandeliers

84W

SKU:97041 - 3IN1

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	4682lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Beam Angle:	120°
No. of LED:	1376 pcs
Material :	Metal+Silicone
Unit GW :	3.7 Kg
Life Span:	20,000 Hours
Size :	800×1400mm
Box Qty:	1Pcs




4 Step Chandeliers

85W

SKU:97039 - 3IN1

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	2725lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Beam Angle:	120°
No. of LED:	1280 pcs
Material :	Metal+Silicone
Unit GW :	4.05 Kg
Life Span:	20,000 Hours
Size :	600×1400mm
Box Qty:	1Pcs




Designer Chandeliers

48W

SKU:97036 – 3IN1

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	2163lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Beam Angle:	120°
No. of LED:	704 pcs
Material :	Metal+Silicone
Unit GW :	2.14 Kg
Life Span:	20,000 Hours
Size :	D:500×1200mm
Box Qty:	1Pcs




Designer Wall Lamps

31W

SKU: 97037 – 3IN1

Voltage/Frequency:	AC:220-240V,50Hz	No. of LED:	576 pcs
Luminous Flux:	1500lm	Material :	Metal+Silicone
LED Type:	SMD	Unit GW :	1.8 Kg
CRI:	>80	Life Span:	20,000 Hours
PF:	>0.5	Size :	750×500mm
Beam Angle:	120°	Box Qty:	1Pcs



Designer Wall Lamps

84W

SKU: 97034 – 3IN1

Voltage/Frequency:	AC:220-240V,50Hz	No. of LED:	1376 pcs
Luminous Flux:	2814lm	Material :	Metal+Acrylic
LED Type:	SMD	Unit GW :	4.37 Kg
CRI:	>80	Life Span:	20,000 Hours
PF:	>0.5	Size :	950×650mm
Beam Angle:	120°	Box Qty:	1Pcs




Designer Wall Lamps

109W

SKU: 97035 - 3IN1

Voltage/Frequency:	AC:220-240V,50Hz	No. of LED:	1776 pcs
Luminous Flux:	6877lm	Material :	Metal+Silicone
LED Type:	SMD	Unit GW :	4.42 Kg
CRI:	>80	Life Span:	20,000 Hours
PF:	>0.5	Size :	1000x850mm
Beam Angle:	120°	Box Qty:	1Pcs




Designer Wall Lamps

128W

SKU: 97042 - 3IN1

Voltage/Frequency:	AC:220-240V,50Hz	No. of LED:	1792 pcs
Luminous Flux:	7444lm	Material :	Metal+Silicone
LED Type:	SMD	Unit GW :	4.91 Kg
CRI:	>80	Life Span:	20,000 Hours
PF:	>0.5	Size :	970x850mm
Beam Angle:	120°	Box Qty:	1Pcs





Designer Chandeliers

40w

SKU: 97022 - 3000K Warm White

Voltage/Frequency:	AC:220-240V,50Hz	No. of LED:	360 pcs
Luminous Flux:	1550lm	Material :	Metal+Silicone
LED Type:	SMD	Unit GW :	1.6 Kg
CRI:	>80	Life Span:	20,000 Hours
PF:	>0.5	Size :	650x885mm
Beam Angle:	120°	Box Qty:	1Pcs




Designer Pendants

14w

SKU: 97027 - 3000K Warm White

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	500lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Beam Angle:	120°
No. of LED:	180 pcs
Material :	Metal
Unit GW :	9 Kg
Life Span:	20,000 Hours
Size :	1000x900mm
Box Qty:	1Pcs




Designer Pendants

27w

SKU: 97030 - 3000K Warm White

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1150lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Beam Angle:	120°
No. of LED:	30 pcs
Material :	Metal+Acrylic
Unit GW :	0.9 Kg
Life Span:	20,000 Hours
Size :	250x920mm
Box Qty:	5Pcs



Pendant Light-White Lamp Shade


7w

VT-7666-WH

SKU: 3939 - 3000K Warm White

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Beam Angle:	120°
No. of LED:	14 pcs
Material :	Metal Finish
Unit GW :	2.4 Kg
Life Span:	30,000 Hours
Size :	Ø340xH190mm
Box Qty:	4Pcs

Built In **LED**




Built In LED

Pendant Light-White

20w VT-25-1-W

SKU: 3992 -3000K Warm White

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1500lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	140 pcs
Material :	Iron+Acrylic
Unit GW :	3.2 Kg
Life Span:	30,000 Hours
Size :	450mm
Box Qty:	1Pcs




Built In LED

Pendant Light-Black

20w VT-25-1-B

SKU: 3993 -3000K Warm White

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1500lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	140 pcs
Material :	Iron+Acrylic
Unit GW :	3.2 Kg
Life Span:	30,000 Hours
Size :	450mm
Box Qty:	1Pcs




Built In LED

Pendant Light-Coffee

20w VT-25-1-C

SKU: 3994 -3000K Warm White

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1500lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	140 pcs
Material :	Iron+Acrylic
Unit GW :	3.2 Kg
Life Span:	30,000 Hours
Size :	450mm
Box Qty:	1Pcs




COLOR CHANGING WITH REMOTE

Designer Series Pendant-Color

32w VT-7460

SKU: 3958 -3IN1

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	3100lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	320 pcs
Material :	PC
Unit GW :	2.20 kgs
Life Span:	30,000 Hours
Size :	460×2000mm
Box Qty:	1Pcs




COLOR CHANGING WITH REMOTE

Designer Series Pendant-Color

38w VT-7605

SKU: 3959 -3IN1

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	3300lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	384 pcs
Material :	PC
Unit GW :	3.90 kgs
Life Span:	30,000 Hours
Size :	600×2000mm
Box Qty:	1Pcs




COLOR CHANGING WITH REMOTE

Designer Series Pendant-Color

40w VT-7461

SKU: 3962 -3IN1

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	3600lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	384 pcs
Material :	PC
Unit GW :	3.00 kgs
Life Span:	30,000 Hours
Size :	460×460×2000mm
Box Qty:	1Pcs




COLOR CHANGING WITH REMOTE

Designer Series Pendant-Color

42W **VT-7607**

SKU: 3963 -3IN1

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	3400lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	384 pcs
Material :	PC
Unit GW :	4.80 kgs
Life Span:	30,000 Hours
Size :	600×600×2000mm
Box Qty:	1Pcs




COLOR CHANGING WITH REMOTE

Designer Series Pendant-Color

68W **VT-7608**

SKU: 3965 -3IN1

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	6000lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	624 pcs
Material :	PC
Unit GW :	6.50 kgs
Life Span:	30,000 Hours
Size :	600×300×2000mm
Box Qty:	1Pcs




COLOR CHANGING WITH REMOTE

Designer Series Surface-Color

22W **VT-7308**

SKU: 3966 -3IN1


Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	2100lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	240 pcs
Material :	PC
Unit GW :	16.50 kgs
Life Span:	30,000 Hours
Size :	300×85mm
Box Qty:	1Pcs



Designer Series Pendant-TRIAC
Dimmable
52w VT-7072

SKU: 3979 -3000K Warm White

Voltage/Frequency:	AC:220-240V,50Hz	No. of LED:	300 pcs
Luminous Flux:	3400lm	Material :	PC
LED Type:	SMD	Unit GW :	3.5 kgs
CRI:	>80	Life Span:	30,000 Hours
PF:	>0.9	Size :	1310x125x2000mm
Beam Angle:	120°	Box Qty:	1Pcs




Floor Lamps

32w VT-7048

SKU: 3976 3000K Warm White

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	2100lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	200 pcs
Material :	PC
Unit GW :	5.60 kgs
Life Span:	30,000 Hours
Size :	200x900mm
Box Qty:	1Pcs




Mirror Lights

17w VT-8505

SKU: 40441 - 6400K White

Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	600lm
CRI:	>80
Beam Angle:	120°
Material :	Iron
Unit GW :	6 Kg
IP Rating:	IP44
Size :	500x390x35mm
Box Qty:	1Pcs




Mirror Lights

37w VT-8701

SKU: 40461 - 3IN1

Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	800lm
CRI:	>80
Beam Angle:	120°
Material :	Iron
Unit GW :	9.3 Kg
IP Rating:	IP44
Size :	700×500×35mm
Box Qty:	1Pcs




Mirror Lights

38w VT-8800

SKU: 40471 - 6400K White

Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	700lm
CRI:	>80
Beam Angle:	120°
Material :	Iron
Unit GW :	12 Kg
IP Rating:	IP44
Size :	800×600×35mm
Box Qty:	1Pcs




Mirror Lights

25w VT-8601

SKU: 40481 - 6400K White

Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	750lm
CRI:	>80
Beam Angle:	120°
Material :	Iron
Unit GW :	8 Kg
IP Rating:	IP44
Size :	D:600×35mm
Box Qty:	1Pcs






Mirror Light-Picture Chrome Wall

12W VT-7012 Built In LED

SKU: 3895 - 4000K Day White

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	900lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Beam Angle:	120°

No. of LED:	60 pcs
Material :	Metal+PMMA
Unit GW :	0.82 Kg
Life Span:	20,000 Hours
Size :	640×55×185mm
Box Qty:	12Pcs




Mirror Movable Wall Lamp

8W VT-7009CH Built In LED

SKU: 3900 - 4000K Day white

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	600lm
LED Type:	SMD
CRI:	>80
PF:	>0.8
Beam Angle:	120°

No. of LED:	40 pcs
Material :	Stainless Steel+Aluminium+PMMA
Unit GW :	0.8 Kg
Life Span:	20,000 Hours
Size :	455×45×190mm
Box Qty:	11Pcs




Mirror Movable Wall Lamp Golden

8W VT-7009 Built In LED

SKU: 3901 - 4000K Day white

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	600lm
LED Type:	SMD
CRI:	>80
PF:	>0.8
Beam Angle:	120°

No. of LED:	40 pcs
Material :	Stainless Steel+Aluminium+PMMA
Unit GW :	0.8 Kg
Life Span:	20,000 Hours
Size :	455×45×190mm
Box Qty:	11Pcs




Mirror Surface Light – Chrome Cap

10W VT-7010-CH Built In **LED**

SKU: 3917 – 6400K White

Voltage/Frequency:	AC:220-240V,50/60Hz	No. of LED:	N/A
Luminous Flux:	950lm	Material :	Aluminium+PC
LED Type:	SMD	Unit GW :	0.63 Kg
CRI:	>80	Life Span:	30,000 Hours
PF:	>0.5	Size :	605×53.6×64.6mm
Beam Angle:	150°	Box Qty:	10Pcs



RECHARGEABLE

Ball Light

1w VT-7801

SKU: 40141 – RGB

Voltage/Frequency:	AC:100-240V,50Hz
Luminous Flux:	18lm
LED Type:	SMD
No. of LED:	2 pcs
Material :	LLDPE
Unit GW :	0.8 kgs
Life Span:	50,000 Hours
Size :	200×200×140mm
Box Qty:	8Pcs



DIALux Partner



TUV



RoHS



CE / LVD



Certified and Tested



CE/EMC



add luxury 
TO YOUR HOME

 **FADIL LIGHT**

FADIL LIGHT s.a.r.l

20 AVENUE AKID ALLAM HAY SALAMA 3
CASABLANCA, MOROCCO

✉ Email: fadil_light@hotmail.com

☎ Tel: 00212 5 22 57 20 75

☎ Fax: 00212 5 22 57 20 65

☎ Mobile : 00212 6 61 40 99 68